HYOSUNG HEAVY INDUSTRIES

INDUCTION MOTOR DATA SHEET

PROJECT No. P42-4160-201904-1163
HS No. 201904-6426_11000_003
L-SPEC No. DSML20403E003M

DATA SHEET L-SPEC No. DSML20403F003M SHEET 1 OF 1 CUSTOMER FOR PROPOSAL JOB No. N/A ITEM No.: SERVICE: N/A QUANTITY SET SITE 1 : **GENERAL DATA** PERFORMANCE DATA FRAME No. 160L **OUTPUT** 15 kW TYPE TEFC **POLES** 4 **ENCLOSURE** ΤE **ROTOR TYPE** SQUIRREL CAGE **COOLING METHOD** FC(IC411) STARTING METHOD DIRECT ON LINE **INSULATION CLASS CLASS PHASE PHASE** TEMP. RISE AT FULL LOAD FREQUENCY 50 Hz RES. METHOD 80 K (at S.F:1.0) SPEED (AT FULL LOAD) 1470 r/min RATING S1 PRIMARY LOCATION INDOOR VOLTAGE 380 ٧ ALTITUDE LESS THAN NO LOAD CURRENT 15.1 1000 Α m LESS THAN **FULL LOAD CURRENT** HUMIDITY 80 % 31.8 Α AMBIENT TEMP. 40 $^{\circ}$ C LOCKED-ROTOR CURRENT 600 % **EXPLOSION PROOF TYPE** N/A **EFFICIENCY** MOUNTING **B**5 AT 1/2 LOAD 86.7 % **BEARING TYPE** ANTI-FRICTION AT 3/4 LOAD 88.7 % NDE/DE BRG. No. 6309ZZ / 6309ZZ AT FULL LOAD 89.7 % **BRG. LUBRICATION** N/A POWER FACTOR PROTECTION GRADE IP55 AT 1/2 LOAD 65.0 % SERVICE FACTOR 1.0 AT 3/4 LOAD 75.0 % DRIVE DIRECT COUPLED AT FULL LOAD 80.0 % SHAFT **TORQUE EXTENSION** SINGLE **FULL LOAD** 9.94 kg-m **EXTERNAL THRUST** N/A 97.5 N-m LOCKED ROTOR NOISE LEVEL(MEAN VALUE AT 1m FROM MOTOR) 170 % NO-LOAD **STANDARD BREAKDOWN** 220 % VIBRATION 2.2 mm/s (r.m.s) 0.56 MOTOR GD² kg-m² COLD: 2/HOT: 1 (4P) NUMBER OF MAX LOAD GD2 AT MOTOR SHAFT 54.9 kg-m² **CONSECUTIVE STARTS** MOTOR APPROX. WEIGHT 161 kg **PAINTING** ROTATION(VIEWED FROM DE) C.C.W 0.5PB 3.2/4.4 (ENAMEL) **ACCESSORIES (OPTIONAL)** SUBMITTAL DRAWINGS TEMPERATURE DETECTOR **OUTLINE DIMENSION** ES1AS33109 WINDING NO CONDUIT BOX & COVER FS1B100103 TYPE SPEED-TORQUE & 1STP42-4160-201904-1163 N/A BEARING NO CURRENT CURVE TYPE N/A THERMAL LIMIT 1TLP42-4160-201904-1163 SPACE HEATER NO & TIME-CURRENT 1PEP42-4160-201904-1163 RATING N/A LOAD vs POWER & EFFICIENCY <RFMARKS> 1. ABOVE ALL DATA ARE CALCULATED AT 100% VOLTAGE. 2. HIGH EFFICIENCY TYPE MOTOR APPLICATION STANDARDS IEC60034-1 < NOTE > 1. THESE DATA ARE ONLY DESIGN VALUES AND SHALL BE GUARANTEED WITH TOLERANCE OF APPLICATION STANDARD 2. EXCEPT FOR STATEMENTS SPECIFIED ON THIS SHEET, ANYTHING ELSE SHALL BE IN ACCORDANCE WITH MAKER'S STANDARD. 0 2019-05-10 S.U.LEE J.H.CHA T.H.KIM 3. THE TEMPERATURE MEASURED AT BEARING HOUSING DOES NOT EXCEED 105 REV. NO DATE PREPARED CHECKED APPROVED