HYOSUNG HEAVY INDUSTRIES

INDUCTION MOTOR DATA SHEET

PROJECT No. P42-4160-201904-1163
HS No. 201904-6426_4000_003
L-SPEC No. F00003095F003

L-SPEC No. E00003095F003 SHEET 1 OF 1 CUSTOMER FOR PROPOSAL JOB No. N/A ITEM No.: SERVICE: N/A QUANTITY SET SITE 1 : **GENERAL DATA** PERFORMANCE DATA FRAME No. 100L **OUTPUT** 2.2 kW TYPE TEFC **POLES** 4 SQUIRREL CAGE **ENCLOSURE** ΤE **ROTOR TYPE COOLING METHOD** FC(IC411) STARTING METHOD DIRECT ON LINE **INSULATION CLASS CLASS PHASE PHASE** TEMP. RISE AT FULL LOAD FREQUENCY 50 Hz RES. METHOD 80 K (at S.F:1.0) SPEED (AT FULL LOAD) 1455 r/min RATING S1 PRIMARY LOCATION INDOOR VOLTAGE 220 / 380 ٧ ALTITUDE LESS THAN NO LOAD CURRENT 4.5 / 2.6 1000 Α m LESS THAN **FULL LOAD CURRENT** 9.5 / 5.5 HUMIDITY 80 % Α AMBIENT TEMP. 40 $^{\circ}$ C LOCKED-ROTOR CURRENT 750 % **EXPLOSION PROOF TYPE** N/A **EFFICIENCY** MOUNTING **B**5 AT 1/2 LOAD 77.7 % **BEARING TYPE** ANTI-FRICTION AT 3/4 LOAD 79.7 % NDE/DE BRG. No. 6205ZZ / 6206ZZ AT FULL LOAD 80.7 % **BRG. LUBRICATION** N/A POWER FACTOR PROTECTION GRADE IP55 AT 1/2 LOAD 60.5 % SERVICE FACTOR 1.0 AT 3/4 LOAD 70.5 % DRIVE DIRECT COUPLED AT FULL LOAD 75.5 % SHAFT **TORQUE EXTENSION** SINGLE **FULL LOAD** 1.47 kg-m **EXTERNAL THRUST** N/A 14.4 N-m LOCKED ROTOR 250 NOISE LEVEL(MEAN VALUE AT 1m FROM MOTOR) % NO-LOAD **STANDARD BREAKDOWN** 300 % VIBRATION 1.6 mm/s (r.m.s) 0.055 MOTOR GD² kg-m² COLD: 2/HOT: 1 (4P) NUMBER OF MAX LOAD GD2 AT MOTOR SHAFT kg-m² **CONSECUTIVE STARTS** MOTOR APPROX. WEIGHT 43 kg **PAINTING** ROTATION(VIEWED FROM DE) C.C.W 0.5PB 3.2/4.4 (ENAMEL) **ACCESSORIES (OPTIONAL)** SUBMITTAL DRAWINGS TEMPERATURE DETECTOR **OUTLINE DIMENSION** ES1AS33103 WINDING NO CONDUIT BOX & COVER FS1B100101 TYPE SPEED-TORQUE & 1STP42-4160-201904-1163 N/A BEARING NO CURRENT CURVE TYPE N/A THERMAL LIMIT 1TLP42-4160-201904-1163 SPACE HEATER NO & TIME-CURRENT 1PEP42-4160-201904-1163 RATING N/A LOAD vs POWER & EFFICIENCY <RFMARKS> 1. ABOVE ALL DATA ARE CALCULATED AT 100% VOLTAGE. 2. HIGH EFFICIENCY TYPE MOTOR APPLICATION STANDARDS IEC60034-1 < NOTE > 1. THESE DATA ARE ONLY DESIGN VALUES AND SHALL BE GUARANTEED WITH TOLERANCE OF APPLICATION STANDARD 2. EXCEPT FOR STATEMENTS SPECIFIED ON THIS SHEET, ANYTHING ELSE SHALL BE IN ACCORDANCE WITH MAKER'S STANDARD. 0 2019-05-10 S.U.LEE J.H.CHA T.H.KIM 3. THE TEMPERATURE MEASURED AT BEARING HOUSING DOES NOT EXCEED 105 REV. NO DATE PREPARED CHECKED APPROVED