

MY SQL task ADV python

```
mysql> CREATE DATABASE giet2;  
Query OK, 1 row affected (0.154 sec)
```

```
mysql> USE giet2;  
Database changed
```

```
mysql> CREATE TABLE students (  
-> roll INT,  
-> student_name VARCHAR(50),  
-> city VARCHAR(50),  
-> course VARCHAR(50),  
-> marks INT,  
-> gender CHAR(1)  
-> );  
Query OK, 0 rows affected (0.269 sec)
```

```
mysql> INSERT INTO students VALUES  
-> (201, 'Rahul Das', 'Kolkata', 'B.Tech', 82, 'M'),  
-> (202, 'Sneha Roy', 'Delhi', 'B.Sc', 91, 'F'),  
-> (203, 'Arjun Singh', 'Mumbai', 'B.Com', 76, 'M'),  
-> (204, 'Pooja Nair', 'Kerala', 'BBA', 87, 'F'),  
-> (205, 'Ritesh Shah', 'Surat', 'B.Tech', 93, 'M'),  
-> (206, 'Ankita Sen', 'Kolkata', 'B.Sc', 84, 'F'),  
-> (207, 'Manish Kumar', 'Patna', 'BCA', 79, 'M'),  
-> (208, 'Tina Dey', 'Kolkata', 'BBA', 90, 'F'),  
-> (209, 'Yash Gupta', 'Lucknow', 'B.Tech', 96, 'M');  
Query OK, 9 rows affected (0.041 sec)  
Records: 9 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM students;  
+-----+-----+-----+-----+-----+-----+  
| roll | student_name | city | course | marks | gender |  
+-----+-----+-----+-----+-----+-----+  
| 201 | Rahul Das | Kolkata | B.Tech | 82 | M |  
| 202 | Sneha Roy | Delhi | B.Sc | 91 | F |  
| 203 | Arjun Singh | Mumbai | B.Com | 76 | M |  
| 204 | Pooja Nair | Kerala | BBA | 87 | F |  
| 205 | Ritesh Shah | Surat | B.Tech | 93 | M |  
| 206 | Ankita Sen | Kolkata | B.Sc | 84 | F |  
| 207 | Manish Kumar | Patna | BCA | 79 | M |  
| 208 | Tina Dey | Kolkata | BBA | 90 | F |  
| 209 | Yash Gupta | Lucknow | B.Tech | 96 | M |  
+-----+-----+-----+-----+-----+-----+
```

9 rows in set (0.089 sec)

,

mysql> SELECT * FROM giet2

->

-> CREATE DATABASE giet2;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'CREATE DATABASE giet2' at line 3

mysql> DROP DATABASE giet2;

Query OK, 1 row affected (0.547 sec)

mysql> CREATE DATABASE giet2;

Query OK, 1 row affected (0.062 sec)

mysql> USE giet2;

Database changed

mysql> CREATE TABLE students (roll INT, student_name VARCHAR(50), city VARCHAR(50), course VARCHAR(50), marks INT, gender CHAR(1));

Query OK, 0 rows affected (0.398 sec)

mysql> INSERT INTO students VALUES(101, 'Aman Kumar', 'Delhi', 'B.Tech', 85, 'M'),(102, 'Priya Sharma', 'Bengaluru', 'B.Sc', 90, 'F'),(103, 'Rohan Verma', 'Mumbai', 'B.Com', 78, 'M'),(104, 'Sanya Rao', 'Hyderabad', 'BBA', 88, 'F'),(105, 'Vikram Patel', 'Ahmedabad', 'B.Tech', 92, 'M'),(106, 'Neha Gupta', 'Pune', 'B.Sc', 81, 'F'),(107, 'Anuj Mehta', 'Chennai', 'BCA', 75, 'M'),(108, 'Ishita Das', 'Kolkata', 'BBA', 89, 'F'),(109, 'Karan Joshi', 'Noida', 'B.Tech', 95, 'M');-- 1.

Show all data from the students tableSELECT * FROM students;

Query OK, 9 rows affected (0.224 sec)

Records: 9 Duplicates: 0 Warnings: 0

mysql> SELECT student_name FROM students;

+-----+

| student_name |

+-----+

| Aman Kumar |

| Priya Sharma |

| Rohan Verma |

| Sanya Rao |

| Vikram Patel |

| Neha Gupta |

| Anuj Mehta |

| Ishita Das |

| Karan Joshi |

+-----+

9 rows in set (0.177 sec)

```
mysql> SELECT student_name, city FROM students;
```

```
+-----+-----+
| student_name | city |
+-----+-----+
| Aman Kumar   | Delhi |
| Priya Sharma | Bengaluru |
| Rohan Verma  | Mumbai |
| Sanya Rao    | Hyderabad |
| Vikram Patel | Ahmedabad |
| Neha Gupta   | Pune |
| Anuj Mehta   | Chennai |
| Ishita Das   | Kolkata |
| Karan Joshi  | Noida |
+-----+-----+
```

9 rows in set (0.162 sec)

```
mysql> SELECT roll, marks FROM students;
```

```
+-----+-----+
| roll | marks |
+-----+-----+
| 101 | 85 |
| 102 | 90 |
| 103 | 78 |
| 104 | 88 |
| 105 | 92 |
| 106 | 81 |
| 107 | 75 |
| 108 | 89 |
| 109 | 95 |
+-----+-----+
```

9 rows in set (0.010 sec)

```
mysql> SELECT * FROM students WHERE student_name = 'Aman Kumar';
```

```
+-----+-----+-----+-----+-----+-----+
| roll | student_name | city | course | marks | gender |
+-----+-----+-----+-----+-----+-----+
| 101 | Aman Kumar   | Delhi | B.Tech | 85 | M |
+-----+-----+-----+-----+-----+-----+
```

1 row in set (0.216 sec)

```
mysql> SELECT * FROM students WHERE city = 'Delhi';
```

```
+-----+-----+-----+-----+-----+-----+
| roll | student_name | city | course | marks | gender |
+-----+-----+-----+-----+-----+-----+
```

```

+-----+-----+-----+-----+-----+
| 101 | Aman Kumar | Delhi | B.Tech | 85 | M |
+-----+-----+-----+-----+
1 row in set (0.009 sec)

```

```

mysql> SELECT * FROM students WHERE gender = 'M';
+-----+-----+-----+-----+-----+
| roll | student_name | city | course | marks | gender |
+-----+-----+-----+-----+-----+
| 101 | Aman Kumar | Delhi | B.Tech | 85 | M |
| 103 | Rohan Verma | Mumbai | B.Com | 78 | M |
| 105 | Vikram Patel | Ahmedabad | B.Tech | 92 | M |
| 107 | Anuj Mehta | Chennai | BCA | 75 | M |
| 109 | Karan Joshi | Noida | B.Tech | 95 | M |
+-----+-----+-----+-----+-----+
5 rows in set (0.009 sec)

```

```

mysql> SELECT * FROM students WHERE course = 'B.Tech';
+-----+-----+-----+-----+-----+
| roll | student_name | city | course | marks | gender |
+-----+-----+-----+-----+-----+
| 101 | Aman Kumar | Delhi | B.Tech | 85 | M |
| 105 | Vikram Patel | Ahmedabad | B.Tech | 92 | M |
| 109 | Karan Joshi | Noida | B.Tech | 95 | M |
+-----+-----+-----+-----+-----+
3 rows in set (0.010 sec)

```

```

mysql> SELECT * FROM students WHERE marks = 85;
+-----+-----+-----+-----+-----+
| roll | student_name | city | course | marks | gender |
+-----+-----+-----+-----+-----+
| 101 | Aman Kumar | Delhi | B.Tech | 85 | M |
+-----+-----+-----+-----+-----+
1 row in set (0.176 sec)

```

```

mysql> SELECT * FROM students WHERE marks > 80;
+-----+-----+-----+-----+-----+
| roll | student_name | city | course | marks | gender |
+-----+-----+-----+-----+-----+
| 101 | Aman Kumar | Delhi | B.Tech | 85 | M |
| 102 | Priya Sharma | Bengaluru | B.Sc | 90 | F |
| 104 | Sanya Rao | Hyderabad | BBA | 88 | F |
| 105 | Vikram Patel | Ahmedabad | B.Tech | 92 | M |
| 106 | Neha Gupta | Pune | B.Sc | 81 | F |

```

108	Ishita Das	Kolkata	BBA	89	F
109	Karan Joshi	Noida	B.Tech	95	M

7 rows in set (0.179 sec)

```
mysql> SELECT * FROM students WHERE marks < 90;
```

roll	student_name	city	course	marks	gender
101	Aman Kumar	Delhi	B.Tech	85	M
103	Rohan Verma	Mumbai	B.Com	78	M
104	Sanya Rao	Hyderabad	BBA	88	F
106	Neha Gupta	Pune	B.Sc	81	F
107	Anuj Mehta	Chennai	BCA	75	M
108	Ishita Das	Kolkata	BBA	89	F

6 rows in set (0.009 sec)

```
mysql> SELECT * FROM students WHERE gender = 'M' AND marks > 80;
```

roll	student_name	city	course	marks	gender
101	Aman Kumar	Delhi	B.Tech	85	M
105	Vikram Patel	Ahmedabad	B.Tech	92	M
109	Karan Joshi	Noida	B.Tech	95	M

3 rows in set (0.012 sec)

```
mysql> SELECT * FROM students WHERE gender = 'F' OR city = 'Hyderabad';
```

roll	student_name	city	course	marks	gender
102	Priya Sharma	Bengaluru	B.Sc	90	F
104	Sanya Rao	Hyderabad	BBA	88	F
106	Neha Gupta	Pune	B.Sc	81	F
108	Ishita Das	Kolkata	BBA	89	F

4 rows in set (0.011 sec)

```
mysql> SELECT * FROM students WHERE student_name LIKE 'A%';
```

roll	student_name	city	course	marks	gender
101	Aman Kumar	Delhi	B.Tech	85	M

107	Anuj Mehta	Chennai	BCA	75	M
-----	------------	---------	-----	----	---

2 rows in set (0.200 sec)

```
mysql> SELECT * FROM students WHERE student_name LIKE '%a';
```

roll	student_name	city	course	marks	gender
102	Priya Sharma	Bengaluru	B.Sc	90	F
103	Rohan Verma	Mumbai	B.Com	78	M
106	Neha Gupta	Pune	B.Sc	81	F
107	Anuj Mehta	Chennai	BCA	75	M

4 rows in set (0.009 sec)

```
mysql> SELECT * FROM students WHERE city LIKE '%pur%';
```

Empty set (0.009 sec)

```
mysql> SELECT * FROM students ORDER BY student_name ASC;
```

roll	student_name	city	course	marks	gender
101	Aman Kumar	Delhi	B.Tech	85	M
107	Anuj Mehta	Chennai	BCA	75	M
108	Ishita Das	Kolkata	BBA	89	F
109	Karan Joshi	Noida	B.Tech	95	M
106	Neha Gupta	Pune	B.Sc	81	F
102	Priya Sharma	Bengaluru	B.Sc	90	F
103	Rohan Verma	Mumbai	B.Com	78	M
104	Sanya Rao	Hyderabad	BBA	88	F
105	Vikram Patel	Ahmedabad	B.Tech	92	M

9 rows in set (0.202 sec)

```
mysql> SELECT * FROM students ORDER BY marks DESC;
```

roll	student_name	city	course	marks	gender
109	Karan Joshi	Noida	B.Tech	95	M
105	Vikram Patel	Ahmedabad	B.Tech	92	M
102	Priya Sharma	Bengaluru	B.Sc	90	F
108	Ishita Das	Kolkata	BBA	89	F
104	Sanya Rao	Hyderabad	BBA	88	F
101	Aman Kumar	Delhi	B.Tech	85	M

106	Neha Gupta	Pune	B.Sc	81	F
103	Rohan Verma	Mumbai	B.Com	78	M
107	Anuj Mehta	Chennai	BCA	75	M

+-----+-----+-----+-----+-----+-----+

9 rows in set (0.010 sec)

mysql> SELECT COUNT(*) AS total_students FROM students;

+-----+

total_students

+-----+

9

+-----+

1 row in set (0.262 sec)

mysql> SELECT COUNT(*) AS total_male_students FROM students WHERE gender = 'M';

+-----+

total_male_students

+-----+

5

+-----+

1 row in set (0.201 sec)

mysql> INSERT INTO students VALUES

-> (110, 'Test User', 'Raipur', 'BCA', 80, 'M');

Query OK, 1 row affected (0.192 sec)

mysql> SELECT * FROM students WHERE city LIKE '%pur%';

+-----+-----+-----+-----+-----+-----+

roll	student_name	city	course	marks	gender
------	--------------	------	--------	-------	--------

+-----+-----+-----+-----+-----+-----+

110	Test User	Raipur	BCA	80	M
-----	-----------	--------	-----	----	---

+-----+-----+-----+-----+-----+-----+

1 row in set (0.011 sec)

mysql> SELECT * FROM students WHERE city LIKE '%a%';

+-----+-----+-----+-----+-----+

roll	student_name	city	course	marks	gender
------	--------------	------	--------	-------	--------

+-----+-----+-----+-----+-----+

102	Priya Sharma	Bengaluru	B.Sc	90	F
-----	--------------	-----------	------	----	---

103	Rohan Verma	Mumbai	B.Com	78	M
-----	-------------	--------	-------	----	---

104	Sanya Rao	Hyderabad	BBA	88	F
-----	-----------	-----------	-----	----	---

105	Vikram Patel	Ahmedabad	B.Tech	92	M
-----	--------------	-----------	--------	----	---

107	Anuj Mehta	Chennai	BCA	75	M
-----	------------	---------	-----	----	---

108	Ishita Das	Kolkata	BBA	89	F
-----	------------	---------	-----	----	---

```
| 109 | Karan Joshi | Noida | B.Tech | 95 | M |
| 110 | Test User | Raipur | BCA | 80 | M |
+-----+-----+-----+-----+-----+-----+
8 rows in set (0.010 sec)
```

Enter password: *****

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 14

Server version: 9.6.0 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> CREATE DATABASE giet3;
ERROR 1007 (HY000): Can't create database 'giet3'; database exists
mysql> CREATE DATABASE giet2;
Query OK, 1 row affected (0.154 sec)
```

```
mysql> USE giet2;
Database changed
mysql> CREATE TABLE students (
-> roll INT,
-> student_name VARCHAR(50),
-> city VARCHAR(50),
-> course VARCHAR(50),
-> marks INT,
-> gender CHAR(1)
-> );
Query OK, 0 rows affected (0.269 sec)
```

```
mysql> INSERT INTO students VALUES
-> (201, 'Rahul Das', 'Kolkata', 'B.Tech', 82, 'M'),
-> (202, 'Sneha Roy', 'Delhi', 'B.Sc', 91, 'F'),
-> (203, 'Arjun Singh', 'Mumbai', 'B.Com', 76, 'M'),
-> (204, 'Pooja Nair', 'Kerala', 'BBA', 87, 'F'),
-> (205, 'Ritesh Shah', 'Surat', 'B.Tech', 93, 'M'),
-> (206, 'Ankita Sen', 'Kolkata', 'B.Sc', 84, 'F'),
-> (207, 'Manish Kumar', 'Patna', 'BCA', 79, 'M'),
-> (208, 'Tina Dey', 'Kolkata', 'BBA', 90, 'F'),
```


-> (209, 'Yash Gupta', 'Lucknow', 'B.Tech', 96, 'M');
Query OK, 9 rows affected (0.041 sec)
Records: 9 Duplicates: 0 Warnings: 0

```
mysql> SELECT * FROM students;
```

roll	student_name	city	course	marks	gender
201	Rahul Das	Kolkata	B.Tech	82	M
202	Sneha Roy	Delhi	B.Sc	91	F
203	Arjun Singh	Mumbai	B.Com	76	M
204	Pooja Nair	Kerala	BBA	87	F
205	Ritesh Shah	Surat	B.Tech	93	M
206	Ankita Sen	Kolkata	B.Sc	84	F
207	Manish Kumar	Patna	BCA	79	M
208	Tina Dey	Kolkata	BBA	90	F
209	Yash Gupta	Lucknow	B.Tech	96	M

9 rows in set (0.089 sec)

```
mysql> CREATE TABLE students LIKE giet2.students;
```

ERROR 1066 (42000): Not unique table/alias: 'students'

```
mysql> SELECT * FROM giet2
```

->

```
-> CREATE DATABASE giet2;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'CREATE DATABASE giet2' at line 3

```
mysql> CREATE DATABASE giet2;
```

ERROR 1007 (HY000): Can't create database 'giet2'; database exists

```
mysql> DROP DATABASE giet2;
```

Query OK, 1 row affected (0.547 sec)

```
mysql> CREATE DATABASE giet2;
```

Query OK, 1 row affected (0.062 sec)

```
mysql> USE giet2;
```

Database changed

```
mysql> CREATE TABLE students ( roll INT, student_name VARCHAR(50), city VARCHAR(50), course VARCHAR(50), marks INT, gender CHAR(1));
```

Query OK, 0 rows affected (0.398 sec)

```
mysql> INSERT INTO students VALUES(101, 'Aman Kumar', 'Delhi', 'B.Tech', 85, 'M'),(102, 'Priya Sharma', 'Bengaluru', 'B.Sc', 90, 'F'),(103, 'Rohan Verma', 'Mumbai', 'B.Com', 78,
```

'M'),(104, 'Sanya Rao', 'Hyderabad', 'BBA', 88, 'F'),(105, 'Vikram Patel', 'Ahmedabad', 'B.Tech', 92, 'M'),(106, 'Neha Gupta', 'Pune', 'B.Sc', 81, 'F'),(107, 'Anuj Mehta', 'Chennai', 'BCA', 75, 'M'),(108, 'Ishita Das', 'Kolkata', 'BBA', 89, 'F'),(109, 'Karan Joshi', 'Noida', 'B.Tech', 95, 'M');-- 1.

Show all data from the students tableSELECT * FROM students;

Query OK, 9 rows affected (0.224 sec)

Records: 9 Duplicates: 0 Warnings: 0

mysql> SELECT student_name FROM students;

```
+-----+
| student_name |
+-----+
| Aman Kumar   |
| Priya Sharma |
| Rohan Verma  |
| Sanya Rao    |
| Vikram Patel |
| Neha Gupta   |
| Anuj Mehta   |
| Ishita Das   |
| Karan Joshi  |
+-----+
```

9 rows in set (0.177 sec)

mysql> SELECT student_name, city FROM students;

```
+-----+-----+
| student_name | city   |
+-----+-----+
| Aman Kumar   | Delhi  |
| Priya Sharma | Bengaluru |
| Rohan Verma  | Mumbai |
| Sanya Rao    | Hyderabad |
| Vikram Patel | Ahmedabad |
| Neha Gupta   | Pune   |
| Anuj Mehta   | Chennai |
| Ishita Das   | Kolkata |
| Karan Joshi  | Noida  |
+-----+-----+
```

9 rows in set (0.162 sec)

mysql> SELECT roll, marks FROM students;

```
+-----+-----+
| roll | marks |
+-----+-----+
| 101 | 85    |
```

102	90
103	78
104	88
105	92
106	81
107	75
108	89
109	95
+-----+-----+	

9 rows in set (0.010 sec)

mysql> SELECT * FROM students WHERE student_name = 'Aman Kumar';

+-----+-----+-----+-----+-----+					
roll	student_name	city	course	marks	gender
+-----+-----+-----+-----+-----+					
101	Aman Kumar	Delhi	B.Tech	85	M
+-----+-----+-----+-----+-----+					

1 row in set (0.216 sec)

mysql> SELECT * FROM students WHERE city = 'Delhi';

+-----+-----+-----+-----+-----+					
roll	student_name	city	course	marks	gender
+-----+-----+-----+-----+-----+					
101	Aman Kumar	Delhi	B.Tech	85	M
+-----+-----+-----+-----+-----+					

1 row in set (0.009 sec)

mysql> SELECT * FROM students WHERE gender = 'M';

+-----+-----+-----+-----+-----+					
roll	student_name	city	course	marks	gender
+-----+-----+-----+-----+-----+					
101	Aman Kumar	Delhi	B.Tech	85	M
103	Rohan Verma	Mumbai	B.Com	78	M
105	Vikram Patel	Ahmedabad	B.Tech	92	M
107	Anuj Mehta	Chennai	BCA	75	M
109	Karan Joshi	Noida	B.Tech	95	M
+-----+-----+-----+-----+-----+					

5 rows in set (0.009 sec)

mysql> SELECT * FROM students WHERE course = 'B.Tech';

+-----+-----+-----+-----+-----+					
roll	student_name	city	course	marks	gender
+-----+-----+-----+-----+-----+					
101	Aman Kumar	Delhi	B.Tech	85	M

```
| 105 | Vikram Patel | Ahmedabad | B.Tech | 92 | M |
| 109 | Karan Joshi | Noida | B.Tech | 95 | M |
+-----+-----+-----+-----+-----+
3 rows in set (0.010 sec)
```

```
mysql> SELECT * FROM students WHERE marks = 85;
+-----+-----+-----+-----+-----+
| roll | student_name | city | course | marks | gender |
+-----+-----+-----+-----+-----+
| 101 | Aman Kumar | Delhi | B.Tech | 85 | M |
+-----+-----+-----+-----+-----+
1 row in set (0.176 sec)
```

```
mysql> SELECT * FROM students WHERE marks > 80;
+-----+-----+-----+-----+-----+
| roll | student_name | city | course | marks | gender |
+-----+-----+-----+-----+-----+
| 101 | Aman Kumar | Delhi | B.Tech | 85 | M |
| 102 | Priya Sharma | Bengaluru | B.Sc | 90 | F |
| 104 | Sanya Rao | Hyderabad | BBA | 88 | F |
| 105 | Vikram Patel | Ahmedabad | B.Tech | 92 | M |
| 106 | Neha Gupta | Pune | B.Sc | 81 | F |
| 108 | Ishita Das | Kolkata | BBA | 89 | F |
| 109 | Karan Joshi | Noida | B.Tech | 95 | M |
+-----+-----+-----+-----+-----+
7 rows in set (0.179 sec)
```

```
mysql> SELECT * FROM students WHERE marks < 90;
+-----+-----+-----+-----+-----+
| roll | student_name | city | course | marks | gender |
+-----+-----+-----+-----+-----+
| 101 | Aman Kumar | Delhi | B.Tech | 85 | M |
| 103 | Rohan Verma | Mumbai | B.Com | 78 | M |
| 104 | Sanya Rao | Hyderabad | BBA | 88 | F |
| 106 | Neha Gupta | Pune | B.Sc | 81 | F |
| 107 | Anuj Mehta | Chennai | BCA | 75 | M |
| 108 | Ishita Das | Kolkata | BBA | 89 | F |
+-----+-----+-----+-----+-----+
6 rows in set (0.009 sec)
```

```
mysql> SELECT * FROM students WHERE gender = 'M' AND marks > 80;
+-----+-----+-----+-----+-----+
| roll | student_name | city | course | marks | gender |
+-----+-----+-----+-----+-----+
```

101	Aman Kumar	Delhi	B.Tech	85	M
105	Vikram Patel	Ahmedabad	B.Tech	92	M
109	Karan Joshi	Noida	B.Tech	95	M

3 rows in set (0.012 sec)

```
mysql> SELECT * FROM students WHERE gender = 'F' OR city = 'Hyderabad';
```

roll	student_name	city	course	marks	gender
102	Priya Sharma	Bengaluru	B.Sc	90	F
104	Sanya Rao	Hyderabad	BBA	88	F
106	Neha Gupta	Pune	B.Sc	81	F
108	Ishita Das	Kolkata	BBA	89	F

4 rows in set (0.011 sec)

```
mysql> SELECT * FROM students WHERE student_name LIKE 'A%';
```

roll	student_name	city	course	marks	gender
101	Aman Kumar	Delhi	B.Tech	85	M
107	Anuj Mehta	Chennai	BCA	75	M

2 rows in set (0.200 sec)

```
mysql> SELECT * FROM students WHERE student_name LIKE '%a';
```

roll	student_name	city	course	marks	gender
102	Priya Sharma	Bengaluru	B.Sc	90	F
103	Rohan Verma	Mumbai	B.Com	78	M
106	Neha Gupta	Pune	B.Sc	81	F
107	Anuj Mehta	Chennai	BCA	75	M

4 rows in set (0.009 sec)

```
mysql> SELECT * FROM students WHERE city LIKE '%pur%';
```

Empty set (0.009 sec)

```
mysql> SELECT * FROM students ORDER BY student_name ASC;
```

roll	student_name	city	course	marks	gender
------	--------------	------	--------	-------	--------

	101		Aman Kumar		Delhi		B.Tech		85		M	
	107		Anuj Mehta		Chennai		BCA		75		M	
	108		Ishita Das		Kolkata		BBA		89		F	
	109		Karan Joshi		Noida		B.Tech		95		M	
	106		Neha Gupta		Pune		B.Sc		81		F	
	102		Priya Sharma		Bengaluru		B.Sc		90		F	
	103		Rohan Verma		Mumbai		B.Com		78		M	
	104		Sanya Rao		Hyderabad		BBA		88		F	
	105		Vikram Patel		Ahmedabad		B.Tech		92		M	

```
+-----+-----+-----+-----+-----+-----+
```

9 rows in set (0.202 sec)

```
mysql> SELECT * FROM students ORDER BY marks DESC;
```

	roll		student_name		city		course		marks		gender	
	109		Karan Joshi		Noida		B.Tech		95		M	
	105		Vikram Patel		Ahmedabad		B.Tech		92		M	
	102		Priya Sharma		Bengaluru		B.Sc		90		F	
	108		Ishita Das		Kolkata		BBA		89		F	
	104		Sanya Rao		Hyderabad		BBA		88		F	
	101		Aman Kumar		Delhi		B.Tech		85		M	
	106		Neha Gupta		Pune		B.Sc		81		F	
	103		Rohan Verma		Mumbai		B.Com		78		M	
	107		Anuj Mehta		Chennai		BCA		75		M	

```
+-----+-----+-----+-----+-----+-----+
```

9 rows in set (0.010 sec)

```
mysql> SELECT COUNT(*) AS total_students FROM students;
```

	total_students	
	9	

1 row in set (0.262 sec)

```
mysql> SELECT COUNT(*) AS total_male_students FROM students WHERE gender = 'M';
```

	total_male_students	
	5	

1 row in set (0.201 sec)

```
mysql> INSERT INTO students VALUES
-> (110, 'Test User', 'Raipur', 'BCA', 80, 'M');
Query OK, 1 row affected (0.192 sec)
```

```
mysql> SELECT * FROM students WHERE city LIKE '%pur%';
+-----+-----+-----+-----+-----+-----+
| roll | student_name | city | course | marks | gender |
+-----+-----+-----+-----+-----+-----+
| 110 | Test User | Raipur | BCA | 80 | M |
+-----+-----+-----+-----+-----+-----+
1 row in set (0.011 sec)
```

```
mysql> SELECT * FROM students WHERE city LIKE '%a%';
+-----+-----+-----+-----+-----+-----+
| roll | student_name | city | course | marks | gender |
+-----+-----+-----+-----+-----+-----+
| 102 | Priya Sharma | Bengaluru | B.Sc | 90 | F |
| 103 | Rohan Verma | Mumbai | B.Com | 78 | M |
| 104 | Sanya Rao | Hyderabad | BBA | 88 | F |
| 105 | Vikram Patel | Ahmedabad | B.Tech | 92 | M |
| 107 | Anuj Mehta | Chennai | BCA | 75 | M |
| 108 | Ishita Das | Kolkata | BBA | 89 | F |
| 109 | Karan Joshi | Noida | B.Tech | 95 | M |
| 110 | Test User | Raipur | BCA | 80 | M |
+-----+-----+-----+-----+-----+-----+
8 rows in set (0.010 sec)
```