DDST Denver Developmental Screening Test

Part 3 : Development Measurements

Third Stage
Dr. Moustafa Alshammari
Growth and Developments

Denver Developmental Screening Test (DDST-II)

Evaluates development for children 0-6 in four areas

- Personal-social
- Fine-motor
- Language
- Gross motor

Child's mood must be typical for results to be valid (results may be altered if child is not feeling well, sedated)

The goals of DDST- II

* The goals of DDST- II were to create standardized test in an easy, quick and simple to administer and interpret the test result according to the strength and weaknesses of the child. It is use to provide an early intervention to a child.

The goals of DDST- II

* The purpose of DDST – II depend on the age of the child.

1. **Newborn child** – to detect if there is a neurological problem like cerebral palsy.

2. **Infants** – to identify nature of the possible problems for the early intervention.

3. **Children** – to delineate academic and social problems in order to give an early intervention

Denver Developmental Screening Test (DDST-II)

* Provides a clinical impression on child's overall development
* Not a predictor of future development, not an IQ test
* Used for noting problems, monitoring, and to base a referral for additional developmental testing

The Test

- 125 tasks or items covering four areas:
  - Personal-Social
  - Fine Motor-Adaptive
  - Language
  - Gross Motor
- Children are tested on the tasks or items pertinent to their age
- It must be conducted in a standardized manner

How to administer the DDST-II

* It can be administer in a busy setting, day care center with or without parents with the present of the teachers, caregivers or who are very familiar to a child. Parents will be asked later if there is some information need for the assessment.

How to administer the DDST-II

It is designed to the children between birth and 6 years old.

* It can be administer by anyone who is close to the child and can follow the direction of the DDST-II. But mostly the paraprofessional and the professional using this instrument .

A. **Personal – Social**; getting along with his or her mother going to the river caring his or her towel.

B. **Fine Motor Skills**; eye-hand coordination, tearing the papers.


C. **Language**: hearing, understanding, saying words

D. **Gross Motor**; sitting, walking, jumping, and others use the large muscles.

Cont.

* A parent should be cautioned before administration that this is not a test of intelligence but of the child's level of development.
* The child's inability to perform a task that most children of the same age can accomplish indicates a delay in that area.
* Further evaluation is then needed to determine the reason for this delay.

Denver II Developmental Assessment



Denver II Developmental Assessment

DIRECTIONS FOR ADMINISTRATION

1. Try to get child to smile by smiling, talking, or waving. Do not touch him/her.
2. Child must stare at hand several seconds.
3. Parent may help guide toothbrush and put toothpaste on brush.
4. Child does not have to be able to tie shoes or button/zip in the back.
5. Move yarn slowly in an arc from one side to the other, about 8" above child's face.
6. Pass if child grasps rattle when it is touched to the backs or tips of fingers.
7. Pass if child tries to see where yarn went. Yarn should be dropped quickly from sight from tester's hand without arm movement.
8. Child must transfer cube from hand to hand without help of body, mouth, or table.
9. Pass if child picks up raisin with any part of thumb and finger.
10. Line can vary only 30 degrees or less from tester's line.
11. Make a fist with thumb pointing upward and wiggle only the thumb. Pass if child imitates and does not move any fingers other than the thumb.



12. Pass any enclosed form. Fail continuous round motions.



13. Which line is longer? (Not bigger.) Turn paper upside down and repeat. (pass 3 of 3 or 5 of 6)




14. Pass any lines crossing near midpoint.



15. Have child copy first. If failed, demonstrate.

When giving items 12, 14, and 15, do not name the forms. Do not demonstrate 12 and 14.

16. When scoring, each pair (2 arms, 2 legs, etc.) counts as one part.
17. Place one cube in cup and shake gently near child's ear, but out of sight. Repeat for other ear.
18. Point to picture and have child name it. (No credit is given for sounds only.)
    If less than 4 pictures are named correctly, have child point to picture as each is named by tester.



19. Using doll, tell child: Show me the nose, eyes, ears, mouth, hands, feet, tummy, hair. Pass 6 of 8.
20. Using pictures, ask child: Which one flies?... says meow?... talks?... barks?... gallops? Pass 2 of 5, 4 of 5.
21. Ask child: What do you do when you are cold?... tired?... hungry? Pass 2 of 3, 3 of 3.
22. Ask child: What do you do with a cup? What is a chair used for? What is a pencil used for?
    Action words must be included in answers.
23. Pass if child correctly places and says how many blocks are on paper. (1, 5).
24. Tell child: Put block **on** table; **under** table; **in front of** me, **behind** me. Pass 4 of 4.
    (Do not help child by pointing, moving head or eyes.)
25. Ask child: What is a ball?... lake?... desk?... house?... banana?... curtain?... fence?... ceiling? Pass if defined in terms of use, shape, what it is made of, or general category (such as banana is fruit, not just yellow). Pass 5 of 8, 7 of 8.
26. Ask child: If a horse is big, a mouse is __? If fire is hot, ice is __? If the sun shines during the day, the moon shines during the __? Pass 2 of 3.
27. Child may use wall or rail only, not person. May not crawl.
28. Child must throw ball overhand 3 feet to within arm's reach of tester.
29. Child must perform standing broad jump over width of test sheet (8 1/2 inches).
30. Tell child to walk forward, heel within 1 inch of toe. Tester may demonstrate.
    Child must walk 4 consecutive steps.
31. In the second year, half of normal children are non-compliant.

OBSERVATIONS:

DENVER DEVELOPMENTAL SCREENING TEST

Name

Birthdate

Date

Hosp. No.

STO.=STOMACH
SIT=SITTING

PERCENT OF CHILDREN PASSING
25 50 75 90

May pass by report — Test Item
Footnote No. —
see back of form

MONTHS 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 2½ 3 3½ 4 4½ 5 5½ 6 YEARS

PERSONAL-SOCIAL

- REGARDS FACE
- SMILES RESPONSIVELY
- SMILES SPONTANEOUSLY
- FEEDS SELF CRACKERS
- RESISTS TOY PULL
- PLAYS PEEK-A-BOO 50%
- WORKS FOR TOY OUT OF REACH
- * 100% pass at birth
- INITIALLY SHY WITH STRANGERS
- PLAYS PAT-A-CAKE
- PLAYS BALL WITH EXAMINER
- INDICATES WANTS (NOT CRY)
- DRINKS FROM CUP
- IMITATES HOUSEWORK
- USES SPOON, SPILLING LITTLE
- HELPS IN HOUSE — SIMPLE TASKS
- REMOVES GARMENT
- PUTS ON CLOTHING
- WASHES & DRIES HANDS
- PLAYS INTERACTIVE GAMES e.g. ITAO
- BUTTONS UP
- DRESSES WITH SUPERVISION
- SEPARATES FROM MOTHER EASILY
- DRESSES WITHOUT SUPERVISION

FINE MOTOR-ADAPTIVE

- FOLLOWS TO MIDLINE
- EQUAL MOVEMENTS
- FOLLOWS PAST MIDLINE
- FOLLOWS 180°
- HANDS TOGETHER
- GRASPS RATTLE
- REGARDS RAISIN
- REACHES FOR OBJECT
- SIT, LOOKS FOR YARN
- SIT, TAKES 2 CUBES
- BANGS 2 CUBES HELD IN HANDS
- RAKES RAISIN ATTAINS
- NEAT PINCER GRASP OF RAISIN
- THUMB-FINGER GRASP
- PASSES CUBE HAND TO HAND
- SCRIBBLES SPONTANEOUSLY
- TOWER OF 2 CUBES
- TOWER OF 4 CUBES
- TOWER OF 8 CUBES
- IMITATES VERTICAL LINE WITHIN 30°
- DUMPS RAISIN FROM BOTTLE-SPONT.
- DUMPS RAISIN FROM BOTTLE-DEMONSTR
- COPIES +
- COPIES O
- IMITATES BRIDGE
- COPIES □
- IMITATES □ DEMONSTR.
- DRAWS MAN 3 PARTS
- DRAWS MAN 6 PARTS
- PICKS LONGER LINE 3 OF 3


LANGUAGE

- RESPONDS TO BELL
- VOCALIZES - NOT CRYING
- LAUGHS
- SQUEALS
- DADA OR MAMA, NONSPECIFIC
- TURNS TO VOICE
- DADA OR MAMA, SPECIFIC
- IMITATES SPEECH SOUNDS
- 3 WORDS OTHER THAN MAMA, DADA
- COMBINES 2 DIFFERENT WORDS
- POINTS TO 1 NAMED BODY PART
- NAMES 1 PICTURE
- FOLLOWS DIRECTIONS/2 of 3
- USES PLURALS
- GIVES 1ST & LAST NAME
- COMPREHENDS COLD TIRED, HUNGRY/2 of 3
- COMPREHENDS PREPOSITIONS/3 of 4
- RECOGNIZES COLORS/3 of 4
- OPPOSITE ANALOGIES 2 of 3
- DEFINES WORDS/6 of 9 87%
- COMPOSITION OF/3 of 3 87½

GROSS MOTOR

- STO LIFTS R HEAD
- STO HEAD UP 45°
- STO HEAD UP 90°
- STO CHEST UP ARM SUPPORT
- SIT-HEAD STEADY
- ROLLS OVER
- BEAR SOME WEIGHT ON LEGS
- PULL TO SIT NO HEAD LAG
- SITS WITHOUT SUPPORT
- STANDS HOLDING ON
- PULLS SELF TO STAND
- GETS TO SIT-ING
- STANDS MOMENTARILY
- WALKS HOLDING ON FURNITURE
- STANDS ALONE WELL
- STOOPS & RECOVERS
- WALKS WELL
- WALKS BACKWARDS
- WALKS UP STEPS
- KICKS BALL FORWARD
- THROWS BALL OVERHAND
- BALANCE ON 1 FOOT 1 SECOND
- JUMPS IN PLACE
- PEDALS TRICYCLE
- BROAD JUMP
- BALANCE ON 1 FOOT 10 SECONDS/2 of 3
- HOPS ON 1 FOOT
- CATCHES BOUNCED BALL/2 of 3
- HEEL TO TOE WALK/2 of 3
- BACKWARD HEEL-TOE/2 of 3
- BALANCE ON 1 FOOT 5 SECONDS/2 of 3

©1969, William K. Frankenburg, M.D. and Josiah B. Dodds, Ph.D., University of Colorado Medical Center.


Pass
Fail
BRUSH TEETH WITH HELP
PUT ON CLOTHING
FEED DOLL
REMOVE GARMENT
USE SPOON/FORK
HELP IN HOUSE
DRINK FROM CUP
IMITATE ACTIVITIES
PLAY BALL WITH EXAMINER
TOWER OF 6 CUBES
TOWER OF 4 CUBES
TOWER OF 2 CUBES
DUMP RAISIN, DEMONSTRATED
WAVE BYE-BYE
INDICATE WANTS

Scoring

- Assign each tested task/item a Pass, Fail, No Opportunity or Refusal score
- Evaluate the Failed and Refused items to determine number of *caution* and/or *delayed* items
- Interpret the test based on findings
  - Normal: no delays and maximum of 1 caution
  - Suspect: two or more caution and/or one or more delays
- Schedule follow up
  - Repeat test and/or follow up with appropriate health care provider

Thank you

رمز الصف