

```
mysql> DROP DATABASE bookflow_db;
Query OK, 2 rows affected (0.06 sec)

mysql> CREATE DATABASE bookflow_db;
Query OK, 1 row affected (0.02 sec)

mysql> USE bookflow_db;
Database changed
mysql> CREATE TABLE Books (
  ->     book_id INT PRIMARY KEY,
  ->     title VARCHAR(100) NOT NULL,
  ->     isbn VARCHAR(20) UNIQUE,
  ->     published_year INT CHECK (published_year < 2027)
  -> );
Query OK, 0 rows affected (0.08 sec)

mysql> CREATE TABLE Members (
  ->     member_id INT PRIMARY KEY,
  ->     full_name VARCHAR(100),
  ->     email VARCHAR(100) UNIQUE
  -> );
Query OK, 0 rows affected (0.06 sec)
```

```
mysql> show tables;
```

```
+-----+  
| Tables_in_bookflow_db |  
+-----+  
| books                  |  
| members                |  
+-----+  
2 rows in set (0.00 sec)
```

```
mysql> INSERT INTO Books VALUES
```

```
-> (1, 'The Alchemist', '9780061122415', 1988),  
-> (2, 'Clean Code', '9780132350884', 2008),  
-> (3, 'Atomic Habits', '9780735211292', 2018);
```

```
Query OK, 3 rows affected (0.02 sec)
```

```
Records: 3 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO Members VALUES
```

```
-> (1, 'Anil Kumar', 'anil.kumar@example.com'),  
-> (2, 'Priya Sharma', 'priya.sharma@example.com'),  
-> (3, 'Ravi Verma', 'ravi.verma@example.com');
```

```
Query OK, 3 rows affected (0.01 sec)
```

```
Records: 3 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM Books;
```

book_id	title	isbn	published_year
1	The Alchemist	9780061122415	1988
2	Clean Code	9780132350884	2008
3	Atomic Habits	9780735211292	2018

```
3 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Members;
```

member_id	full_name	email
1	Anil Kumar	anil.kumar@example.com
2	Priya Sharma	priya.sharma@example.com
3	Ravi Verma	ravi.verma@example.com

```
3 rows in set (0.00 sec)
```