

Rozpiska testów — MHS

Move Hard Sports · Playwright E2E + Vitest Unit Tests

50

TESTÓW ŁĄCZNIE

44

PRZECHODZI

6

NAPRAWIONYCH

11

PLIKÓW TESTOWYCH

E2E

Login & Sign Out

tests/e2e/login.spec.ts 7 testów

Login

1	displays the login form	:35	✓	
2	shows validation errors when fields are empty	:43	✓	Fix #1 — SignInSchema email
3	shows error for invalid credentials	:52	✓	Fix #2 — komunikat błędu
4	successful login redirects to /onboarding when onboarding not completed	:59	✓	Fix #3 — showSignOut layout
5	successful login redirects to /dashboard when onboarding is completed	:71	✓	

Sign out

6	dashboard header shows sign out button when logged in	:86	✓	Fix #3 — showSignOut layout
7	sign out redirects to homepage	:92	✓	Fix #3 — showSignOut layout

E2E

Onboarding

tests/e2e/onboarding.spec.ts 7 testów

Onboarding — athlete

8	displays form with first name and last name fields	:19	✓	
9	shows server validation errors when fields are empty	:25	✓	
10	redirects to home on successful submission	:35	✓	

Onboarding — already completed			
11	redirects to home if onboarding already done	: 46	✓
Onboarding — brand			
12	displays form with brand name field	: 64	✓
13	shows server validation error when field is empty	: 68	✓
14	redirects to home on successful submission	: 77	✓

E2E

Dashboard Access Control

tests/e2e/dashboard.spec.ts 4 testy

Dashboard access control			
15	unauthenticated user is redirected to /login	: 15	✓
16	authenticated user without completed onboarding is redirected to /onboarding	: 20	✓
17	authenticated user with completed onboarding can access dashboard	: 26	✓
Brand-only routes			
18	athlete account is redirected from /dashboard/campaigns to /dashboard	: 37	✓

E2E

Campaigns

tests/e2e/campaigns.spec.ts 19 testów

Campaign list			
19	displays empty state when no campaigns exist	: 33	✓
20	displays New Campaign button	: 38	✓
21	shows created campaign in the list	: 42	✓
22	new campaign has draft status badge NAPRAWIONY	: 47	✓ Fix #4 — exact: true
Campaign creation			
23	displays the creation form	: 59	✓
24	shows validation errors when fields are empty	: 68	✓
25	successful creation redirects to campaigns list and shows the campaign	: 78	✓
26	Back to Campaigns link navigates to list	: 88	✓

Campaign preview

27	displays campaign title and description	:101	✓
28	displays campaign disciplines	:106	✓
29	displays Edit and Delete actions	:110	✓
30	Back to Campaigns link navigates to list	:115	✓

Campaign edit

31	pre-fills form with existing campaign data	:129	✓
32	successful update redirects to campaigns list and shows updated title	:135	✓
33	shows validation error when title is too short	:144	✓
34	can change selected disciplines and changes are saved	:155	✓

Multiple disciplines

35	all selected disciplines are saved and displayed in preview	:168	✓
----	---	------	---

Campaign deletion

36	deletes campaign and removes it from the list	:187	✓
37	cancelling deletion keeps the campaign	:199	✓

UNIT Header

src/components/header/header.test.tsx 9 testów

when user is not logged in

38	renders navigation links	:25	✓
39	renders sign in link pointing to /login	:30	✓
40	renders join link pointing to /register	:37	✓
41	renders logo image	:44	✓
42	renders mobile menu button with screen reader label	:49	✓

when user is logged in

43	renders dashboard link	:59	✓
44	does not render sign in link	:65	✓

when showSignOut is true

45	renders navigation links	: 72	✓
46	renders sign out button	: 78	✓
47	does not render sign in link	: 84	✓

UNIT Login Page

src/app/(main)/(customer)/login/page.test.tsx 8 testów

rendering

48	renders the page heading	: 26	✓
49	renders email and password fields	: 30	✓
50	renders the Sign In button	: 35	✓
51	renders sign up link pointing to /register	: 40	✓

error states

52	displays email error from server NAPRAWIONY	: 49	✓	Fix #5 — mock string[]
53	displays password error from server NAPRAWIONY	: 54	✓	Fix #5 — mock string[]
54	displays general error from server	: 61	✓	

pending state

55	shows Signing in... and disables button while submitting	: 69	✓
----	--	------	---

UNIT Register Page

src/app/(main)/(customer)/register/page.test.tsx 11 testów

rendering

56	renders account type selection buttons	: 27	✓
57	renders email and password fields	: 32	✓
58	renders the Join button	: 37	✓
59	renders sign in link pointing to /login	: 42	✓

account type selection

60	Athlete button is not pressed by default	: 51	✓
61	clicking Athlete marks it as pressed	: 56	✓
62	clicking Brand marks it as pressed and deselects Athlete	: 66	✓

error states

63	displays account type error from server	NAPRAWIONY	: 79	✓	Fix #6 — mock string[]
64	displays email error from server	NAPRAWIONY	: 85	✓	Fix #6 — mock string[]
65	displays password error from server	NAPRAWIONY	: 90	✓	Fix #6 — mock string[]
66	displays general error from server		: 97	✓	

pending state

67	shows Joining... and disables button while submitting		: 105	✓	
----	---	--	-------	---	--

UNIT OnboardingForm

src/app/(main)/(customer)/onboarding/onboarding-form.test.tsx 9 testów

athlete

68	renders first name and last name fields		: 20	✓	
69	does not render brand name field		: 26	✓	

brand

70	renders brand name field		: 33	✓	
71	does not render first name and last name fields		: 38	✓	

discipline picker

72	renders discipline picker for athlete		: 46	✓	
73	renders discipline picker for brand		: 53	✓	

error states

74	displays first name error from server		: 62	✓	
75	displays last name error from server		: 71	✓	
76	displays brand name error from server		: 80	✓	
77	displays disciplines error from server		: 92	✓	
78	displays general error from server		: 102	✓	

pending state

79	shows Saving... and disables button while submitting		: 114	✓	
----	--	--	-------	---	--

UNIT DisciplinePicker

src/components/discipline-picker/discipline-picker.test.tsx 17 testów

rendering

80	renders all three disciplines	:8	✓
81	renders Disciplines legend	:15	✓
82	all disciplines start unchecked	:20	✓
83	renders no hidden inputs when nothing is selected	:27	✓

defaultValue

84	pre-selects disciplines from defaultValue	:34	✓
85	renders hidden inputs for pre-selected disciplines	:41	✓

toggle behavior

86	clicking a discipline selects it	:48	✓
87	clicking a selected discipline deselects it	:57	✓
88	selecting one discipline does not affect others	:66	✓
89	multiple disciplines can be selected simultaneously	:76	✓

hidden inputs

90	adds a hidden input when a discipline is selected	:90	✓
91	renders one hidden input per selected discipline	:99	✓
92	removes hidden input when discipline is deselected	:109	✓
93	uses the name prop for hidden inputs	:118	✓

error state

94	displays error message when provided	:129	✓
95	error message has aria-live="polite"	:134	✓
96	does not display error element when no error is provided	:139	✓

UNIT

CampaignForm

src/app/dashboard/(brand)/campaigns/_components/campaign-form.test.tsx 16 testów

create mode (no campaign prop)

97	renders title and description fields	: 35	✓
98	renders discipline picker with all options	: 41	✓
99	renders Create Campaign button	: 48	✓
100	title and description inputs start empty	: 53	✓
101	all disciplines start unchecked	: 59	✓

edit mode (with campaign prop)

102	pre-fills title and description from campaign	: 68	✓
103	pre-selects disciplines from campaign	: 74	✓
104	renders Save Changes button	: 81	✓
105	handles campaign with null disciplines	: 86	✓

error states

106	displays title error	: 93	✓
107	title input has aria-invalid when there is an error	: 103	✓
108	displays description error	: 113	✓
109	displays disciplines error via DisciplinePicker	: 123	✓
110	displays general error	: 133	✓

pending state

111	shows Creating... and disables button in create mode	: 145	✓
112	shows Saving... and disables button in edit mode	: 151	✓

UNIT

DeleteButton

src/app/dashboard/(brand)/campaigns/_components/delete-button.test.tsx 6 testów

rendering

113	renders Delete button	: 20	✓
114	renders hidden input with the campaign id	: 25	✓
115	button is enabled by default	: 30	✓

pending state

116	shows Deleting... while pending	: 37	✓
117	disables button while pending	: 43	✓

error state

118	displays error message when deletion fails	: 51	✓
-----	--	------	---

Podsumowanie

Plik testowy	Typ	Łącznie	✓ Przechodzi	🔧 Naprawione
tests/e2e/login.spec.ts	E2E	7	7	3
tests/e2e/onboarding.spec.ts	E2E	7	7	—
tests/e2e/dashboard.spec.ts	E2E	4	4	—
tests/e2e/campaigns.spec.ts	E2E	19	19	1
src/.../header/header.test.tsx	Unit	9	9	—
src/.../login/page.test.tsx	Unit	8	8	2
src/.../register/page.test.tsx	Unit	11	11	3
src/.../onboarding/onboarding-form.test.tsx	Unit	12	12	—
src/.../discipline-picker/discipline-picker.test.tsx	Unit	17	17	—
src/.../campaigns/_components/campaign-form.test.tsx	Unit	16	16	—
src/.../campaigns/_components/delete-button.test.tsx	Unit	6	6	—
RAZEM		116	116	9

Lista poprawek

#1 SignInSchema — walidacja pustego emaila

src/app/actions/auth.ts

Zmieniono `z.email()` na `z.string().min(1).email()` — pusty email zwracał "Enter a valid email address." zamiast wymaganego przez test "Email is required."

#2 signIn — komunikat błędu nieprawidłowych danych logowania

src/app/actions/auth.ts

"Invalid email or password." → "Invalid login credentials." — test E2E sprawdzał regexem `/invalid login credentials/i`, stary komunikat nie pasował.

#3 Main layout — przycisk Sign Out dla zalogowanych użytkowników

src/app/(main)/layout.tsx

Dodano `showSignOut={!!user}`. Użytkownik bez ukończonego onboarding-u trafiał na `/onboarding` (redirect z `/dashboard`), gdzie nie było przycisku Sign Out — testy 4, 6, 7 nie mogły się wylogować.

#4 Kampanie — strict mode violation przy `getByText('draft')`

tests/e2e/campaigns.spec.ts

Dodano `{ exact: true }`. `getByText('draft')` (case-insensitive substring) dopasowywał 3 elementy: tytuł "Draft Campaign", opis "...in draft state." i badge statusu — strict mode wymaga dokładnie jednego.

#5 Login page — renderowanie i mocki błędów pól formularza

`src/app/(main)/(customer)/login/page.tsx & page.test.tsx`

Zmieniono `{state.errors.email}` na `{state.errors.email[0]}` (typ to `string[]`). Sparowane z mockami: `'Error'` → `['Error']` — bez tej zmiany `'string'[0] = 's'` łamałoby testy.

#6 Register page — renderowanie i mocki błędów pól formularza

`src/app/(main)/(customer)/register/page.tsx & page.test.tsx`

Ta sama klasa problemu co #5: pola `accountType`, `email`, `password` (wszystkie `string[]`) renderowane bez `[0]`. Mocki zaktualizowane do tablic. Spójne teraz z `onboarding-form.tsx` i `campaign-form.tsx`.