

732A94 Advanced R Programming

Computer lab 2

Krzysztof Bartoszek, Martin Beneš, Oriol Garrobé Guilera, Hao Chi Kiang, Agustin Valencia
(designed by Leif Jonsson and Måns Magnusson)

27 August 2020 (SU13-14, SU15/16, SU17/18, Zoom)

Lab deadline: **8 September 23:59**

Instructions

- This lab should be done individually
 - It is OK to discuss the problems with each other, but to copy code is **NOT** allowed. Your solutions will be checked through URKUND.
 - Significant collaborations/discussions should be acknowledged in the solution file.
 - The lab should be turned in through **LISAM** as a documented .R file. In case of problems or if you do not have access to LISAM it may be emailed to `hao.chi.kiang@liu.se` or `marbe619@student.liu.se` or `origa255@student.liu.se` or `aguva779@student.liu.se` or `krzysztof.bartoszek@liu.se`.
 - In the .R file two text element (objects) are mandatory:
 - `name` (your name)
 - `liuid` (your LiU-ID). If you do not have one yet, please use a dummy one: `nnnnn000`.
 - The deadline for the lab is on the lab's title page.
 - The lab will be graded as follows. Your source file will be downloaded and R will best started with an empty workspace. Then, the following R commands will be executed by the person grading.

```
> library(markmyassignment)
> lab_path <- "path to the lab's .yaml file"
> set_assignment(lab_path)
> source("your_file.R")
> mark_my_assignment()
```

Be careful that in your handed-in file you do not have any lines of code apart from the bodies of the required functions, `liuid` and `name`. Any extras can easily break the above workflow, resulting in returns.
-

Contents

| | | |
|----------|--|----------|
| 1 | Lab assignments | 4 |
| 1.1 | Conditional statements | 4 |
| 1.1.1 | sheldon_game(player1, player2) | 4 |
| 1.2 | for loops | 4 |
| 1.2.1 | my_moving_median() | 4 |
| 1.2.2 | for_mult_table() | 5 |
| 1.2.3 | * cor_matrix() | 5 |
| 1.3 | while loops | 6 |
| 1.3.1 | find_cumsum() | 6 |
| 1.3.2 | while_mult_table() | 6 |
| 1.3.3 | * trial_division_factorization() | 7 |
| 1.4 | repeat and loop controls | 7 |
| 1.4.1 | repeat_find_cumsum() | 7 |
| 1.4.2 | repeat_my_moving_median() | 7 |
| 1.5 | Environment | 7 |
| 1.5.1 | in_environment() | 7 |
| 1.5.2 | * where() | 8 |
| 1.6 | Functionals | 8 |
| 1.6.1 | cov() | 8 |
| 1.7 | Closures | 8 |
| 1.7.1 | moment() | 8 |
| 1.7.2 | * mcmc_counter_factory() | 9 |

Automatic feedback with markmyassignment

As a complement to get fast feedback on your lab assignments the package markmyassignment has been written. This makes it possible to get automatic feedback on specified assignments, using any computer (although internet access is required).

To install markmyassignment the package devtools is needed. To install devtools and markmyassignment just run the following code:

```
> install.packages("devtools")
> devtools::install_github("MansMeg/markmyassignment")
```

To get automatic feedback on your assignment you need an assignment path from your teacher. To set the assignment just run the following code

```
> library(markmyassignment)
> set_assignment("[assignment path]")
```

where [assignment path] is the path given to you by your teacher.

To see which tasks that are included in the lab you can use the function `show_tasks()` in the following way:

```
> show_tasks()
```

To get automatic feedback you use the function `mark_my_assignment()`. To get feedback on all assignments just run the function.

```
> mark_my_assignment()
```

Remember that the functions need to be in the global environment in R.

You can also get feedback on specific tasks in the following way:

```
> mark_my_assignment(tasks="foo")
> mark_my_assignment(tasks=c("foo", "bar"))
```

It is also possible to correct an .R file in the following way:

```
> mark_my_assignment(mark_file = "[my search path to file]")
```

where [my search path to file] is the search path to the file to get feedback on.

Note! When an .R-file is checked, the global environment needs to be empty. Use `rm(list=ls())` to clean the global environment.

Chapter 1

Lab assignments

To use `markmyassignment` run the following code:

```
library(markmyassignment)

Error in library(markmyassignment):  there is no package called 'markmyassignment'

lab_path <-
"https://raw.githubusercontent.com/STIMALiU/AdvRCourse/master/Labs/Tests/lab2.yml"
set_assignment(lab_path)

Error in set_assignment(lab_path):  could not find function "set_assignment"
```

1.1 Conditional statements

1.1.1 sheldon_game(player1, player2)

In the series The big bang theory the character Sheldon comes up with a new version the game Rock-paper-scissors, called Rock-paper-scissors-lizard-spock. The detailed rules of the game can be found [here](http://bigbangtheory.wikia.com/wiki/Rock_Paper_Scissors_Lizard_Spock) (http://bigbangtheory.wikia.com/wiki/Rock_Paper_Scissors_Lizard_Spock).

Create a function you call `sheldon_game()` that should take two arguments, `player1` and `player2`. Each player should choose one of the choices `rock`, `paper`, `scissors`, `lizard` or `spock`. If another choice is made, the function should be stopped (with the `stop()` or `stopifnot()` function).

The function should return either `“Player 1 wins!”`, `“Player 2 wins!”` or `“Draw!”`.

Tip! This can be solved by using the cyclical structure of the game and the modulus operator.

```
> sheldon_game("lizard", "spock")

[1] "Player 1 wins!"

> sheldon_game("rock", "paper")

[1] "Player 2 wins!"
```

1.2 for loops

1.2.1 my_moving_median()

Create a function that will create a rolling median from a given numeric vector. Call the function `my_moving_median()`. The functions should accept a given numeric vector `x`, and a numeric scalar `n`.

The function should check if the arguments is a numeric vector (`x`) and a numeric scalar (`n`) and if not, it should stop the function (with the `stop()` or `stopifnot()` function). Otherwise the function should return the following vector:

$$y_t = \text{median}(x_t, \dots, x_{t+n})$$

where y_t is the t th element. It should also be possible to send argument to the `median()` function (as `na.rm`).

```
my_moving_median(x = 1:10, n=2)

[1] 2 3 4 5 6 7 8 9

my_moving_median(x = 5:15, n=4)

[1] 7 8 9 10 11 12 13

my_moving_median(x = c(5,1,2,NA,2,5,6,8,9,9), n=2)

[1] 2 NA NA NA 5 6 8 9

my_moving_median(x = c(5,1,2,NA,2,5,6,8,9,9), n=2, na.rm=TRUE)

[1] 2.0 1.5 2.0 3.5 5.0 6.0 8.0 9.0
```

1.2.2 for_mult_table()

Write a function called `for_mult_table()` with arguments `from` and `to`. Both arguments can be assumed to be positive integers. The function should return a multiplication table as a matrix from the argument `from` to the argument `to`. The column names and row names should contain the factors specified by the arguments.

The function should stop (using `stop()`) if the arguments is not numeric scalars.

See an example below.

```
for_mult_table(from = 1, to = 5)

  1  2  3  4  5
1 1  2  3  4  5
2 2  4  6  8 10
3 3  6  9 12 15
4 4  8 12 16 20
5 5 10 15 20 25

for_mult_table(from = 10, to = 12)

  10 11 12
10 100 110 120
11 110 121 132
12 120 132 144
```

1.2.3 * cor_matrix()

(NOTE: This task is Optional!)

Create a function called `cor_matrix()`. It should take a numeric `data.frame` with numerical variables of an arbitrary size as an argument `X` and calculate the correlation matrix for the given variables. If another object than a data.frame is used as argument, the function should return an error.

In this exercise you are not allowed to use the functions `var()`, `sd()` or `cor()` in your function.

See an example below.

```
data(iris)
cor_matrix(iris[,1:4])

      [,1]      [,2]      [,3]      [,4]
[1,] 1.00000 -0.11757  0.87175  0.81794
[2,] -0.11757 1.00000 -0.42844 -0.36613
[3,]  0.87175 -0.42844 1.00000  0.96287
[4,]  0.81794 -0.36613  0.96287  1.00000

data(faithful)
cor_matrix(faithful)

      [,1]      [,2]
[1,] 1.00000 0.90081
[2,] 0.90081 1.00000
```

1.3 while loops

1.3.1 find_cumsum()

Create a functions that takes two arguments **x** and **find_sum**. The function should calculate the cumulative sum of the numeric vector **x** and stop when the cumulative sum is greater than **find_sum** or if the vector **x** is traversed and return this value. The function should assert that **x** is a numeric vector and is a numeric scalar (with **stop()** or **stopifnot()**).

It is not allowed to use a **for** loop in this assignment.

```
find_cumsum(x=1:100, find_sum=500)

[1] 528

find_cumsum(x=1:10, find_sum=1000)

[1] 55
```

1.3.2 while_mult_table()

Create a functions that calculates a given mutiplication table similar to the exercise 1.2.2 but now you should use a (nested) while loop instead of a for-loop. The result should be identical in all other respects.

```
while_mult_table(from = 3, to = 5)

      3  4  5
3  9 12 15
4 12 16 20
5 15 20 25

while_mult_table(from = 7, to = 12)

      7  8  9 10 11 12
7 49 56 63 70 77 84
8 56 64 72 80 88 96
9 63 72 81 90 99 108
10 70 80 90 100 110 120
11 77 88 99 110 121 132
12 84 96 108 120 132 144
```

1.3.3 * trial_division_factorization()

(NOTE: This task is Optional!)

Write a function that can factorize any integer number x into its prime components. The function should return a vector of all the prime factors as a numeric vector. The idea is to simply test all integers (or prime numbers) from 2 to \sqrt{x} . For more detailed information on how to factorize primes using the trial division algorithm can be found [here](https://en.wikipedia.org/wiki/Trial_division) (https://en.wikipedia.org/wiki/Trial_division).

```
trial_division_factorization(x = 2^3 * 13 * 17 * 31)
[1] 2 2 2 13 17 31

trial_division_factorization(x = 47 * 91 * 97)
[1] 7 13 47 97
```

1.4 repeat and loop controls

1.4.1 repeat_find_cumsum()

Implement a function similar to `find_cumsum()` in 1.3.1 but using `repeat{}` instead of a `while` loop.

```
repeat_find_cumsum(x=1:100, find_sum=500)
[1] 528

repeat_find_cumsum(x=1:10, find_sum=1000)
[1] 55
```

1.4.2 repeat_my_moving_median()

Implement a function similar to `my_moving_median()` in 1.2.1 but using `repeat{}` instead of a `while` loop.

```
repeat_my_moving_median(x = 1:10, n=2)
[1] 2 3 4 5 6 7 8 9

repeat_my_moving_median(x = 5:15, n=4)
[1] 7 8 9 10 11 12 13

repeat_my_moving_median(x = c(5,1,2,NA,2,5,6,8,9,9), n=2)
[1] 2 NA NA NA 5 6 8 9
```

1.5 Environment

1.5.1 in_environment()

Create a function called `in_environment()` that returns the contents of an environment as a text vector. The function should take the argument `env` that takes an environment name as a text element.

```
env <- search()[length(search())]
env
[1] "package:base"
```



```
funs <- in_environment(env)
funs[1:5]

[1] "-"          "-.Date"      "-.POSIXt"    ":"          "::-"
```

1.5.2 * where()

(NOTE: This task is Optional!)

This function is similar to the `where()` function described in Advanced R. But unlike the implementation in the book you are not allowed to use `parent.env()` to traverse the search path. The function should take a name and return the name of the environment where the object is found by following the search path.

If the function is not found, the function should return the text element `'[fun] not found!'`.

Assert that `fun` is a character vector of length 1.

```
where(fun = "sd")

[1] "package:stats"

where(fun = "read.table")

[1] "package:utils"

where(fun = "non_existant_function")

[1] "non_existant_function not found!"
```

1.6 Functionals

1.6.1 cov()

This exercise is taken from the Advanced R book. Use `lapply()` and an anonymous function to find the coefficient of variation (the standard deviation divided by the mean) for all columns in a given `data.frame`. The function should return a vector of the coefficients of variation.

Assert that `X` is a `data.frame`.

```
data(iris)
cov(X = iris[1:4])

Sepal.Length Sepal.Width Petal.Length Petal.Width
0.14171      0.14256      0.46974      0.63555

cov(X = iris[3:4])

Petal.Length Petal.Width
0.46974      0.63555
```

1.7 Closures

1.7.1 moment()

This exercise has been taken from the Advanced R book. Create a function that creates a function for the i th central moment for a given variable. Definitions of the central moments can be found [here](https://en.wikipedia.org/wiki/Central_moment) (https://en.wikipedia.org/wiki/Central_moment).

```

m1 <- moment(i=1)
m2 <- moment(i=2)
m1(1:100)

[1] 0

m2(1:100)

[1] 833.25

```

1.7.2 * mcmc_counter_factory()

(NOTE: This task is Optional!)

In Markov chain Monte Carlo methods we often want to use counters for the sampling algorithms. Create a counter factory that creates a closure with a counter. The factory should take two arguments, `thin` and `burnin`. Each counter should contain three objects:

- `iteration` (numeric) scalar
- `store_sample` (boolean) scalar
- `samples` (numeric) scalar

Assume that the counter is called in each iteration so in each call of the counter (without argument) should bump up the iterations object.

The `store_sample` boolean indicates whether the current iterations should be stored. Iterations after the number of burnin iterations should be stored every `thin` iteration. So if we run 20 iterations with `burnin = 10` and `thin = 3` we would store iteration {13, 16, 19}. The `samples` scalar should keep track of the number of stored iterations (three as the example). In each iteration the values should be returned as a list.

Assert that `burnin` is a nonnegative value and that `thin` is a positive value.

Below is an example.

```

mcmccnt <- mcmc_counter_factory(burnin = 3, thin = 2)
mcmccnt()

[[1]]
[1] 1

[[2]]
[1] FALSE

[[3]]
[1] 0

mcmccnt()

[[1]]
[1] 2

[[2]]
[1] FALSE

[[3]]
[1] 0

mcmccnt()

```

```
[[1]]  
[1] 3  
  
[[2]]  
[1] FALSE  
  
[[3]]  
[1] 0  
  
mcmcCnt()  
  
[[1]]  
[1] 4  
  
[[2]]  
[1] FALSE  
  
[[3]]  
[1] 0  
  
mcmcCnt()  
  
[[1]]  
[1] 5  
  
[[2]]  
[1] TRUE  
  
[[3]]  
[1] 1  
  
mcmcCnt()  
  
[[1]]  
[1] 6  
  
[[2]]  
[1] FALSE  
  
[[3]]  
[1] 1
```