

Table of Contents

Part A

```
ODE113 = 'ode113';
tol = 1e-3;
[error] = Problem5_8_a(tol, 'on', ODE113);
```







Part C

close all

```
ODE113 = 'ode113';
tol = 1e-3;
err = Problem5_8_a(tol, 'on', ODE113);
```





Part D

```
clear all
ODE45 = 'ode45';
ODE113 = 'ode113';
global fcnevals
fprintf('Results or %s Solver', ODE113)
disp(' ')
disp('
            tol
                         max error & f evaluations \\')
disp(' ')
for tol = logspace(-1,-13,13)
  %odesample(tol)
  err = Problem5_8_a(tol, 'off', ODE113);
  disp(sprintf(' %12.3e & %12.3e & %7i \\\\ ',tol, err,fcnevals))
end
disp(' ')
Results or ode113 Solver
                    max error & f evaluations \\
      tol
               &
     1.000e-01 &
                     6.271e-04 &
                                      27 \\
     1.000e-02 &
                    4.875e-04 &
                                      29 \\
```

```
1.000e-03 &
                6.338e-04 &
                                  33 \\
1.000e-04 &
                                  41 \\
                1.196e-04 &
1.000e-05 &
                1.996e-05 &
                                  47 \\
1.000e-06 &
                7.727e-07 &
                                  63 \\
1.000e-07 &
                2.087e-07 &
                                  73 \\
1.000e-08 &
                1.283e-08
                                  87 \\
                          &
1.000e-09 &
                4.231e-10 &
                                 115 \\
1.000e-10 &
                6.669e-11 &
                                 131 \\
1.000e-11 &
                                 147 \\
                6.143e-12 &
                1.364e-12 &
1.000e-12 &
                                 157 \\
1.000e-13 &
                5.418e-14 &
                                 177 \\
```

Part E

```
fprintf('Results or %s Solver', ODE45)
disp(' ')
disp(
             tol
                           max error & f evaluations \\')
disp(' ')
for tol = logspace(-1, -13, 13)
   %odesample(tol)
   err = Problem5 8 a(tol, 'off', ODE45);
   disp(sprintf(' %12.3e & %12.3e & %7i \\\\',tol, err,fcnevals))
end
Results or ode45 Solver
                     max error & f evaluations \\
       tol
               &
     1.000e-01 &
                     9.882e-06 &
                                       67 \\
                     1.024e-05 &
                                       67 \\
     1.000e-02
     1.000e-03 &
                     1.044e-05 &
                                       67 \\
                                       67 \\
                     9.925e-06 &
     1.000e-04 &
                                       85 \\
     1.000e-05 &
                     5.394e-06 &
                     5.069e-07 &
                                      127 \\
     1.000e-06 &
                     4.763e-08 &
     1.000e-07 &
                                      199 \\
     1.000e-08 &
                     4.573e-09 &
                                      313 \\
                                      493 \\
     1.000e-09 &
                     4.398e-10 &
     1.000e-10 &
                     4.359e-11 &
                                      781 \\
                                     1237 \\
     1.000e-11 &
                     4.382e-12 &
                     4.325e-13 &
                                     1951 \\
     1.000e-12 &
                     4.396e-14 &
                                     3091 \\
     1.000e-13 &
```

Published with MATLAB® R2015b