Towards a Visual FactSheet

SM MOZAMMAL HOSSAIN, University of New Brunswick, Canada
KENNETH B. KENT, University of New Brunswick, Canada
PHIL MUNZ, TrojAI, Canada

The development of machine learning (ML) models is advancing rapidly and has become a widely recognized concept, largely due to leading technology companies integrating generative artificial intelligence (GAI) into many of their publicly accessible artificially intelligent services (AIS). Although AIS has gained popularity at an unprecedented pace among general users, there is limited public information about how these ML models are built, trained, and what datasets are utilized. Additionally, details on achieving trustworthiness, transparency, and fairness—key principles of AI governance—are scarce. Most users of free AIS services remain poorly informed through terms and conditions about what they are actually paying for, despite these services being marketed as free. We contend that users have not been adequately informed about the mutual benefits for both users and companies. Therefore, we argue that all publicly available AIS can clearly communicate these mutual benefits. In this paper, we introduce a framework called Visual FactSheet (VFS) for AIS, designed with end users in mind. Its main goal is to visually present one or more attributes of free AIS, enabling users to make informed choices before engaging with them. Furthermore, we propose formal definitions tailored for different FactSheet stakeholders, which we believe will assist in creating effective and meaningful FactSheets.

CCS Concepts: • **Do Not Use This Code → Generate the Correct Terms for Your Paper**; *Generate the Correct Terms for Your Paper*; Generate the Correct Terms for Your Paper; Generate the Correct Terms for Your Paper.

Additional Key Words and Phrases: Do, Not, Use, This, Code, Put, the, Correct, Terms, for, Your, Paper

ACM Reference Format:
SM Mozammal Hossain, Kenneth B. Kent, and Phil Munz. 2025. Towards a Visual FactSheet. In *Proceedings of Make sure to enter the correct conference title from your rights confirmation email (Conference acronym 'XX).* ACM, New York, NY, USA, 14 pages. https://doi.org/XXXXXXX.XXXXXXX

1 Introduction

AIS have become increasingly integrated into our daily lives. Although ML has been a prominent research area for years, it struggled to establish its superiority solving problems that are commercially viable. This led to slower adoption of ML technology. Limitations in ML algorithms, tools, hardware resources, and availability of training data contributed to this lower commercial adoption. Over the past decade, ML has evolved dramatically and became a core component of many automated services, e.g., answering citizen inquiries about unemployment benefits, welfare programs, and many more [32]. Extensive research has led to the development of numerous ML strategies, techniques, and algorithms. With advancements in Deep Learning (DL), Natural Language Processing (NLP), and most recently Large Language Models (LLMs), ML has proven its ability to tackle complex problems having commercial value [22] [30]. As a result, leading

Authors' Contact Information: SM Mozammal Hossain, University of New Brunswick, Fredericton, NB, Canada, mozammal.hossain@unb.ca; Kenneth B. Kent, University of New Brunswick, Fredericton, NB, Canada, ken@unb.ca; Phil Munz, TrojAI, Saint John, NB, Canada, phil.munz@troj.ai.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.
© 2025 Copyright held by the owner/author(s). Publication rights licensed to ACM.
Manuscript submitted to ACM

corporations such as Microsoft, Google, IBM, Amazon etc. began investing heavily to integrate ML into their products. Although Google and Amazon experimented and incorporated ML techniques in their products since 2014 in limited scope, after observing DL and LLM's recent achievements in image detection and language processing, both companies commercially engage this technology to improve their search results and product recommendations. Other influential players, e.g., IBM, Meta, and many more are also adopting ML technology. Today, it is hard to find companies, ranging from mid size to large, have a product offering without having ML capability.

ML requires a large amount of data for its training. Both leading and promising companies interested in developing ML based services or applications have been collecting data, actively or passively, for a long time. By offering free services such as search engines, social media, e-commerce platform, etc., companies collect data. Loyalty programs is another technique retail companies applies to collect consumer data. The intention is that these companies will use those for user profiling and provide curated product recommendation or targeted advertisement. The process of data collection still continues today. At present, 19.8 billion IOT devices are [3] connected to internet generating 2.5 quintillion bytes daily [38]. This growth is projected to be continue and by 2034 40.6 billion IOT device will be connected and by 2029 will produce 527.5 zettabytes of data annually [1] [3].

Until the introduction of General Data Protection Regulation (GDPR) in 2016, companies enjoyed an extended period without answering to any regulatory authority about how they are collecting data and what is their intention to use them [10]. Same applies to ML model development until the emergence of AI governance policy. GDPR, introduced by the European Union (EU), enforces very strict guidelines for collecting, processing, protecting, ownership, retention period, and use of data for any purpose. This poses an enormous data collection and usage challenge for companies who either a developer or user of information technology. ML model development was not free from challenges as well. For AIS services, there are limited public information about how underlying ML models were built, trained, and what datasets were used for training. Hence, they frequently criticized for their lack of transparency, commonly referred to as the 'black box' problem, where the reasoning behind its decisions or recommendations remains unclear [31] [37] [20].

As GDPR became effective in May 2018 for all EU member countries. This enforcement created an enormous challenge for companies involved in ML model development. However they all adapted to this challenge and to comply with GDPR regulations added clauses for data collection in their "Terms and Conditions" or "Terms of use" agreement (a legal contract between the service provider and users in text form) which traditionally used for safeguarding product and its usage [6]. A similar text based approach is also being proposed but yet to applied widely for achieving ML model's fairness of making recommendation and ability to explain. Since EU AI governance policy is expected to take effect on August 2nd, 2026, companies are still enjoying this freedom. In this paper, we are proposing an documentation framework that can serve all AIS audience.

2 Literature Review

In today's AI-driven era especially with the rise of generative AI applications, users should be informed, or service providers should disclose, details about underlying AI technology, data collection, processing, privacy practices, and data usage in such a way that is easy to understand. Unfortunately, text based leagal agreement mentioned earlier is the only approach present today. A Deloitte survey in 2017 revealed that 91% of 2,000 U.S. participants accepted "Terms and Conditions" or "Terms of Use" agreements without reading them. The same survey found that this trend was even stronger among individuals aged 18–38, with 97% agreeing without reading [7]. Similarly, Obar et al. conducted a study using a fictitious social networking platform with two documents: a privacy policy (PP) and terms of service (TOS). They estimated that reading the PP and TOS would take 29–32 and 15–17 minutes respectively, yet participants

Application or Service	Word Count	How many minutes to read? (240 wpm)	Application or Service	Word Count	How many minutes to read? (240 wpm)
Microsoft	15,260	63.5	Spotify	8,600	35.8
Apple (Media Services)	7,314	30.5	Zoom	6,891	28.7
Tinder	6,215	25.9	Uber	5,658	23.6
Bumble	5,442	22.7	Linkedin	4,346	18.1
Facebook	4,132	17.2	Google	3,459	14.4
Amazon	3,416	14.2	YouTube	3,308	13.7

Table 1. License Length and Reading Time [21]

spent only 73 and 51 seconds before agreeing. Among 543 participants, mostly undergraduate students from a large communication class at a public university in the eastern U.S., 97% agreed to the PP and 93% to the TOS [25].

For English speaking adults, the average oral reading rate is 183 words per minute (wpm) and the silent reading rate can be up to 280-320 wpm [25][5]. Table 1 shows the word count of ~~a~~ license agreements for some of the most popular and widely used applications or services. It is surprising to observe that some of the most popular free service providers, i.e., Facebook, Tinder, Microsoft, etc., crafted their license agreements in such a way that for a regular user it could take 14.4 to 63.5 minutes to read. Table 1 results were based on 2020 data. We assume that most of the users did not spend much time to review and understand their rights, responsibilities, data collection, and possible usage before agreeing to it. Our assumption is based on the survey findings conducted by Obar et al. where participants agreed to share their data with the United States national security agency, employer, and provided their first-born child as payment for social networking service access [25]. From the above discussion, we conclude that traditional text heavy lengthy legal agreement between service provider and user is inadequate delivering appropriate message to its audience. We advocate for a clear, easily understandable communication mechanism or framework for AIS users explaining their right and responsibilities.

A Fact Sheet is defined as "a single-page or other brief document presenting facts relevant to a specific issue" [29]. In ML development, a "Fact Sheet", also referred to as "FactSheets" (FS); is a documentation framework designed to support responsible AI (RAI) practices [2]. We consider it as the cornerstone of all governance tools. Originally introduced by Arnold et al., the FS framework aims to promote transparency and trustworthiness in ML services and applications for auditors, developers, and end users. This trust is achieved by documenting every stage of the ML development lifecycle [2]. Acting as a repository for outputs from AI governance tools such as bias detection and mitigation, explainability, robustness, performance, etc., the FS extends traditional software documentation with a strict focus on AI development. Hind et al. noted that the FS proposed by Arnold et al. can serve multiple purposes for different stakeholders [16], though we believe end users were overlooked in their design. Other initiatives include Michell et al.'s "Model Cards", which emphasize reporting performance, use cases, and fairness, and Gebru et al.'s "Datasheets for Datasets", a comprehensive data-focused document answering 57 questions on data collection, processing, and usage [23] [13]. Both Arnold et al. and Hind et al. adopted a question-and-answer methodology targeting developers, data scientists, technical stakeholders, and testers, but excluded end users [2] [16]. In summary, FactSheets are vital throughout an ML project; from development to deployment and beyond. We conclude that researchers contribution discussed above, offer a robust approach for personnel engaged in ML development. Similarly, Kasia et al.'s CLeAR framework supports AI practitioners and policymakers [8], yet fails to address end user needs.

Currently, there is no standardized framework for documenting key aspects of ML models, i.e., how training data is collected and processed or how model performance is evaluated. “FactSheets”, “Model Cards”, “Datasheets for Datasets”, “CLeAR” Initiatives represent significant steps toward achieving RAI objectives. However, these efforts have largely overlooked the importance of involving end users. Moreover, they lack a unified template for capturing all relevant ML details. While Arnold et al. proposed a project-specific FactSheet template, we argue that this should become a universal standard [2]. Similarly, Hind et al. and Arnold et al. anticipated that “FactSheets” would serve multiple user groups but failed to classify these groups or provide clear guidelines on which ML details should be included for different “FactSheet” types [2] [16].

In this paper, we propose multiple FS users and provide definitions of each FS category outlining the content of each FS. We also propose a visual documentation framework intended for non-technical users. Zhang et al. introduced privacy nutrition labels for mobile apps [40], which resemble our proposed Visual FactSheet (VFS) but provide only a subset of information and are not fully applicable to ML models.

3 Proposed ~~w~~ork

Governance in artificial intelligence is an evolving discipline that includes key principles such as fairness, bias mitigation, explainability, robustness, causal inference, privacy, etc.. Understanding the system’s capabilities and limitations is essential for AIS users. A FS aims to provide users with all necessary information to make informed decisions. While FS is widely acknowledged as an important tool advancing RAI when implemented correctly, the term is often ambiguous, overused, and misunderstood. To ensure clarity and effectiveness, FS must have a well-defined, comprehensive, and actionable structure aligned with RAI principles. Traditionally, an FS may take the form of a lengthy, text-heavy document detailing relevant attributes across multiple sections. However, we argue that a single, exhaustive FS meet the needs of all audiences.

At the age of interactive information system, digital icons or pictorial signs plays an important role conveying information quickly in contrast to use of text. Universally accepted icons also can break written language, cultural barriers, and convey large amount of information efficiently and concisely [9] [33] [33]. In addition, human brain can process and retain information more quickly when presented visually. Potter et al. conducted an experiment in 2014 and it ~~revived~~ that human can process an entire image in 13 milliseconds even if they have seen the image before [28].

Based on the information presented in Section 1, 2, and discussion above, we propose utilizing visual aid, i.e., images into FS for conveying necessary information to end users prior using any AIS. Our hope is that our proposed “Visual FactSheet” (VFS) will eliminate or reduce constrains that a text-heave FS brings. In addition to it, we also propose FS to be tailored for distinct user group instead of a long generic FS.

4 VFS Design Methodology

To design our VFS framework, we utilized methodology proposed by Venable, J.; originated in Design Science Research (DSR) for developing information systems shown in Figure 1 [36]. The core of this methodology is technology innovation (TI) that relies on three other tightly coupled bi-directional components. Through TI phase, a technology or method is created or enhanced and we utilize this component to enhance FS documentation process by introducing visual aid for enabling quick information transfer and clarity. We followed image selection strategy discussed in Section 5. We evaluated our proposed VFS through a user survey and rectified our solution following problem diagnosis and technology evaluation component of the DSR methodology.

5 Image Selection Methodology

While appropriate image can transfer information at a ~~lighting~~ speed increasing completeness and readability of documents, inappropriate one may result poor result especially in e-commerce where icon or image selection affects click-through rate [17] [39]. Although in this work, we are not going to design any icons for our proposed VFS; rather we will use most commonly used icons, We need to select icons carefully with the intention of avoiding misinterpretation. We aligned our icon selection strategy with icon design standard discussed by Collaud et al. [9]. These are access to meaning, familiarity, visual complexity, and aesthetic appeal [9].

6 User Group Identification

To distinguish the various FS user groups, we were inspired by the work of Arnold et al., Michell et al., Gebru et al., and Kasia et al. These studies commonly included ML professionals, e.g., data scientists (DS) and quality assurance (QA) personnel as potential FS users. Based on our interpretation, Kasia et al. classified these individuals as AI practitioners while Arnold et al. viewed them as technical users rather than end users. Additionally, Kasia et al. defined policymakers as individuals holding public office. Beyond these groups, Arnold et al. identified auditors, and Kasia et al. included policymakers as potential FS users.

In our approach, we organized the proposed users into four categories. We grouped business executives with policymakers, as both make strategic decision. We retained the auditor category as is but consolidated all technical roles mentioned above into a single group labeled "Developers." Finally, we introduced a new category not previously considered, i.e., end users.

- Policymaker / Business Executive;
- Auditor;
- Developer; and
- End user.



Fig. 1. An activity framework for design science research [19].

6.1 Policymaker / Business Executive:

Definition 1: *An FS is a single or multi-page document, preferably less text heavy, that provides a high-level overview of an ML model. The document should provide legal constraints, known security limitations, applicable domains, data sources, one or more basic usage examples, and how AI trustworthiness was achieved. The document should also contain possible risk analysis in cases of misuse.*

6.2 Auditor:

Auditing is a critical component of RAI, essential for ensuring fairness, accountability, transparency, and trustworthiness in any AIS. A well-structured FS designed for auditors can play a key role in achieving these governance objectives. While policymakers typically concentrate on the high-level elements of an FS, auditors delve deeper into each item and its technical details. Their responsibility is to verify, from a theoretical standpoint, that the AIS can effectively address the problems it claims to solve, while adhering to RAI and GDPR policies and avoiding violations of other applicable regulations. Auditors must also confirm that the AIS provides all necessary documentation and supporting materials for its claims. To facilitate this process, we propose the following FS definition specifically intended for auditors.

Definition 2: *An FS is a multi-page document often generated periodically during machine learning development or update life-cycle. The document should contain in-depth technical, legal, possibly all use-cases with one or more examples, data usage, known security limitations, applicable domains, and explanations about how AI trustworthiness was achieved for an AIS. The document should also contain the source of each technology used, technological gap (if any), and sample data (both in original and processed form) with explanation(s) of how fairness and unbiasness was achieved.*

6.3 Developer:

AIS are complex, data-driven technologies. The first step in developing an AIS is data collection, followed by extensive work to prepare that data for training ML models. Developers must ensure the data is unbiased, fair, complete, consistent, and free from personally identifiable information (PII), while complying with legal standards such as the GDPR. It is critical that all outputs—whether decisions or recommendations—are explainable and free from bias. Since datasets may still contain hidden biases, development teams must implement additional safeguards to detect and mitigate them. Furthermore, algorithms themselves can introduce bias, whether intentional or accidental. Teams should continuously monitor model performance and audit the logic behind its development, maintaining clear records of any changes and who made them.

AI models are dynamic and evolve over time because they are data-driven. This makes them vulnerable to performance degradation, requiring ongoing monitoring and drift management. Retraining and updating models when necessary is essential to maintain reliability and effectiveness. Based on these considerations, we propose the following FS definition for ML developers.

Definition 3: *An FS is a multi-page, in-depth, highly-technical document often generated periodically or on an ad-hoc basis during machine learning development, modification, or life-cycle update. This document should contain each and every step taken for developing an ML model. This includes how training data was acquired, processed, and technologies used for making it ready for further use. The document should contain all ML algorithms used for developing a model, detailed technical explanations of why they are suitable, possible drawbacks, limitations, and security concerns (if any). It also should provide sufficient evidence on the efficiency of a model, performance metrics, and strategy used for updating or upgrading a model.*

6.4 End user:

End-users of an AIS are typically less technically inclined and generally unconcerned with the underlying complexities of the systems they use to simplify their lives. We believe AIS providers should clearly communicate, in plain language or simple English, how users contribute to improving or updating AIS services. Traditionally, users could choose whether to share reports on application usage or crash logs, but AIS often collects such data automatically. Most users are likely unaware of this process. Considering the technical limitations and needs of end-users, we propose the following FS definition specifically designed for ML users.

Definition 4: *An FS is a single or multi-page, reasonably short and less technical document generated periodically (as necessary) for AIS users. The document should contain all use-cases with one or more examples, rights and responsibilities of the users for using an AIS, and possible security concerns and limitations.*

7 Visual FactSheet

Data is the fuel for any ML model. Training data act~~ed~~ as a input for ML model and dictates how it will perform while providing recommendation. There is a common notion that the more data that a ML is trained on, the more it will perform accurately [24]. Hence, data became the new currency in today's interconnected world[12]. Due to this reason, we concluded user should know what data they are sharing, how the provided will ~~retain, process, and share their data~~.

While designing our VFS template, we ~~took~~ a risk based approach. For ML development, there are mainly two type of risks, i.e., data level and model level risk. Data risk encapsulates data bias, shift, adversarial attack, etc. while model level risk includes accuracy, uncertainty, etc. [41]. Instead of treating them separately we ~~took an~~ hybrid approach combining model and data bias and fairness risk into two, accuracy solely for model, and ~~leave~~ a wide range for any other risk the provider may consider informing to it users.

"A Picture Is Worth a Thousand Words" [34]. Visual depiction of complex agreements not only provides clarity of the content but also can enhance a nontechnical person's decision making process [35] [18]. While the use of visual depictions over text-heavy content makes it easier to understand product instructions for many companies, it is uncommon to use the same strategy for capturing a user's response of proper understating to the license agreement despite their possible effectiveness for improving information quality, credibility, and enhance the decision making process [18]. We expect a VFS will be a useful approach to inform license information pictorially. We propose the most important items in a VFS for end-users:

- Purpose;
- Data Collection;
- Data Processing;
- Data Retention;
- Data Share;
- Accuracy, Fairness, Bias; and
- Potential Risk.

7.0.1 Purpose: A VFS must start with the purpose of the AIS service. This should provide an example problem and how the AIS service is solving it.

7.1 Data Collection:

AIS users should be informed about the types of data an AIS provider may collect during usage. While the provider might choose to include examples of the data collected, doing so is strongly recommended. At a minimum, the provider should acknowledge whether data collection occurs by providing a clear "Yes" or "No" response.

7.2 Data Processing:

If an AIS provider confirms that it collects user data, it must explain the purpose of the collection and how the data will be used in the future. Additionally, the provider should clarify the measures taken to ensure that the collected data does not contain any personally identifiable information (PII). At a minimum, this step requires the provider to give a simple "Yes" or "No" acknowledgment.

7.3 Data Retention:

If an AIS provider collects and processes user data, it must clearly inform users about its data retention policy. Additionally, the provider should explain how user data will be securely destroyed once the retention period ends.

7.4 Data Share:

AIS providers frequently share collected data with affiliates, government bodies such as law enforcement agencies, and other third-party AIS providers. In cases of business transfers, ownership of this data may also be transferred. Providers must clearly inform users about who will receive the data and specify whether it will be shared in its raw or processed form.

7.5 Accuracy, Fairness, and Bias:

Whether the service is free or paid, AIS providers must present evidence demonstrating the effectiveness and value of their offerings. For AIS, the accuracy of underlying ML models is widely recognized as a key metric [4]. Given concerns about biased or unfair recommendations and decisions, providers are responsible for informing users about the degree of fairness and impartiality in their service. At a minimum, this should include a reported percentile for accuracy, fairness, and bias.

7.6 Potential Risk:

AISs are not free from potential risk. There is a growing concern about adversarial attacks on the underlying ML models along with training data poisoning, stealing, and model hijacking. The AIS provider must acknowledge if there is any potential risk for using the service and how the provider minimizes or eliminates those potential risks.

8 VFS Example

We present two examples of a VFS: We chose to use ChatGPT and Grammarly. These are two of the most popular free AISs. We want to apply our VFS concept and justify the usefulness of our proposed approach for AIS users.

8.1 ChatGPT

ChatGPT is a LLM-based chatbot capable of processing natural language and offers a human-like conversation service designed to assist with tasks and answer questions [27]. Introduced by OpenAI and available to the public since

ChatGPT is one of the most popular AIS. It is a LLM-based chatbot capable of processing natural language and offers human-like conversation service design to assist with tasks and answer questions.		
Activity	Status	Activity Details
Collect	✓	
Process	✓	
Share	✓	
Retention Period	MAYBE	∞ ?
Performance and Governance		
Accuracy	✗	?
Fairness	✗	?
Bias	✗	?
Potential Risk	MAYBE	?

Table 2. Visual FactSheet for ChatGPT

November 2022, the service gained popularity very quickly and has affected almost every field. We evaluated the "Privacy Policy" and prepared the VFS shown in Figure 2. Appendix B provide legends for icons used in Figure 2 and Figure 3.

In the "Collect" section of Figure 2, we present pictorially the type of data OpenAI is collecting while users engage with their service. We identified that ChatGPT automatically collects all information. This includes personal and social media information, device information from where the service is used, and all types of communication messages. They also run real time analytics on the collected data and claim to provide a better experience while using the ChatGPT service [26]. In a similar fashion, the sections "Process", "Share", and "Retention Period" of Figure 2 visually shows that OpenAI retains user data for an infinite time. OpenAI processes ~~those~~ data for their research, developing new products or services, and improving existing services. The company also says they may or do share user data with government agencies, third party vendors, and their affiliated companies [26]. Although the core of ChatGPT is an ML model using LLM technology, there is no publicly available information about the model. We did not find any evidence about its accuracy, potential risk of using the ChatGPT service, and data fairness and biasness of the data that the underlying ML model is trained on.

9 Survey Design

We designed our survey using guidelines mentioned by Arlene Fink [11]

9.1 Survey Questions

- What is your level of education?
- Your current or previous education background?
- Are you a Computer Science Student?
- How familiar are you with AI?
- Do you use social media platform (s)?
- Do you or have you ever use ChatGPT or Grammerly or Microsoft Co-Pilot or any other writing assistance tool?
  Now, show them the license agreement?
- do you know what information will the application will share?
- After reading the agreement, how comfortable are you using the application
  Now, show them the VFS, and ask the same question.

9.2 Survey Result

TBD

10 Conclusion and Limitation

In this paper, we proposed four FS definitions by identifying and categorizing four user groups and introduced a methodology for creating a VFS for ML services. We believe our proposed FS definitions will be able to reduce confusion for FS generators or creators. We also believe that the proposed VFS will benefit a growing number of ML service consumers protecting their rights and making informed decisions when using publicly available free ML services. We hope to continue our work on VFS and use it as an integral part of an ML service or project and show the effectiveness of the proposed methodology. Although we introduced four types of VFS with definitions, we concentrated our focus on the end-user type. All icons used in this paper for preparing VFS are publicly available, in generic form, and downloaded from Flaticon.com. We believe there is an opportunity for standardizing icons used in this paper. We also hope to conduct a survey experiment to identify the strength and weakness of our proposed VFS and continue our contribution on icons standardization effort.

11 Acknowledgments

References

[1] Petroc Taylor (a). 2025. *Volume of data or information created, captured, copied, and consumed worldwide from 2010 to 2029.* 55 Broad Street; 30th floor, New York, NY 10004 United States. Accessed: 2025-11-18.

[2] Matthew Arnold, Rachel K. E. Bellamy, Michael Hind, Stephanie Houde, Sameep Mehta, Aleksandra Mojsilovic, Ravi Nair, Karthikeyan Natesan Ramamurthy, Darrell Reimer, Alexandra Olteanu, David Piorkowski, Jason Tsay, and Kush R. Varshney. 2018. FactSheets: Increasing Trust in AI Services through Supplier's Declarations of Conformity. (2018). doi:10.48550/ARXIV.1808.07261 Publisher: arXiv Version Number: 2.

[3] Petroc Taylor (b). 2025. *Number of Internet of Things (IoT) connections worldwide from 2022 to 2023, with forecasts from 2024 to 2034.* 55 Broad Street; 30th floor, New York, NY 10004 United States. Accessed: 2025-11-23.

[4] Kathrin Blagec, Georg Dorffner, Milad Moradi, and Matthias Samwald. 2020. A critical analysis of metrics used for measuring progress in artificial intelligence. (2020). doi:10.48550/ARXIV.2008.02577 Publisher: arXiv Version Number: 2.

[5] Marc Brysbaert. 2019. How many words do we read per minute? A review and meta-analysis of reading rate. *Journal of Memory and Language* 109 (Dec. 2019), 104047. doi:10.1016/j.jml.2019.104047

[6] Giovanni Buttarelli. 2019. We need to talk about terms and conditions | European Data Protection Supervisor. https://edps.europa.eu/press-publications/press-news/blog/we-need-talk-about-terms-and-conditions

[7] Caroline Cakebread. 2017. You're not alone, no one reads terms of service agreements. Retrieved 2024-01-04 from https://www.businessinsider.com/deloitte-study-91-percent-agree-terms-of-service-without-reading-2017-11

[8] Kasia Chmielinski, Sarah Newman, Chris N. Kranzinger, Michael Hind, Jennifer Wortman Vaughan, Margaret Mitchell, Julia Stoyanovich, Angelina McMillan-Major, Emily McReynolds, Kathleen Esfahany, Mary L. Gray, Audrey Chang, and Maui Hudson. 2024. The CLeAR Documentation Framework for AI Transparency: Recommendations for Practitioners & Context for Policymakers. In *Harvard Kennedy School Shorenstein Center discussion paper*. https://shorensteincenter.org/wp-content/uploads/2024/05/CleAR_KChmielinski_FINAL.pdf

[9] Romain Collaud, Irene Reppa, Lara Défayes, Sinè McDougall, Nicolas Henchoz, and Andreas Sonderegger. 2022. Design standards for icons: The independent role of aesthetics, visual complexity and concreteness in icon design and icon understanding. *Displays* 74 (2022), 102290. doi:10.1016/j.displa.2022.102290

[10] European Parliament and Council of the European Union. 2016. Regulation (EU) 2016/679 of the European Parliament and of the Council. https://data.europa.eu/eli/reg/2016/679/oj

[11] Arlene. Fink. 2009. *How to conduct surveys : a step-by-step guide* (4th ed. ed.). SAGE, Los Angeles, CA.

[12] Carrie Gates and Peter Matthews. 2014. Data Is the New Currency. In *Proceedings of the 2014 New Security Paradigms Workshop* (Victoria, British Columbia, Canada) *(NSPW '14)*. ACM, New York, NY, USA, 105–116. doi:10.1145/2683467.2683477

[13] Timnit Gebru, Jamie Morgenstern, Briana Vecchione, Jennifer Wortman Vaughan, Hanna Wallach, Hal Daumé Iii, and Kate Crawford. 2021. Datasheets for datasets. *Commun. ACM* 64, 12 (Dec. 2021), 86–92. doi:10.1145/3458723

[14] Grammarly. [n. d.]. What is Grammarly? Retrieved 2024-01-31 from https://support.grammarly.com/hc/en-us/articles/115000090792-What-is-Grammarly

[15] Grammarly. 2023. Privacy Policy | Grammarly. https://www.grammarly.com/privacy-policy

[16] Michael Hind, Stephanie Houde, Jacquelyn Martino, Aleksandra Mojsilovic, David Piorkowski, John Richards, and Kush R. Varshney. 2020. Experiences with Improving the Transparency of AI Models and Services. In *Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems*. ACM, Honolulu HI USA, 1–8. doi:10.1145/3334480.3383051

[17] Changhun Hyun, Chan Hur, and Hyeyoung Park. 2022. An image selection framework for automatic report generation. *Multimedia Tools and Applications* 81, 28 (01 Nov 2022), 41175–41197. doi:10.1007/s11042-022-13120-7

[18] Molan Kim, Seung Min Lee, Sanghak Choi, and Sang Yong Kim. 2021. Impact of visual information on online consumer review behavior: Evidence from a hotel booking website. *Journal of Retailing and Consumer Services* 60 (May 2021), 102494. doi:10.1016/j.jretconser.2021.102494

[19] Bill Kuechler and Vijay Vaishnavi. 2008. On theory development in design science research: anatomy of a research project. *European Journal of Information Systems* 17, 5 (2008), 489–504. arXiv:https://doi.org/10.1057/ejis.2008.40 doi:10.1057/ejis.2008.40

[20] Miron B. Kursa and Witold R. Rudnicki. 2010. Feature Selection with the Boruta Package. *Journal of Statistical Software* 36, 11 (2010), 1–13. doi:10.18637/jss.v036.i11

[21] Nicholas LePan. 2020. Visualizing the Length of the Fine Print, for 14 Popular Apps. Retrieved 2024-01-08 from https://www.visualcapitalist.com/terms-of-service-visualizing-the-length-of-internet-agreements/

[22] Xiaolong Li, Wenliang Lin, and Bei Guan. 2023. The impact of computing and machine learning on complex problem-solving. *Engineering Reports* 5, 6 (June 2023), e12702. doi:10.1002/eng2.12702

[23] Margaret Mitchell, Simone Wu, Andrew Zaldivar, Parker Barnes, Lucy Vasserman, Ben Hutchinson, Elena Spitzer, Inioluwa Deborah Raji, and Timnit Gebru. 2019. Model Cards for Model Reporting. In *Proceedings of the Conference on Fairness, Accountability, and Transparency*. ACM, Atlanta GA USA, 220–229. doi:10.1145/3287560.3287596

[24] Thomas Nield. 2022. *Essential Math for Data Science: Take Control of Your Data with Fundamental Linear Algebra, Probability, and Statistics*. O'Reilly Media, Inc., Sebastopol.

[25] Jonathan A. Obar. 2016. The Biggest Lie on the Internet: Ignoring the Privacy Policies and Terms of Service Policies of Social Networking Services. *SSRN Electronic Journal* (2016). doi:10.2139/ssrn.2757465

[26] OpenAI. 2023. Privacy policy. Retrieved 2024-01-31 from https://openai.com/policies/privacy-policy

[27] Sabrina Ortiz. [n. d.]. What is ChatGPT and why does it matter? Here's what you need to know. Retrieved 2024-01-31 from https://www.zdnet.com/article/what-is-chatgpt-and-why-does-it-matter-heres-everything-you-need-to-know/

[28] Mary C Potter, Brad Wyble, Carl Erick Hagmann, and Emily S McCourt. 2014. Detecting meaning in RSVP at 13 ms per picture. *Atten. Percept. Psychophys.* 76, 2 (Feb. 2014), 270–279.

[29] Oxford University Press. 2023. fact sheet - Quick search results | Oxford English Dictionary. Retrieved 2024-01-04 from https://www.oed.com/search/dictionary/?scope=Entries&q=fact+sheet

[30] Raffaele Pugliese, Stefano Regondi, and Riccardo Marini. 2021. Machine learning-based approach: global trends, research directions, and regulatory standpoints. *Data Science and Management* 4 (Dec. 2021), 19–29. doi:10.1016/j.dsm.2021.12.002

[31] Golshid Ranjbaran, Diego Reforgiato Recupero, Chanchal K. Roy, and Kevin A. Schneider. 2025. C-SHAP: A Hybrid Method for Fast and Efficient Interpretability. *Applied Sciences* 15, 2 (2025). https://www.mdpi.com/2076-3417/15/2/672

[32] Pedro Robles and Daniel J Mallinson. 2025. Advancing AI governance with a unified theoretical framework: a systematic review. *Perspectives on Public Management and Governance* (07 2025), gvaf013. arXiv:https://academic.oup.com/ppmg/advance-article-pdf/doi/10.1093/ppmgov/gvaf013/63674479/gvaf013.pdf doi:10.1093/ppmgov/gvaf013

[33] Zhangfan Shen, Chengqi Xue, and Haiyan Wang. 2018. Effects of Users' Familiarity With the Objects Depicted in Icons on the Cognitive Performance of Icon Identification. *i-Perception* 9, 3 (2018), 2041669518780807. doi:10.1177/2041669518780807 PMID: 29977490.

[34] Gail M. Sullivan. 2017. A Picture Is Worth a Thousand Words: *JGME* Adds Graphics and Humor to the On Teaching Category. *Journal of Graduate Medical Education* 9, 1 (Feb. 2017), 5–6. doi:10.4300/JGME-D-16-00699.1

[35] Richard Suters and Reid Farrell. 2023. Emergence of Visual Contracts: A Picture is Worth a Thousand Words. https://www.swslawyers.com.au/news/emergence-of-visual-contracts-a-picture-is-worth-a-thousand-words

[36] John R. Venable. 2006. The role of theory and theorising in Design Science research. *International Conference on Design Science Research in Information Systems and Technology (DESRIST)*. https://api.semanticscholar.org/CorpusID:14033350

[37] B. Venkatesh and J. Anuradha. 2019. A Review of Feature Selection and Its Methods. *Cybern. Inf. Technol.* 19, 1 (March 2019), 3–26. doi:10.2478/cait-2019-0001

[38] Branka Vuleta. 2021. *How Much Data Is Created Every Day?* 54/29 West 21st Street, New York, 10010, USA. Accessed: 2021-06-25.

[39] Sheng You, Chao Wang, Baohua Wu, Jingping Liu, Quan Lu, Guanzhou Han, and Yanghua Xiao. 2023. What Image do You Need? A Two-stage Framework for Image Selection in E-commerce. In *Companion Proceedings of the ACM Web Conference 2023* (Austin, TX, USA) *(WWW '23 Companion)*. Association for Computing Machinery, New York, NY, USA, 452–456. doi:10.1145/3543873.3584646

[40] Shikun Zhang, Lily Klucinec, Kyerra Norton, Norman Sadeh, and Lorrie Faith Cranor. 2024. Exploring Expandable-Grid Designs to Make iOS App Privacy Labels More Usable. In *Twentieth Symposium on Usable Privacy and Security (SOUPS 2024)*. USENIX Association, Philadelphia, PA, 139–157. https://www.usenix.org/conference/soups2024/presentation/zhang

[41] Xiaoge Zhang, Felix T.S. Chan, Chao Yan, and Indranil Bose. 2022. Towards risk-aware artificial intelligence and machine learning systems: An overview. *Decision Support Systems* 159 (2022), 113800. doi:10.1016/j.dss.2022.113800

A Grammarly

Grammarly is an AI-powered writing assistant. It is an advanced technology that claims to improve correctness and clarity of a written document or assist while writing [14]. Launched in 2009 as a free or paid service, it is becoming a popular writing assistant among students and the general population. We evaluated the "Terms of Service", and "Privacy Policy" and prepared the VFS shown in Figure 3. The VFS for Grammarly is very similar to that of ChatGPT except Grammarly also collects and processes payment information. This payment information collection applies only for their paid users [15].

B Legends

Tables 4, 5, 6, and 7 list our legends and their descriptions. All legends were downloaded from Flaticon.com.

Received 20 February 2007; revised 12 March 2009; accepted 5 June 2009

Grammarly is an AI powered writing assistant that helps people communicate with confidence. It assists in improving the correctness, clarity, engagement, and delivery of a written document.		
Activity	Status	Activity Details
Collect		
Process		
Share		
Retention Period		
Performance and Governance		
Accuracy		
Fairness		
Bias		
Potential Risk		

Table 3. Visual FactSheet for Grammarly

Table 4. Data Collection Legends

Legend	Description	Legend	Description
	Social media data.		User's personal information.
	All user generated content.		All user communication data.
	All generated service log data.		User's service usage activity.
	Device information for service is used.		Browser cookie.
	Data analytics using user data.		All other additional information.
	Payment information.		
Source: All legends were downloaded from Flaticon.com			

Table 5. Data Processing Legends

Legend	Description
	Data will be used for research purposes.
	Data will used for service improvement.
	Data will be used for new product development.
Source: All legends were downloaded from Flaticon.com	

Table 6. Data Share Legends

Legend	Description
	Data will be shared with third party vendors.
	Data will be shared with government agencies if requested.
	Data will be shared with all affiliated companies.
	Payment information will be shared with financial service provider.
Source: All legends were downloaded from Flaticon.com	

Table 7. Other Legends

Legend	Description	Legend	Description
	Service provider acted on.		Service provider does not act.
	Service provider may act.		Infinite data retention period.
	No publicly available information.		
Source: All legends were downloaded from Flaticon.com			