

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☒ image report

Options...

Check by  ☐ css

```
<!-- This Source Code Form is subject to the terms of the Mozilla Public
- License, v. 2.0. If a copy of the MPL was not distributed with this
- file, You can obtain one at http://mozilla.org/MPL/2.0/. -->

<!DOCTYPE html>

<html>
  <head>
    <meta charset="utf-8">
    <meta http-equiv="Content-Security-Policy" content="default-src chrome;;
object-src 'none'" />
    <title data-l10n-id="about-networking-title"></title>
    <link rel="stylesheet" href="chrome://global/skin/aboutNetworking.css"
type="text/css" />
```

Check

Use the Message Filtering button below to display options for hiding/showing particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

[From line 6, column 16; to line 8, column 6](#)

```
TYPE html><html>      <
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Element `title` must not be empty.

[From line 12, column 54; to line 12, column 61](#)

```
ng-title"></title>
```

3. **Error** Attribute `selected` not allowed on element `div` at this point.

[From line 19, column 13; to line 19, column 69](#)

```
<div class="category" selected="true" id="category-http">
```

Attributes for element `div`:

[Global attributes](#)

4. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 20, column 17; to line 20, column 82](#)

```
<span class="category-name" data-l10n-id="about-networking-http"/>
```

5. **Error** End tag `div` seen, but there were open elements.

[From line 21, column 13; to line 21, column 18](#)

```
</div>
```

6. **Error** Unclosed element `span`.

[From line 20, column 17; to line 20, column 82](#)

```
<span class="category-name" data-l10n-id="about-networking-http"/>
```

7. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 23, column 17; to line 23, column 85](#)

```
<span class="category-name" data-l10n-id="about-networking-sockets"/>
```

8. **Error** End tag `div` seen, but there were open elements.

[From line 24, column 13; to line 24, column 18](#)

```
</div>
```

9. **Error** Unclosed element `span`.

[From line 23, column 17; to line 23, column 85](#)

```
<span class="category-name" data-l10n-id="about-networking-sockets"/>
```

10. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 26, column 17; to line 26, column 81](#)

```
<span class="category-name" data-l10n-id="about-networking-dns"/>
```

11. **Error** End tag `div` seen, but there were open elements.

[From line 27, column 13; to line 27, column 18](#)

```
</div>
```

12. **Error** Unclosed element `span`.

[From line 26, column 17; to line 26, column 81](#)

```
<span class="category-name" data-l10n-id="about-networking-dns"/>
```

13. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 29, column 17; to line 29, column 88](#)

```
<span class="category-name" data-l10n-id="about-networking-  
websockets"/>
```

14. **Error** End tag `div` seen, but there were open elements.

[From line 30, column 13; to line 30, column 18](#)

```
</div>
```

15. **Error** Unclosed element `span`.

[From line 29, column 17; to line 29, column 88](#)

```
<span class="category-name" data-l10n-id="about-networking-  
websockets"/>
```

16. **Error** Stray end tag `hr`.

[From line 31, column 17; to line 31, column 21](#)

```
<hr></hr>
```

17. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 33, column 17; to line 33, column 88](#)

```
<span class="category-name" data-l10n-id="about-networking-dns-  
lookup"/>
```

18. **Error** End tag `div` seen, but there were open elements.

[From line 34, column 13; to line 34, column 18](#)

```
</div>
```

19. **Error** Unclosed element `span`.

[From line 33, column 17; to line 33, column 88](#)

```
<span class="category-name" data-l10n-id="about-networking-dns-lookup"/>
```

20. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 36, column 17; to line 36, column 85](#)

```
<span class="category-name" data-l10n-id="about-networking-logging"/>
```

21. **Error** End tag `div` seen, but there were open elements.

[From line 37, column 13; to line 37, column 18](#)

```
</div>
```

22. **Error** Unclosed element `span`.

[From line 36, column 17; to line 36, column 85](#)

```
<span class="category-name" data-l10n-id="about-networking-logging"/>
```

23. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 39, column 17; to line 39, column 82](#)

```
<span class="category-name" data-l10n-id="about-networking-rcwn"/>
```

24. **Error** End tag `div` seen, but there were open elements.

[From line 40, column 13; to line 40, column 18](#)

```
</div>
```

25. **Error** Unclosed element `span`.

[From line 39, column 17; to line 39, column 82](#)

```
<span class="category-name" data-l10n-id="about-networking-rcwn"/>
```

26. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 42, column 17; to line 42, column 87](#)

```
<span class="category-name" data-l10n-id="about-networking-networkid"/>
```

27. **Error** End tag `div` seen, but there were open elements.

[From line 43, column 13; to line 43, column 18](#)

```
</div><↵
```

28. **Error** **Unclosed element** `span`.

[From line 42, column 17; to line 42, column 87](#)

```
<span class="category-name" data-l10n-id="about-networking-  
networkid"/><↵
```

29. **Error** **Element** `input` **is missing required attribute** `aria-checked`.

[From line 50, column 21; to line 50, column 98](#)

```
<input id="autorefcheck" type="checkbox" name="Autorefresh"  
role="checkbox" /><↵
```

Attributes for element `input`:

[Global attributes](#)

<a href="#">accept</a>	when type is <a href="#">file</a>
<a href="#">alt</a>	when type is <a href="#">image</a>
<a href="#">autocomplete</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">autofocus</a>	
<a href="#">checked</a>	when type is <a href="#">checkbox</a> or <a href="#">radio</a>
<a href="#">dirname</a>	when type is <a href="#">text</a> or <a href="#">search</a>
<a href="#">disabled</a>	
<a href="#">form</a>	
<a href="#">formaction</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formenctype</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formmethod</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formnovalidate</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formtarget</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">height</a>	when type is <a href="#">image</a>
<a href="#">list</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">max</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">maxlength</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">min</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">multiple</a>	when type is <a href="#">email</a> or <a href="#">file</a>
<a href="#">name</a>	
<a href="#">pattern</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">placeholder</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , or <a href="#">number</a>

<a href="#">readonly</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , or <a href="#">number</a>
<a href="#">required</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">checkbox</a> , <a href="#">radio</a> , or <a href="#">file</a>
<a href="#">size</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">src</a>	when type is <a href="#">image</a>
<a href="#">step</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">type</a>	
<a href="#">value</a>	when type is not <a href="#">file</a> or <a href="#">image</a>
<a href="#">width</a>	when type is <a href="#">image</a>

30. **Warning** The `checkbox` role is unnecessary for element `input` whose type is `checkbox`.

[From line 50, column 21; to line 50, column 98](#)

```
<input id="autorefccheck" type="checkbox" name="Autorefresh"
role="checkbox" />
```

31. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 58, column 27; to line 59, column 72](#)

```
<tr>
<th data-l10n-id="about-networking-
hostname"/>
```

32. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 60, column 27; to line 60, column 68](#)

```
<th data-l10n-id="about-networking-port"/>
```

33. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 61, column 27; to line 61, column 76](#)

```
<th data-l10n-id="about-networking-http-version"/>
```

34. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 62, column 27; to line 62, column 67](#)

```
<th data-l10n-id="about-networking-ssl"/>
```

35. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.  
[From line 63, column 27; to line 63, column 70](#)  

```
<th data-l10n-id="about-networking-active"/>
```
36. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.  
[From line 64, column 27; to line 64, column 68](#)  

```
<th data-l10n-id="about-networking-idle"/>
```
37. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.  
[From line 66, column 27; to line 67, column 45](#)  

```
</thead> <tbody id="http_content" />
```
38. **Error** Bad value true for attribute hidden on element div.  
[From line 71, column 11; to line 71, column 54](#)  

```
<div id="sockets" class="tab" hidden="true">
```
39. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.  
[From line 74, column 27; to line 75, column 68](#)  

```
<tr> <th data-l10n-id="about-networking-host"/>
```
40. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.  
[From line 76, column 27; to line 76, column 68](#)  

```
<th data-l10n-id="about-networking-port"/>
```
41. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.  
[From line 77, column 27; to line 77, column 67](#)  

```
<th data-l10n-id="about-networking-tcp"/>
```
42. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.  
[From line 78, column 27; to line 78, column 70](#)

```
<th data-l10n-id="about-networking-active"/><
```

43. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 79, column 27; to line 79, column 68](#)

```
<th data-l10n-id="about-networking-sent"/><
```

44. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 80, column 27; to line 80, column 72](#)

```
<th data-l10n-id="about-networking-received"/><
```

45. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 82, column 27; to line 83, column 48](#)

```
</thead><tbody id="sockets_content" /><
```

46. **Error** Bad value true for attribute hidden on element div.

[From line 87, column 11; to line 87, column 50](#)

```
<div id="dns" class="tab" hidden="true"><
```

47. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 90, column 27; to line 91, column 74](#)

```
<tr><th data-l10n-id="about-networking-dns-suffix"/><
```

48. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 93, column 27; to line 94, column 51](#)

```
</thead><tbody id="dns_suffix_content" /><
```

49. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 99, column 27; to line 100, column 72](#)

```
<tr><th data-l10n-id="about-networking-hostname"/><
```



50. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 101, column 27; to line 101, column 70](#)

```
<th data-l10n-id="about-networking-family"/><
```

51. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 102, column 27; to line 102, column 67](#)

```
<th data-l10n-id="about-networking-trr"/><
```

52. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 103, column 27; to line 103, column 73](#)

```
<th data-l10n-id="about-networking-addresses"/><
```

53. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 104, column 27; to line 104, column 71](#)

```
<th data-l10n-id="about-networking-expires"/><
```

54. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 106, column 27; to line 107, column 44](#)

```
</thead><tbody id="dns_content" /><
```

55. **Error** Bad value true for attribute hidden on element div .

[From line 111, column 11; to line 111, column 57](#)

```
<div id="websockets" class="tab" hidden="true"><
```

56. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 114, column 27; to line 115, column 72](#)

```
<tr><th data-l10n-id="about-networking-hostname"/><
```

57. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 116, column 27; to line 116, column 67](#)

```
<th data-l10n-id="about-networking-ssl"/>
```

58. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 117, column 27; to line 117, column 77](#)

```
<th data-l10n-id="about-networking-messages-sent"/>
```

59. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 118, column 27; to line 118, column 81](#)

```
<th data-l10n-id="about-networking-messages-received"/>
```

60. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 119, column 27; to line 119, column 74](#)

```
<th data-l10n-id="about-networking-bytes-sent"/>
```

61. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 120, column 27; to line 120, column 78](#)

```
<th data-l10n-id="about-networking-bytes-received"/>
```

62. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 122, column 27; to line 123, column 51](#)

```
</thead> <tbody id="websockets_content" />
```

63. **Error** Bad value `true` for attribute `hidden` on element `div`.

[From line 127, column 11; to line 127, column 60](#)

```
<div id="dnslookuptool" class="tab" hidden="true">
```

64. **Error** Stray end tag `input`.

[From line 129, column 56; to line 129, column 63](#)

```
id="host"></input>
```

65. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 134, column 27; to line 135, column 87](#)

```
<tr><th data-l10n-id="about-networking-dns-lookup-table-column"/></tr>
```

66. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 137, column 27; to line 138, column 54](#)

```
</thead><tbody id="dnslookuptool_content" />
```

67. **Error** Bad value `true` for attribute `hidden` on element `div`.

[From line 142, column 11; to line 142, column 51](#)

```
<div id="rcwn" class="tab" hidden="true">
```

68. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 145, column 27; to line 146, column 75](#)

```
<tr><th data-l10n-id="about-networking-rcwn-status"/></tr>
```

69. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 147, column 27; to line 147, column 86](#)

```
<th data-l10n-id="about-networking-total-network-requests"/>
```

70. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 148, column 27; to line 148, column 84](#)

```
<th data-l10n-id="about-networking-rcwn-cache-won-count"/>
```

71. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 149, column 27; to line 149, column 82](#)

```
<th data-l10n-id="about-networking-rcwn-net-won-count"/>
```

72. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 166, column 27; to line 167, column 78](#)

```
<tr><th data-l10n-id="about-networking-rcwn-operation"/></tr>
```

73. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 168, column 27; to line 168, column 78](#)

```
<th data-l10n-id="about-networking-rcwn-avg-short"/>
```

74. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 169, column 27; to line 169, column 77](#)

```
<th data-l10n-id="about-networking-rcwn-avg-long"/>
```

75. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 170, column 27; to line 170, column 81](#)

```
<th data-l10n-id="about-networking-rcwn-std-dev-long"/>
```

76. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 174, column 27; to line 175, column 78](#)

```
<tr>
    <td data-l10n-id="about-networking-rcwn-
perf-open"/>
```

77. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 180, column 27; to line 181, column 78](#)

```
<tr>
    <td data-l10n-id="about-networking-rcwn-
perf-read"/>
```

78. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 186, column 27; to line 187, column 79](#)

```
<tr>
    <td data-l10n-id="about-networking-rcwn-
perf-write"/>
```

79. **Error** Self-closing syntax ( /> ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 192, column 27; to line 193, column 84](#)

```
<tr>
    <td data-l10n-id="about-networking-rcwn-
perf-entry-open"/>
```

80. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 205, column 27; to line 206, column 79](#)

```
<tr><th data-l10n-id="about-networking-rcwn-  
cache-slow"/>
```

81. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 207, column 27; to line 207, column 83](#)

```
<th data-l10n-id="about-networking-rcwn-cache-not-slow"/>
```

82. **Error** Bad value `true` for attribute `hidden` on element `div`.

[From line 219, column 11; to line 219, column 54](#)

```
<div id="logging" class="tab" hidden="true">
```

83. **Error** Stray end tag `input`.

[From line 229, column 64; to line 229, column 71](#)

```
log-file"></input>
```

84. **Error** Stray end tag `input`.

[From line 235, column 148; to line 235, column 155](#)

```
solver:5"></input>
```

85. **Error** Bad value `true` for attribute `hidden` on element `div`.

[From line 246, column 11; to line 246, column 56](#)

```
<div id="networkid" class="tab" hidden="true">
```

86. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 249, column 27; to line 250, column 79](#)

```
<tr><th data-l10n-id="about-networking-  
networkid-is-up"/>
```

87. **Error** Self-closing syntax ( `/>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 251, column 27; to line 251, column 86](#)

```
<th data-l10n-id="about-networking-networkid-status-known"/>
```

88. **Error** Self-closing syntax (`</>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 252, column 27; to line 252, column 76](#)

```
<th data-l10n-id="about-networking-networkid-id"/>
```

Document checking completed.

## Image report

No images in the document.

## Source

```

1. <!-- This Source Code Form is subject to the terms of the Mozilla Public
2.    - License, v. 2.0. If a copy of the MPL was not distributed with this
3.    - file, You can obtain one at http://mozilla.org/MPL/2.0/. -->
4. 
5. 
6. <!DOCTYPE html>
7. 
8. <html>
9.     <head>
10.         <meta charset="utf-8">
11.         <meta http-equiv="Content-Security-Policy" content="default-src chrome:;
object-src 'none'" />
12.         <title data-l10n-id="about-networking-title"></title>
13.         <link rel="stylesheet" href="chrome://global/skin/aboutNetworking.css"
type="text/css" />
14.         <script src="chrome://global/content/aboutNetworking.js"></script>
15.         <link rel="localization" href="toolkit/about/aboutNetworking.ftl"/>
16.     </head>
17.     <body id="body">
18.         <div id="categories">
19.             <div class="category" selected="true" id="category-http">
20.                 <span class="category-name" data-l10n-id="about-networking-
http"/>
21.             </div>
22.             <div class="category" id="category-sockets">
23.                 <span class="category-name" data-l10n-id="about-networking-
sockets"/>
24.             </div>
25.             <div class="category" id="category-dns">
26.                 <span class="category-name" data-l10n-id="about-networking-
dns"/>
27.             </div>
28.             <div class="category" id="category-websockets">
29.                 <span class="category-name" data-l10n-id="about-networking-
websockets"/>
30.             </div>
31.             <hr>
32.             <div class="category" id="category-dnslookuptool">
33.                 <span class="category-name" data-l10n-id="about-networking-dns-
lookup"/>
34.             </div>
35.             <div class="category" id="category-logging">
36.                 <span class="category-name" data-l10n-id="about-networking-
logging"/>
37.             </div>
38.             <div class="category" id="category-rcwn">

```

```

39.         <span class="category-name" data-l10n-id="about-networking-
rcwn"/><
40.     </div><
41.     <div class="category" id="category-networkid"><
42.         <span class="category-name" data-l10n-id="about-networking-
networkid"/><
43.     </div><
44. </div><
45. <div class="main-content"><
46.     <div class="header"><
47.         <div id="sectionTitle" class="header-name" data-l10n-id="about-
networking-http"></div><
48.         <div id="refreshDiv" class="toggle-container-with-text"><
49.             <button id="refreshButton" data-l10n-id="about-networking-
refresh"></button><
50.             <input id="autorefcheck" type="checkbox" name="Autorefresh"
role="checkbox" /><
51.             <label for="autorefcheck" data-l10n-id="about-networking-
auto-refresh"></label><
52.         </div><
53.     </div><
54. <
55.     <div id="http" class="tab active"><
56.         <table><
57.             <thead><
58.                 <tr><
59.                     <th data-l10n-id="about-networking-hostname"/><
60.                     <th data-l10n-id="about-networking-port"/><
61.                     <th data-l10n-id="about-networking-http-version"/><
62.                     <th data-l10n-id="about-networking-ssl"/><
63.                     <th data-l10n-id="about-networking-active"/><
64.                     <th data-l10n-id="about-networking-idle"/><
65.                 </tr><
66.             </thead><
67.             <tbody id="http_content" /><
68.         </table><
69.     </div><
70. <
71.     <div id="sockets" class="tab" hidden="true"><
72.         <table><
73.             <thead><
74.                 <tr><
75.                     <th data-l10n-id="about-networking-host"/><
76.                     <th data-l10n-id="about-networking-port"/><
77.                     <th data-l10n-id="about-networking-tcp"/><
78.                     <th data-l10n-id="about-networking-active"/><
79.                     <th data-l10n-id="about-networking-sent"/><
80.                     <th data-l10n-id="about-networking-received"/><
81.                 </tr><
82.             </thead><
83.             <tbody id="sockets_content" /><
84.         </table><
85.     </div><
86. <
87.     <div id="dns" class="tab" hidden="true"><
88.         <table><
89.             <thead><
90.                 <tr><
91.                     <th data-l10n-id="about-networking-dns-suffix"/><
92.                 </tr><
93.             </thead><
94.             <tbody id="dns_suffix_content" /><
95.         </table><
96.         <br/><br/><
97.         <table><
98.             <thead><

```

```

99.         <tr>↵
100.             <th data-l10n-id="about-networking-hostname"/>↵
101.             <th data-l10n-id="about-networking-family"/>↵
102.             <th data-l10n-id="about-networking-trr"/>↵
103.             <th data-l10n-id="about-networking-addresses"/>↵
104.             <th data-l10n-id="about-networking-expires"/>↵
105.         </tr>↵
106.     </thead>↵
107.     <tbody id="dns_content" />↵
108. </table>↵
109. </div>↵
110. ↵
111.     <div id="websockets" class="tab" hidden="true">↵
112.         <table>↵
113.             <thead>↵
114.                 <tr>↵
115.                     <th data-l10n-id="about-networking-hostname"/>↵
116.                     <th data-l10n-id="about-networking-ssl"/>↵
117.                     <th data-l10n-id="about-networking-messages-sent"/>↵
118.                     <th data-l10n-id="about-networking-messages-
received"/>↵
119.                     <th data-l10n-id="about-networking-bytes-sent"/>↵
120.                     <th data-l10n-id="about-networking-bytes-received"/>↵
121.                 </tr>↵
122.             </thead>↵
123.             <tbody id="websockets_content" />↵
124.         </table>↵
125.     </div>↵
126. ↵
127.     <div id="dnslookuptool" class="tab" hidden="true">↵
128.         <label data-l10n-id="about-networking-dns-domain"></label>↵
129.         <input type="text" name="host" id="host"></input>↵
130.         <button id="dnsLookupButton" data-l10n-id="about-networking-dns-
lookup-button"></button>↵
131.         <hr/>↵
132.         <table>↵
133.             <thead>↵
134.                 <tr>↵
135.                     <th data-l10n-id="about-networking-dns-lookup-table-
column"/>↵
136.                 </tr>↵
137.             </thead>↵
138.             <tbody id="dnslookuptool_content" />↵
139.         </table>↵
140.     </div>↵
141. ↵
142.     <div id="rcwn" class="tab" hidden="true">↵
143.         <table>↵
144.             <thead>↵
145.                 <tr>↵
146.                     <th data-l10n-id="about-networking-rcwn-status"/>↵
147.                     <th data-l10n-id="about-networking-total-network-
requests"/>↵
148.                     <th data-l10n-id="about-networking-rcwn-cache-won-
count"/>↵
149.                     <th data-l10n-id="about-networking-rcwn-net-won-
count"/>↵
150.                 </tr>↵
151.             </thead>↵
152.             <tbody id="rcwn_content">↵
153.                 <tr>↵
154.                     <td id="rcwn_status"> </td>↵
155.                     <td id="total_req_count"> </td>↵
156.                     <td id="rcwn_cache_won_count"> </td>↵
157.                     <td id="rcwn_cache_net_count"> </td>↵
158.                 </tr>↵

```



```

159.         </tbody><↵
160.     </table><↵
161. ↵
162.     <br/><br/><↵
163. ↵
164.     <table><↵
165.         <thead><↵
166.             <tr><↵
167.                 <th data-l10n-id="about-networking-rcwn-operation"/><↵
168.                 <th data-l10n-id="about-networking-rcwn-avg-short"/><↵
169.                 <th data-l10n-id="about-networking-rcwn-avg-long"/><↵
170.                 <th data-l10n-id="about-networking-rcwn-std-dev-
long"/><↵
171.             </tr><↵
172.         </thead><↵
173.         <tbody id="cachepperf_content"><↵
174.             <tr><↵
175.                 <td data-l10n-id="about-networking-rcwn-perf-open"/><↵
176.                 <td id="rcwn_perfstats_open_avgShort"> </td><↵
177.                 <td id="rcwn_perfstats_open_avgLong"> </td><↵
178.                 <td id="rcwn_perfstats_open_stddevLong"> </td><↵
179.             </tr><↵
180.             <tr><↵
181.                 <td data-l10n-id="about-networking-rcwn-perf-read"/><↵
182.                 <td id="rcwn_perfstats_read_avgShort"> </td><↵
183.                 <td id="rcwn_perfstats_read_avgLong"> </td><↵
184.                 <td id="rcwn_perfstats_read_stddevLong"> </td><↵
185.             </tr><↵
186.             <tr><↵
187.                 <td data-l10n-id="about-networking-rcwn-perf-write"/><↵
188.                 <td id="rcwn_perfstats_write_avgShort"> </td><↵
189.                 <td id="rcwn_perfstats_write_avgLong"> </td><↵
190.                 <td id="rcwn_perfstats_write_stddevLong"> </td><↵
191.             </tr><↵
192.             <tr><↵
193.                 <td data-l10n-id="about-networking-rcwn-perf-entry-
open"/><↵
194.                 <td id="rcwn_perfstats_entryopen_avgShort"> </td><↵
195.                 <td id="rcwn_perfstats_entryopen_avgLong"> </td><↵
196.                 <td id="rcwn_perfstats_entryopen_stddevLong"> </td><↵
197.             </tr><↵
198.         </tbody><↵
199.     </table><↵
200. ↵
201.     <br/><br/><↵
202. ↵
203.     <table><↵
204.         <thead><↵
205.             <tr><↵
206.                 <th data-l10n-id="about-networking-rcwn-cache-slow"/><↵
207.                 <th data-l10n-id="about-networking-rcwn-cache-not-
slow"/><↵
208.             </tr><↵
209.         </thead><↵
210.         <tbody><↵
211.             <tr><↵
212.                 <td id="rcwn_cache_slow"> </td><↵
213.                 <td id="rcwn_cache_not_slow"> </td><↵
214.             </tr><↵
215.         </tbody><↵
216.     </table><↵
217. </div><↵
218. ↵
219. <div id="logging" class="tab" hidden="true"><↵
220.     <div><↵

```

```

221.         <button id="start-logging-button" data-l10n-id="about-networking-
start-logging"></button>↵
222.         <button id="stop-logging-button" data-l10n-id="about-networking-
stop-logging"></button>↵
223.     </div>↵
224.     <br/>↵
225.     <br/>↵
226.     <div>↵
227.         <label data-l10n-id="about-networking-current-log-file"></label>↵
228.         <div id="current-log-file"></div><br/>↵
229.         <input type="text" name="log-file" id="log-file"></input>↵
230.         <button id="set-log-file-button" data-l10n-id="about-networking-
set-log-file"></button>↵
231.     </div>↵
232.     <div>↵
233.         <label data-l10n-id="about-networking-current-log-modules">
</label>↵
234.         <div id="current-log-modules"></div><br/>↵
235.         <input type="text" name="log-modules" id="log-modules"
value="timestamp, sync, nsHttp:5, cache2:5, nsSocketTransport:5, nsHostResolver:5">
</input>↵
236.         <button id="set-log-modules-button" data-l10n-id="about-networking-
set-log-modules"></button>↵
237.     </div>↵
238.     <br>↵
239.     <br>↵
240. ↵
241.     <p id="log-tutorial" data-l10n-id="about-networking-log-tutorial">↵
242.         <a data-l10n-name="logging"
href="https://developer.mozilla.org/docs/Mozilla/Debugging/HTTP_logging"></a>↵
243.     </p>↵
244. </div>↵
245. ↵
246.     <div id="networkid" class="tab" hidden="true">↵
247.         <table>↵
248.             <thead>↵
249.                 <tr>↵
250.                     <th data-l10n-id="about-networking-networkid-is-up"/>↵
251.                     <th data-l10n-id="about-networking-networkid-status-
known"/>↵
252.                     <th data-l10n-id="about-networking-networkid-id"/>↵
253.                 </tr>↵
254.             </thead>↵
255.             <tbody id="networkid_content">↵
256.                 <tr>↵
257.                     <td id="networkid_isUp"> </td>↵
258.                     <td id="networkid_statusKnown"> </td>↵
259.                     <td id="networkid_id"> </td>↵
260.                 </tr>↵
261.             </tbody>↵
262.         </table>↵
263.     </div>↵
264. ↵
265. </div>↵
266. </body>↵
267. </html>

```

Used the HTML parser.

Total execution time 28 milliseconds.

