

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☒ image report

Options...

Check by text input ☐ css

```

<!-- This Source Code Form is subject to the terms of the Mozilla Public
- License, v. 2.0. If a copy of the MPL was not distributed with this
- file, You can obtain one at http://mozilla.org/MPL/2.0/. -->

<!DOCTYPE html>

<html>
  <head>
    <meta charset="utf-8">
    <meta http-equiv="Content-Security-Policy" content="default-src chrome;;
object-src 'none'">
    <title data-l10n-id="about-networking-title"></title>
    <link rel="stylesheet" href="chrome://global/skin/aboutNetworking.css"
type="text/css">

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

[From line 6, column 16; to line 8, column 6](#)

```
TYPE html><=<html><      <
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Element `title` must not be empty.

[From line 12, column 54; to line 12, column 61](#)

```
ng-title"></title><
```

3. **Error** Attribute `selected` not allowed on element `div` at this point.

[From line 19, column 13; to line 19, column 69](#)

```
<div class="category" selected="true" id="category-http">
```

Attributes for element `div`:

[Global attributes](#)

Document checking completed.

Image report

No images in the document.

Source

```

1. <!-- This Source Code Form is subject to the terms of the Mozilla Public
2.    - License, v. 2.0. If a copy of the MPL was not distributed with this
3.    - file, You can obtain one at http://mozilla.org/MPL/2.0/. -->
4.
5.
6. <!DOCTYPE html>
7.
8. <html>
9.   <head>
10.    <meta charset="utf-8">
11.    <meta http-equiv="Content-Security-Policy" content="default-src chrome;;
object-src 'none'">
12.    <title data-l10n-id="about-networking-title"></title>
13.    <link rel="stylesheet" href="chrome://global/skin/aboutNetworking.css"
type="text/css">
14.    <script src="chrome://global/content/aboutNetworking.js"></script>
15.    <link rel="localization" href="toolkit/about/aboutNetworking.ftl">
16.  </head>
17.  <body id="body">
18.    <div id="categories">
19.      <div class="category" selected="true" id="category-http">
20.        <span class="category-name" data-l10n-id="about-networking-http">
</span>
21.      </div>
22.      <div class="category" id="category-sockets">
23.        <span class="category-name" data-l10n-id="about-networking-
sockets"></span>
24.      </div>
25.      <div class="category" id="category-dns">
26.        <span class="category-name" data-l10n-id="about-networking-dns">
</span>
27.      </div>
28.      <div class="category" id="category-websockets">
29.        <span class="category-name" data-l10n-id="about-networking-
websockets"></span>
30.      </div>
31.      <hr>
32.      <div class="category" id="category-dnslookuptool">
33.        <span class="category-name" data-l10n-id="about-networking-dns-
lookup"></span>
34.      </div>
35.      <div class="category" id="category-logging">
36.        <span class="category-name" data-l10n-id="about-networking-
logging"></span>

```

```

37.         </div><↵
38.         <div class="category" id="category-rcwn">↵
39.             <span class="category-name" data-l10n-id="about-networking-rcwn">
</span><↵
40.         </div><↵
41.         <div class="category" id="category-networkid">↵
42.             <span class="category-name" data-l10n-id="about-networking-
networkid"></span><↵
43.         </div><↵
44.     </div><↵
45.     <div class="main-content">↵
46.         <div class="header">↵
47.             <div id="sectionTitle" class="header-name" data-l10n-id="about-
networking-http"></div><↵
48.             <div id="refreshDiv" class="toggle-container-with-text">↵
49.                 <button id="refreshButton" data-l10n-id="about-networking-
refresh"></button><↵
50.                 <input id="autorefcheck" type="checkbox" name="Autorefresh">↵
51.                 <label for="autorefcheck" data-l10n-id="about-networking-
auto-refresh"></label><↵
52.             </div><↵
53.         </div><↵
54.     ↵
55.     <div id="http" class="tab active">↵
56.         <table>↵
57.             <thead>↵
58.                 <tr>↵
59.                     <th data-l10n-id="about-networking-hostname"></th>↵
60.                     <th data-l10n-id="about-networking-port"></th>↵
61.                     <th data-l10n-id="about-networking-http-version"></th>↵
62.                     <th data-l10n-id="about-networking-ssl"></th>↵
63.                     <th data-l10n-id="about-networking-active"></th>↵
64.                     <th data-l10n-id="about-networking-idle"></th>↵
65.                 </tr>↵
66.             </thead>↵
67.             <tbody id="http_content"></tbody>↵
68.         </table>↵
69.     </div>↵
70.     ↵
71.     <div id="sockets" class="tab" hidden>↵
72.         <table>↵
73.             <thead>↵
74.                 <tr>↵
75.                     <th data-l10n-id="about-networking-host"></th>↵
76.                     <th data-l10n-id="about-networking-port"></th>↵
77.                     <th data-l10n-id="about-networking-tcp"></th>↵
78.                     <th data-l10n-id="about-networking-active"></th>↵
79.                     <th data-l10n-id="about-networking-sent"></th>↵
80.                     <th data-l10n-id="about-networking-received"></th>↵
81.                 </tr>↵
82.             </thead>↵
83.             <tbody id="sockets_content"></tbody>↵
84.         </table>↵
85.     </div>↵
86.     ↵
87.     <div id="dns" class="tab" hidden>↵
88.         <table>↵
89.             <thead>↵
90.                 <tr>↵
91.                     <th data-l10n-id="about-networking-dns-suffix"></th>↵
92.                 </tr>↵
93.             </thead>↵
94.             <tbody id="dns_suffix_content"></tbody>↵
95.         </table>↵
96.         <br/><br/>↵
97.     </div>↵

```

```

98.         <thead>↵
99.             <tr>↵
100.                 <th data-l10n-id="about-networking-hostname"></th>↵
101.                 <th data-l10n-id="about-networking-family"></th>↵
102.                 <th data-l10n-id="about-networking-trr"></th>↵
103.                 <th data-l10n-id="about-networking-addresses"></th>↵
104.                 <th data-l10n-id="about-networking-expires"></th>↵
105.             </tr>↵
106.         </thead>↵
107.         <tbody id="dns_content"></tbody>↵
108.     </table>↵
109. </div>↵
110. ↵
111.     <div id="websockets" class="tab" hidden>↵
112.         <table>↵
113.             <thead>↵
114.                 <tr>↵
115.                     <th data-l10n-id="about-networking-hostname"></th>↵
116.                     <th data-l10n-id="about-networking-ssl"></th>↵
117.                     <th data-l10n-id="about-networking-messages-sent">
118. </th>↵
119.                     <th data-l10n-id="about-networking-messages-received">
120. </th>↵
121.                     <th data-l10n-id="about-networking-bytes-sent"></th>↵
122.                     <th data-l10n-id="about-networking-bytes-received">
123. </th>↵
124.                 </tr>↵
125.             </thead>↵
126.             <tbody id="websockets_content"></tbody>↵
127.         </table>↵
128.     </div>↵
129. ↵
130.     <div id="dnslookuptool" class="tab" hidden>↵
131.         <label data-l10n-id="about-networking-dns-domain"></label>↵
132.         <input type="text" name="host" id="host">↵
133.         <button id="dnsLookupButton" data-l10n-id="about-networking-dns-
134. lookup-button"></button>↵
135.         <hr>↵
136.         <table>↵
137.             <thead>↵
138.                 <tr>↵
139.                     <th data-l10n-id="about-networking-dns-lookup-table-
140. column"></th>↵
141.                 </tr>↵
142.             </thead>↵
143.             <tbody id="dnslookuptool_content"></tbody>↵
144.         </table>↵
145.     </div>↵
146. ↵
147.     <div id="rcwn" class="tab" hidden>↵
148.         <table>↵
149.             <thead>↵
150.                 <tr>↵
151.                     <th data-l10n-id="about-networking-rcwn-status"></th>↵
152.                     <th data-l10n-id="about-networking-total-network-
153. requests"></th>↵
154.                     <th data-l10n-id="about-networking-rcwn-cache-won-
155. count"></th>↵
156.                     <th data-l10n-id="about-networking-rcwn-net-won-count">
157. </th>↵
158.                 </tr>↵
159.             </thead>↵
160.             <tbody id="rcwn_content">↵
161.                 <tr>↵
162.                     <td id="rcwn_status"> </td>↵
163.                     <td id="total_req_count"> </td>↵

```

```

156.         <td id="rcwn_cache_won_count"> </td><br>
157.         <td id="rcwn_cache_net_count"> </td><br>
158.     </tr><br>
159. </tbody><br>
160. </table><br>
161. <br>
162. <br><br>
163. <br>
164. <table><br>
165.     <thead><br>
166.     <tr><br>
167.         <th data-l10n-id="about-networking-rcwn-operation">
</th><br>
168.         <th data-l10n-id="about-networking-rcwn-avg-short">
</th><br>
169.         <th data-l10n-id="about-networking-rcwn-avg-long">
</th><br>
170.         <th data-l10n-id="about-networking-rcwn-std-dev-long">
</th><br>
171.     </tr><br>
172. </thead><br>
173. <tbody id="cachepperf_content"><br>
174.     <tr><br>
175.         <td data-l10n-id="about-networking-rcwn-perf-open">
</td><br>
176.         <td id="rcwn_perfstats_open_avgShort"> </td><br>
177.         <td id="rcwn_perfstats_open_avgLong"> </td><br>
178.         <td id="rcwn_perfstats_open_stddevLong"> </td><br>
179.     </tr><br>
180.     <tr><br>
181.         <td data-l10n-id="about-networking-rcwn-perf-read">
</td><br>
182.         <td id="rcwn_perfstats_read_avgShort"> </td><br>
183.         <td id="rcwn_perfstats_read_avgLong"> </td><br>
184.         <td id="rcwn_perfstats_read_stddevLong"> </td><br>
185.     </tr><br>
186.     <tr><br>
187.         <td data-l10n-id="about-networking-rcwn-perf-write">
</td><br>
188.         <td id="rcwn_perfstats_write_avgShort"> </td><br>
189.         <td id="rcwn_perfstats_write_avgLong"> </td><br>
190.         <td id="rcwn_perfstats_write_stddevLong"> </td><br>
191.     </tr><br>
192.     <tr><br>
193.         <td data-l10n-id="about-networking-rcwn-perf-entry-
open"></td><br>
194.         <td id="rcwn_perfstats_entryopen_avgShort"> </td><br>
195.         <td id="rcwn_perfstats_entryopen_avgLong"> </td><br>
196.         <td id="rcwn_perfstats_entryopen_stddevLong"> </td><br>
197.     </tr><br>
198. </tbody><br>
199. </table><br>
200. <br>
201. <br><br>
202. <br>
203. <table><br>
204.     <thead><br>
205.     <tr><br>
206.         <th data-l10n-id="about-networking-rcwn-cache-slow">
</th><br>
207.         <th data-l10n-id="about-networking-rcwn-cache-not-
slow"></th><br>
208.     </tr><br>
209. </thead><br>
210. <tbody><br>
211.     <tr><br>

```

```

212.         <td id="rcwn_cache_slow"> </td><br>
213.         <td id="rcwn_cache_not_slow"> </td><br>
214.     </tr><br>
215. </tbody><br>
216. </table><br>
217. </div><br>
218. <br>
219.     <div id="logging" class="tab" hidden><br>
220.         <div><br>
221.             <button id="start-logging-button" data-l10n-id="about-networking-
start-logging"></button><br>
222.             <button id="stop-logging-button" data-l10n-id="about-networking-
stop-logging"></button><br>
223.         </div><br>
224.         <br><br>
225.         <br><br>
226.         <div><br>
227.             <label data-l10n-id="about-networking-current-log-file"></label><br>
228.             <div id="current-log-file"></div><br>
229.             <input type="text" name="log-file" id="log-file"><br>
230.             <button id="set-log-file-button" data-l10n-id="about-networking-
set-log-file"></button><br>
231.         </div><br>
232.         <div><br>
233.             <label data-l10n-id="about-networking-current-log-modules">
</label><br>
234.             <div id="current-log-modules"></div><br>
235.             <input type="text" name="log-modules" id="log-modules"
value="timestamp, sync, nsHttp:5, cache2:5, nsSocketTransport:5, nsHostResolver:5"><br>
236.             <button id="set-log-modules-button" data-l10n-id="about-networking-
set-log-modules"></button><br>
237.         </div><br>
238.         <br><br>
239.         <br><br>
240. <br>
241.         <p id="log-tutorial" data-l10n-id="about-networking-log-tutorial"><br>
242.             <a data-l10n-name="logging"
href="https://developer.mozilla.org/docs/Mozilla/Debugging/HTTP_logging"></a><br>
243.         </p><br>
244.         </div><br>
245. <br>
246.     <div id="networkid" class="tab" hidden><br>
247.         <table><br>
248.             <thead><br>
249.                 <tr><br>
250.                     <th data-l10n-id="about-networking-networkid-is-up">
</th><br>
251.                     <th data-l10n-id="about-networking-networkid-status-
known"></th><br>
252.                     <th data-l10n-id="about-networking-networkid-id"></th><br>
253.                 </tr><br>
254.             </thead><br>
255.             <tbody id="networkid_content"><br>
256.                 <tr><br>
257.                     <td id="networkid_isUp"> </td><br>
258.                     <td id="networkid_statusKnown"> </td><br>
259.                     <td id="networkid_id"> </td><br>
260.                 </tr><br>
261.             </tbody><br>
262.         </table><br>
263.     </div><br>
264. <br>
265. </div><br>
266. </body><br>
267. </html><br>
268.

```

Used the HTML parser.

Total execution time 17 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 20.3.8