


Welcome to Sliddev

Presentation slides for developers






Agenda

First subject

Second subject





Column1

Text about the subject from a column title

Title



Column1

Text about the subject from a column title



Column2

Text about the subject from a column title

Title



Column1

Text about the subject from a column
title



Column2

Text about the subject from a column
title



Column3

Text about the subject from a column
title

Title



Column1

Text about the subject
from a column title



Column2

Text about the subject
from a column title



Column3

Text about the subject
from a column title



Column4

Text about the subject
from a column title

Title



Column1

Text about the subject from a column title



Column2

Text about the subject from a column title



Column3

Text about the subject from a column title



Column4

Text about the subject from a column title




Column5

Text about the subject from a column title

Title of a new subject

This PR was made to refactor and modularize the CSS codebase. By separating components, utilities, and variables into their respective files, we achieve better maintainability, scalability, and easier collaboration for future changes and enhancements. Additionally, we added support for custom gradients and utility classes to improve code reuse across different components.



Code explanation

```
// TwoSlash enables TypeScript hover information
    // and errors in markdown code blocks
// More at https://shiki.style/packages/twoslash
```

```
//comments

import { computed, ref } from "vue";

const count = ref(0);
const doubled = computed(() => count.value * 2);

doubled.value = 2;
| Cannot assign to 'value' because it is a read-only property.
```

```
// comments

import { computed, ref } from "vue";

const count = ref(0);
const doubled = computed(() => count.value * 2);

doubled.value = 2;
| Cannot assign to 'value' because it is a read-only property.
```

Code explanation

// TwoSlash enables TypeScript hover information
// and errors in markdown code blocks
// More at <https://shiki.style/packages/twoslash>

Another way to change subject

Description or some notes

