

# The Science of Leaving a Planet: Understanding Escape Velocity

## Exploring the Minimum Speed Needed to Break Free from Gravity

Istiaq Ahmed Mozumder\*

Independent Researcher, Bangladesh

\*Corresponding Author

Istiaq Ahmed Mozumder, Independent Researcher, Bangladesh.

Submitted: 2025, Nov 17; Accepted: 2025, Nov 29 Published: 2025, Dec 10

**Citation:** Mozumder, I. A. (2025). The Science of Leaving a Planet: Understanding Escape Velocity. *J Electrical Electron Eng*, 4(6), 01-03

### 1. Introduction

We have all dreamed of traveling to space at least once. When astronauts leave Earth, they usually return months or years later because Earth's gravity keeps pulling them back. If we try to throw an object by hand, it always falls back to the ground because of gravity, so it's impossible to escape with just human strength. Now imagine if you could throw something so fast that it could leave Earth and never come back. In that case, gravity wouldn't be able to pull it back. This is what escape velocity means — the minimum speed an object needs to break free from a planet's gravity. While it is possible in theory to reach this speed, humans cannot do it on their own. Rockets also don't reach escape velocity instantly; they speed up gradually. The engines push gases backward, which slowly adds energy, allowing the rocket to eventually overcome Earth's gravity.

Escape velocity is a balance of kinetic energy and gravitational potential energy. An object has kinetic energy because it is moving:

$$E_k = \frac{1}{2}mv^2 \quad (1)$$

It has gravitational potential energy because Earth's gravity pulls on it:

$$U = -\frac{GMm}{r} \quad (2)$$

Where:

$$G = 6.674 \times 10^{-11} \text{ m}^3/(\text{kg} \cdot \text{s}^2)$$

$M$  = mass of the planet  $m$  = mass of the object  $r$  = distance from the center of the planet

To escape, an object must have enough energy from its motion to balance out the pull of gravity:

$$\frac{1}{2}mv_e^2 = \frac{GMm}{r} \quad (3)$$

Solve for  $v_e$ :

$$v_{\text{escape}} = \sqrt{\frac{2GM}{r}} \quad (4)$$

It can be noticed that the mass of the object  $m$  cancels out, that means escape velocity depends only on the mass of the planet and it's

## 2. Escape Velocity of Earth

Earth has:

$$M = 5.972 \times 10^{24} \text{ kg}, r = 6.371 \times 10^6 \text{ m},$$

$$= \sqrt{\frac{2GM}{r}}$$

$$v_{\text{escape}} = \sqrt{\frac{2 \times (6.674 \times 10^{-11}) \times (5.972 \times 10^{24})}{6.371 \times 10^6}}$$

$$\approx 1.12 \times 10^4 \text{ m/s} \approx 11,200 \text{ m/s}.$$

So, the escape velocity from Earth is roughly 11.2 km/s, or about 40,284 km/h. That's really fast, and it's far beyond human throwing ability.

## 3. Escape Velocity for Other Planets

Moon:

$$M = 7.35 \times 10^{22} \text{ kg}, r = 1.737 \times 10^6 \text{ m}, v_e \approx 2.38 \text{ km/s}$$

Jupiter

$$M = 1.898 \times 10^{27} \text{ kg}, r = 6.991 \times 10^7 \text{ m}, v_e \approx 60.2 \text{ km/s}$$

It can be noticed that larger mass or smaller radius increases escape velocity. That's why leaving Jupiter is much harder than leaving Earth.

## 4. Physics Behind Escape Velocity

Escape velocity is not about speed at a specific moment; it is about energy. If an object has enough kinetic energy to overcome the gravitational potential energy, it will never return.

Kinetic energy:

$$E_k = \frac{1}{2}mv^2 \quad (5)$$

Potential energy:

$$U = -\frac{GMm}{r} \quad (6)$$

When  $E_k + U = 0$ , the object reaches infinity with zero speed left. If  $E_k + U > 0$ , it escapes with extra speed. If less, it falls back.

## 5. Real-World Examples

- **Rockets:** Rockets do not usually reach escape velocity instantly. They gradually accelerate, adding energy over time. But the concept still applies: the total kinetic + potential energy must reach the lowest speed of escape velocity.
- **Space Exploration:** Missions to Mars or outer planets calculate escape velocity at launch and orbital insertion to ensure spacecraft can leave Earth and travel through space efficiently.

### 5.1 Additional

- Escape velocity is independent of the object's mass — a feather or a spaceship requires the same speed (ignoring air resistance).
- On planets with thick atmospheres, air drag adds complexity — rockets must do extra work.
- If the escape speed exceeds the speed of light, nothing can leave — a black hole! This leads to the Schwarzschild radius:

$$R_s = \frac{2GM}{c^2} \quad (7)$$

---

Where  $c = 3 \times 10^8$  m/s. This is the event horizon.

## 5.2 Energy Calculations

To calculate the energy needed to escape Earth for a 1,000 kg spaceship:

$$E_k = \frac{1}{2}mv_{\text{escape}}^2 \quad \text{J} \quad (8)$$
$$= \frac{1}{2} \cdot 1000 \cdot (11200)^2 \approx 6.27 \times 10^{10}$$

That's 62.7 billion joules, roughly the energy released by 15 tons of TNT.

## 6. Conclusion

Escape velocity is more than a physics term. It's the story of how something breaks free from the pull that holds it down. It's the moment when energy finally overcomes gravity, when motion wins over weight. From a small rock drifting through space to a rocket leaving Earth, everything follows this same rule. It shows how mass and distance decide what can stay and what can go. Even black holes follow it in their own mysterious way. When we understand escape velocity, we understand something deeper, that how the universe decides between holding on and letting go. It makes us remember that every journey, whether of a planet or a person, begins with the courage to escape what keeps us grounded.

## References

1. Escape Velocity and Basics. Source: Wikipedia, 2024.
2. The mass and radius of Earth. Source: Telescope Nerd, 2025.
3. Additional information about Moon. Source: Space.com, 2022.
4. Additional information about Jupiter. Source: NASA, 2025.
5. Air Resistance effecting the independent falling speed of different mass objects. Source: BBC, YouTube, 2014.
6. Different Mass of spacecrafts. Source: Wikipedia, 2024.
7. Additional about Schwarzschild radius. Source: Universe Today, 2009.
8. Energy released by TNT. Source: Total Shield, 2022.

**Copyright:** ©2025 Istiak Ahmed Mozumder. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.