






Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10
Sample points
Optimized λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
1
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ
Sample points
Optimized λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ
Sample points
Optimized λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
1
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ
Sample points
Optimized λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
ln GCV(λ)
0
−1
−2
−3
−4
−10
−5
0
5
10
log10 λ
Sample points
Optimized λ



Modified GCV curve, gamma = 0.1
ln GCV(λ)
0
−1
−2
−3
−4
−10
−5
0
5
10
log10 λ
Sample points
Optimized λ



Modified GCV curve, gamma = 0.1
ln GCV(λ)
0
−1
−2
−3
−4
−10
−5
0
5
10
log10 λ
Sample points
Optimized λ



Modified GCV curve, gamma = 0.1
ln GCV(λ)
0
−1
−2
−3
−4
−10
−5
0
5
10
log10 λ
Sample points
Optimized λ



Modified GCV curve, gamma = 0.1
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10
Sample points
Optimized λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
1
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ
Sample points
Optimized λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
1
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ
Sample points
Optimized λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
1
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−4
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
1
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
0
−1
−2
−3
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ


Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−4
−10
−5
0
5
10


Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ


Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10


Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10


Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10