






Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
4.5
4.0
3.5
3.0
2.5
2.0
1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4.5
4.0
3.5
3.0
2.5
2.0
1.5
1.0
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4
3
2
1
0
−1
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4
3
2
1
0
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4
3
2
1
0
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4
3
2
1
0
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4
3
2
1
0
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4
3
2
1
0
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
3
2
1
0
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
3
2
1
0
−1
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
3
2
1
0
−1
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
3
2
1
0
−1
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
2
1
0
−1
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
2.5
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2.5
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2.5
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2.5
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2.5
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10


Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−10
−5
0
5
10


Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2.5
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−10
−5
0
5
10


Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
2
1
0
−1
ln GCV(λ)
−10
−5
0
5
10
log10 λ


Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10


Modified GCV curve, gamma = 1.0
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10