






Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
1.5
1.0
0.5
0.0
−0.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.75
1.50
1.25
1.00
0.75
0.50
0.25
0.00
−0.25
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.5
1.0
0.5
0.0
−0.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.5
1.0
0.5
0.0
−0.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.5
1.0
0.5
0.0
−0.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
3.0
2.5
2.0
1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2.5
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−4
−5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
4.0
3.5
3.0
2.5
2.0
1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−4
−5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4.0
3.5
3.0
2.5
2.0
1.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
4.0
3.5
3.0
2.5
2.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4
3
2
1
0
−1
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
3.5
3.0
2.5
2.0
1.5
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4
3
2
1
0
−1
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
4.0
3.5
3.0
2.5
2.0
1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4
3
2
1
0
−1
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
0
−2
−4
−6
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
4.0
3.5
3.0
2.5
2.0
1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4
3
2
1
0
−1
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
0
−2
−4
−6
−8
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
4.0
3.5
3.0
2.5
2.0
1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4
3
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−3
−4
−5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
0
−2
−4
−6
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−5
−6
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
4.0
3.5
3.0
2.5
2.0
1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4
3
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
4.0
3.5
3.0
2.5
2.0
1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4
3
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−5
−6
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−4
−5
−6
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4.5
4.0
3.5
3.0
2.5
2.0
1.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4
3
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
0
−2
−4
−6
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
0
−2
−4
−6
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
4.5
4.0
3.5
3.0
2.5
2.0
1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4
3
2
1
0
−1
−2
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−4
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
1
0
−1
−2
−3
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
1
0
−1
−2
−3
ln GCV(λ)
−10
−5
0
5
10
log10 λ


Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
4.5
4.0
3.5
3.0
2.5
2.0
1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ


Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
ln GCV(λ)
log10 λ
4
3
2
1
0
−1
−2
−3
−10
−5
0
5
10


Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
3
2
1
0
−1
−2
−3
−4
−10
−5
0
5
10


Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10


Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
ln GCV(λ)
log10 λ
2
1
0
−1
−2
−3
−10
−5
0
5
10