






Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
4.5
4.0
3.5
3.0
2.5
2.0
1.5
1.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
3.5
3.0
2.5
2.0
1.5
1.0
0.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
Optimized λ
2.0
1.5
1.0
0.5
0.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
Optimized λ
2.0
1.5
1.0
0.5
0.0
−0.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
Optimized λ
2.0
1.5
1.0
0.5
0.0
−0.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
1.5
1.0
0.5
0.0
−0.5
−1.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
1.5
1.0
0.5
0.0
−0.5
−1.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
1.5
1.0
0.5
0.0
−0.5
−1.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
1.0
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
0.5
0.0
−0.5
−1.0
−1.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
Optimized λ
0.5
0.0
−0.5
−1.0
−1.5
−2.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00
−1.25
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.5
0.0
−0.5
−1.0
−1.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00
−1.25
−1.50
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00
−1.25
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00
−1.25
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
0.4
0.2
0.0
−0.2
−0.4
−0.6
−0.8
−1.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.4
0.2
0.0
−0.2
−0.4
−0.6
−0.8
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.4
0.2
0.0
−0.2
−0.4
−0.6
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1, overwrote!
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
0.4
0.2
0.0
−0.2
−0.4
−0.6
−0.8
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.4
0.2
0.0
−0.2
−0.4
−0.6
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.2
0.0
−0.2
−0.4
−0.6
−0.8
−1.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.25
0.00
−0.25
−0.50
−0.75
−1.00
−1.25
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.0
−0.5
−1.0
−1.5
−2.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ
Sample points
Optimized λ
Optimized λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ
Sample points
Optimized λ
Optimized λ



Modified GCV curve, gamma = 0.1
ln GCV(λ)
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10
log10 λ
Sample points
Optimized λ
Optimized λ



Modified GCV curve, gamma = 0.1
ln GCV(λ)
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10
log10 λ
Sample points
Optimized λ
Optimized λ



Modified GCV curve, gamma = 0.1
ln GCV(λ)
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10
log10 λ
Sample points
Optimized λ
Optimized λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
ln GCV(λ)
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10
log10 λ
Sample points
Optimized λ
Optimized λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
ln GCV(λ)
log10 λ
−0.5
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
−10
−5
0
5
10



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ



Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ


Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ


Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ


Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ


Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ


Modified GCV curve, gamma = 0.1
Sample points
Optimized λ
Optimized λ
−1.0
−1.5
−2.0
−2.5
−3.0
−3.5
−4.0
ln GCV(λ)
−10
−5
0
5
10
log10 λ