Dimensions

Suppose there are multiple distinct ways to foliate V i.e. multiple slicings F. Each slicing F has a unique immediate translation T into the past or future defined by the foliation. The cardinality of the smallest set of such immediate translations (translation basis $\{T_i\}$), spanning all possible immediate translations, is known as the dimension of the poset P or $\dim(P)$.

Operations

The composition of two or more translations is known as their addition. The inverse of an immediate translation into the past is the corresponding immediate translation into the future and vice-versa. The inverse of a composition of translations is the composition of the inverses of the translations. Lastly, the addition of the inverse of a translation is also known as its subtraction.

We can also define the *immediate* past and future of a node, past^- and fut^+ as the foliations immediately next to the present of the node, in its past and future respectively.

Translations

Definition

A translation T is an isomorphism on a poset such that,

$$T : \begin{cases} P \to P \\ x \mapsto x^\pm \; \forall \, x \in V \end{cases}$$

Every translation can be expressed as the composition of a number of *immediate* translations which map every node to some immediate past or future node. Furthermore, immediate translations are themselves the exclusive precedence $\prec$ and exclusive succession $\succ$ relations!

Past, present and future

Again, not necessarily in the sense of time, we define the past, present and future of a node x as the regions,

$$\text{past}\,(x) = \left\{x^- | x^- \prec x\right\}$$

$$\text{pres}\,(x) = \left\{x^0 | x^0 \models x\right\}$$

$$\text{fut}\,(x) = \left\{x^+ | x^+ \succ x\right\}$$

It is clear that,

$$\text{past}\,(x) \cup \text{pres}\,(x) \cup \text{fut}\,(x) = V$$

From now, whenever we say x^-, we will mean some $x^- \in \text{past}\,(x)$ for the given x and likewise for x^0 and x^+ (with respect to the above definitions). We now have,

$$\text{past}\,(x) = \text{past}\,\left(x^0\right), \ldots$$

$$\text{pres}\,(x) = \text{past}\,\left(x^+\right) \backslash \text{past}\,(x), \ldots$$

Lastly, we define the exclusive precedence and succession operators,

$$x \prec y \iff x \preceq y \land x \neg \models y$$

$$x \succ y \iff x \succeq y \land x \neg \models y$$

Antisymmetric relations of the kind we saw have the structure $R = \{(x, y) | x\, R\, y\}$. A partially ordered set or poset P is a set of nodes V equipped with an antisymmetric (partially ordering) relation R, $P = (V, R)$. The term 'partial' is used to describe the ordering as there still exist subsets of V, namely its foliations, whose elements are unordered under R.

Partial ordering

Let us define an antisymmetric binary relation $\preceq$ called inclusive precedence such that,

$$x^- \preceq x \ \forall \ x^- \in V_{i-j}, x \in V_i, j \geq 0$$

Likewise, we define inclusive succession,

$$x^+ \succeq x \ \forall \ x^+ \in V_{i+j}, x \in V_i, j > 0$$

Now, we define a symmetric relation called simulteinity (but not necessarily in the sense of time, as we have not defined it yet) and its inverse,

$$x \models y \iff x \preceq y \ \wedge \ x \succeq y \implies x, y \in V_i$$

$$x \not\models y \iff x \neg \models y$$

V is said to have topological structure if it is equipped with a neighbourhood map N obeying the neighbourhood axioms. A topological space constructed from V is in turn, the ordered pair, $\Gamma = (V, N)$.

Isomorphism

Two structures X and Y are said to be isomorphic ($X \equiv Y$) if there exists at least one bijection $X \to Y$ or alternatively, $Y \to X$. This means that each $x \in X$ corresponds to one and only one $y \in Y$ and vice-versa.

By definition, the cardinality of two isomorphic structures is the same, i.e. $X \equiv Y \implies |X| = |Y|$. However, the opposite statement need not be true.

Partially ordered sets

Foliations

Some structures can be decomposed into indexed families of mutually exclusive, isomorphic regions (i.e. equivalence classes). If the mapping from one subset to another is known, the entire structure can be generated from essentially a single subset.

Let us describe this idea mathematically. We want a set of subsets of the nodes, $F = \{V_i | V_i \subseteq V\}$ (called the slicing) such that this set covers V i.e. $V = \bigcup_i V_i$ and $V_i \equiv V_j \, \forall \, i, j$. Each element of F is called a foliation of V under the isomorphism $\equiv$.

$$N\left(\bigcap_i X_i\right) \subseteq \bigcap_i N\left(X_i\right) \forall \ \{X_i | X_i \subseteq V\}$$

$$\blacksquare \quad N\left(X \cap Y\right)$$

4. Every region contains a subset whose neighbourhood is a subregion,

$$\exists \, X \subseteq Y \subseteq V | N\left(X\right) \subseteq Y$$

Topological spaces

It follows that every node x is its own neighbour, i.e. $x \in N(x) \forall x \in V$.

2. The neighbourhood of the union of regions is the union of the regions' neighbourhoods,

$$N\left(\bigcup_i X_i\right) = \bigcup_i N(X_i) \forall \{X_i | X_i \subseteq V\}$$


$\square$ $N(X \cap Y)$

3. The neighbourhood of the intersection of regions is a subregion of the intersection of the regions' neighbourhoods,

The neighbourhood of a region $X \subseteq V$ is defined as the union of neighbourhoods of all elements $x \in X$,

$$N(X) = \bigcup_{x \in X} N(x)$$

Axiomatic definition

Despite the previous definition of neighbourhood maps in terms of edges, the formal definition of neighbourhood maps is axiomatic. The reason for this is that topological spaces are extremely general and it still makes sense to apply the axioms in situations where graph theory cannot be.

In this light, neighbourhood maps are defined to obey the so-called neighbourhood axioms, motivated to a fair degree by neighbourhoods in graph theory but more fundamental in nature:

1. Every region in V is a subregion of its neighbourhood,

$$X \subseteq N(X) \,\forall\, X \subseteq V$$

$$E = \{\{x, y\}, \{y, r\}, \{z, p\}, \{q, s\}\}$$

Graphs

Given a set of nodes V and a set of edges E such that $E \cap I_V = \phi$, a graph G is the ordered pair $G = (V, E)$. A graph is said to be directed if its edges are directed, and vice-versa if they are undirected.

# Topological spaces

Neighbourhoods

Graphical motivation

The neighbourhood of a node x is the set (of neighbours):

$$N(x) = \{n | x \, E \, n \, \vee \, n \, E \, x\} \subseteq E$$

A neighbourhood *map* on the set of nodes V is the map $N = \{(x, N(x))\}$.

Suppose we want to model a pairwise relationship E between the nodes in a set V. If $x \, E \, y$, we say (x, y) is an edge. The binary relationship E is then simply a set of directed edges, $E = \{(x, y) | x, y \in V\}$, represented as arrows linking the x's to the y's.

$$E = \{(x, y), (y, q), (y, z), (z, y), (z, p), (p, r)\}$$

Undirected edges

If E is symmetric i.e. $x \, E \, y \implies y \, E \, x \, \forall \, x, y \in V$, we consider their linkage to be undirected, i.e. their edge is the unordered pair $\{x, y\}$. Then, the relationship is of the form, $E = \{\{x, y\} | x, y \in V\}$. These are represented as lines connecting the x's and the y's.

From the above definition, it is clear that self-relationships $x \, E \, x$ would be problematic as the corresponding edge $\{x\}$ has a different cardinality from other edges (generally $\dim(V \times V) = 2$). Therefore, we exclude self-relationships from the study of graphs (they are nevertheless considered in the study of richer structures called hypergraphs). In other words, $E \cap I_V = \phi$ where $I : V \to V$ is the identity map on V and $\phi = \{\}$.

# Discrete structures

Graphs

Nodes

The most fundamental building block of any space is some object associated with position in the space, a node. 'Interesting' structures are sets of multiple nodes $V = \{x, y \ldots\}$. We visually represent a set of nodes as a cluster of objects with pointlike structure.

Any subset of V is called its region. A subset of a region is called a subregion, etc.

Edges

Directed edges