

LOR001

Flammability	-
Slip Resistance with Shoes	-
Slip Resistance Barefoot	-
Durability	-
Wet Abrasion Resistance	-
Light Fastness	-
Resistance to Chemicals	-
Resistance to Stains	-
TVOC at 28 days	-

<b>Thematic</b>	Stones & Ceramics
<b>Sub-thematics</b>	-
<b>Application</b>	-
<b>Material Class</b>	-
<b>Composition</b>	-
<b>Format</b>	-
<b>Dimensions</b>	-
<b>Mounting</b>	-
<b>Weight</b>	-
<b>Available Colors</b>	-
<b>Design Range</b>	-


<b>Sourcing Type</b>	-
<b>Production &amp; Manufacturing</b>	-
<b>Place of Production</b>	-
<b>Embodied Carbon</b>	-
<b>End of Life</b>	-
<b>Labels &amp; Certifications</b>	-

LOR001

<b>Sourcing Type</b>	-
<b>Production &amp; Manufacturing</b>	-
<b>Place of Production</b>	-
<b>Embodied Carbon</b>	-
<b>End of Life</b>	-
<b>Labels &amp; Certifications</b>	-

# Marmoleum | Forbo

FOR001



www.forbo.com  
Anneleen Berlaimont  
Sales  
Anneleen.berlaimont@forbo.com  
+32 475 794073

## PERFORMANCES

<b>Flammability</b>	Cfl-s1, G,CS
<b>Slip Resistance with Shoes</b>	R9
<b>Slip Resistance Barefoot</b>	-
<b>Castor Chair Suitability</b>	Yes
<b>Durability</b>	-
<b>Wet Abrasion Resistance</b>	-
<b>Sound Absorption</b>	-
<b>Impact Noise Reduction</b>	< 4 dB
<b>Light Fastness</b>	Method 3: blue scale min. 6
<b>Resistance to Chemicals</b>	Resistant to diluted acids, oils, fats and to the conventional solvents. Not resistant to prolonged exposure to alkalis.
<b>Resistance to Stains</b>	-
<b>TVOC at 28 days</b>	-

## DESCRIPTION

<b>Thematic</b>	Resilient Flooring
<b>Sub-thematics</b>	Linoleum
<b>Application</b>	Domestic use, Commercial use
<b>Material Class</b>	Linoleum
<b>Composition</b>	
<b>Format</b>	Roll
<b>Dimensions</b>	Width 2.00, Length > 33m
<b>Weight</b>	2300 g/m <sup>2</sup>
<b>Available Colors</b>	All spectrum
<b>Design Range</b>	32

## SUSTAINABILITY

<b>Sourcing Type</b>	Partially Recycled
<b>Production &amp; Manufacuring</b>	EPS, HPD, Renewable Energy
<b>Place of Production</b>	IT
<b>Embodied Carbon</b>	1.1 kgCO <sub>2</sub> e/m <sup>2</sup>
<b>End of Life</b>	Recyclable or Return to Supplier
<b>Labels &amp; Certifications</b>	EPD, Nordic Swan Ecolabel, The Blue Angel, Red List Free

LOR001

Flammability	-
Slip Resistance with Shoes	-
Slip Resistance Barefoot	-
Castor Chair Suitability	-
Durability	-
Wet Abrasion Resistance	-
Pilling	-
Sound Absorption	-
Impact Noise Reduction	-
Light Fastness	-
Resistance to Chemicals	-
Resistance to Stains	-
TVOC at 28 days	-

<b>Thematic</b>	Carpets
<b>Sub-thematics</b>	-
<b>Application</b>	-
<b>Material Class</b>	-
<b>Composition</b>	-
<b>Format</b>	-
<b>Dimensions</b>	-
<b>Mounting</b>	-
<b>Weight</b>	-
<b>Available Colors</b>	-
<b>Design Range</b>	-

<b>Sourcing Type</b>	-
<b>Production &amp; Manufacturing</b>	-
<b>Place of Production</b>	-
<b>Embodied Carbon</b>	-
<b>End of Life</b>	-
<b>Labels &amp; Certifications</b>	-

LOR001


Flammability	-
Slip Resistance with Shoes	-
Slip Resistance Barefoot	-
Durability	-
Wer Abrasion Resistance	-
Light Fastness	-
Resistance to Chemicals	-
Resistance to Stains	-
TVOC at 28 days	-

<b>Thematic</b>	Engineered Surfaces
<b>Sub-thematics</b>	-
<b>Application</b>	-
<b>Material Class</b>	-
<b>Composition</b>	-
<b>Format</b>	-
<b>Dimensions</b>	-
<b>Mounting</b>	-
<b>Weight</b>	-
<b>Available Colors</b>	-
<b>Design Range</b>	-

- **Sourcing Type**
- **Production & Manufacturing**
- **Place of Production**
- **Embodied Carbon**
- **End of Life**
- **Labels & Certifications**

# Forma | De Castelli

DEC001



www.decastelli.com  
Anastasia Danchinova  
*Agent*  
anastsaiadanchinova@decastelli.com

## PERFORMANCES

<b>Flammability</b>	B-s2, d0 with treatment
<b>Slip Resistance with Shoes</b>	-
<b>Slip Resistance Barefoot</b>	-
<b>Durability</b>	-
<b>Light Fastness</b>	4/5 Grey scale
<b>Resistance to Chemicals</b>	-
<b>Resistance to Stains</b>	-
<b>TVOC at 28 days</b>	-

## DESCRIPTION

<b>Thematic</b>	Metals
<b>Sub-thematics</b>	Sheet
<b>Application</b>	Wall, Indoor
<b>Material Class</b>	Metal
<b>Composition</b>	Stainless steel, Brass, Copper
<b>Format</b>	Tiles
<b>Dimensions</b>	7 shapes, from 35x30 to 120x240mm
<b>Weight</b>	16-17.8 kg/m2
<b>Mounting</b>	-
<b>Available Colors</b>	Brown, Black, Beige, Silver, Bronze, Gold, Copper, Red, ...
<b>Design Range</b>	12

## SUSTAINABILITY

<b>Sourcing Type</b>	-
<b>Production &amp; Manufacuring</b>	-
<b>Place of Production</b>	IT
<b>Embodied Carbon</b>	-
<b>End of Life</b>	Recyclable or return to Supplier
<b>Labels &amp; Certifications</b>	-

LOR001

Flammability	-
VOC Emission	-
Light Fastness	-
Resistance to Chemicals	-
Resistance to Stains	-
TVOC at 28 days	-

<b>Thematic</b>	Glass & Mirrors
<b>Sub-thematics</b>	-
<b>Application</b>	-
<b>Material Class</b>	-
<b>Composition</b>	-
<b>Format</b>	-
<b>Dimensions</b>	-
<b>Weight</b>	-
<b>Mounting</b>	-
<b>Available Colors</b>	-
<b>Design Range</b>	-

- **Sourcing Type**
- **Production & Manufacturing**
- **Place of Production**
- **Embodied Carbon**
- **End of Life**
- **Labels & Certifications**

LOR001

Flammability	-
Durability	-
Wet Abrasion Resistance	-
Light Fastness	-
Resistance to Chemicals	-
Resistance to Stains	-
TVOC at 28 days	-


Thematic	Surface Finishes
Sub-thematics	-
Application	-
Material Class	-
Composition	-
Format	-
Dimensions	-
Mounting	-
Weight	-
Available Colors	-
Design Range	-

Sourcing Type	-
Production & Manufacturing	-
Place of Production	-
Embodied Carbon	-
End of Life	-
Labels & Certifications	-



# Re-wool 2 | Kvadrat

KVA001



[www.kvadrat.dk](http://www.kvadrat.dk)

Erik Van der Broek

Sales, Architecture & End Users

[Erbr@kvadrat.org](mailto:Erbr@kvadrat.org)

+32 475 76 06 50

## PERFORMANCES

Flammability	B-s2, d0 with treatment
Durability	10'000 Martindales
Wet Abrasion Resistance	-
Pilling	4 (ISO 1-5)
Sound Absorption	0.50/Class D (Absorption flat) 0.75/Class C (Absorption folded)
Light Fastness	6-7 (ISO 1-8)
Resistance to Chemicals	-
Resistance to Stains	-
TVOC at 28 days	-

## DESCRIPTION

Thematic	Textiles
Sub-thematics	Upholsteries, Panel fabrics
Application	Upholsteries, Panel fabrics
Material Class	Animal fibers, Synthetic fibers
Composition	45% recycled wool 45% new wool, worsted 10% nylon
Format	Rolls
Dimensions	Weidth Approx. 140 cm
Weight	540 g/lin. m (17.42 oz/ly)
Available Colors	All spectrum
Design Range	25
Transparency	-

## SUSTAINABILITY

Sourcing Type	Partially Recycled
Production & Manufacuring	EPD, HPD
Placeof Production	UK
Embodied Carbon	-
End of Life	Coventional Disposal
Labels & Certifications	EU Ecolabel, Greenguard Gold

LOR001

Flammability	-
Durability	-
Sound Absorption	-
Impact Noise Reduction	-
Light Fastness	-
Resistance to Chemicals	-
Resistance to Stains	-
TVOC at 28 days	-

Thematic	Acoustic Solutions
Sub-thematics	-
Application	-
Material Class	-
Composition	-
Format	-
Dimensions	-
Mounting	-
Weight	-
Available Colors	-
Design Range	-

- Sourcing Type
- Production & Manufacturing
- Place of Production
- Embodied Carbon
- End of Life
- Labels & Certifications

LOR001

Flammability	-
Durability	-
Pilling	-
Light Fastness	-
Resistance to Chemicals	-
Resistance to Stains	-
TVOC at 28 days	-

Thematic	FF&E
Sub-thematics	-
Application	-
Material Class	-
Composition	-
Format	-
Dimensions	-
Weight	-
Available Colors	-
Design Range	-

<b>Sourcing Type</b>	-
<b>Production &amp; Manufacturing</b>	-
<b>Place of Production</b>	-
<b>Embodied Carbon</b>	-
<b>End of Life</b>	-
<b>Labels &amp; Certifications</b>	-