
Celloras

Which soybean cells help absorb nutrients?

Root-hair cells absorb water and nutrients.
Researchers first need to find them
in their sequencing data.

Celloras investigates 7,496 soybean nuclei and explains a root-hair candidate.



Real demo: published soybean root data (GSE270392).

Finding root-hair cells

The same research question, with less manual coordination.

Without Celloras		With Celloras
Run scripts to inspect the group	➡	**Ask the agent to investigate it**
Find and compare marker references	➡	**Review measured genes and sources**
Keep decisions in separate notes	➡	**Save and revisit the decision in chat**

The researcher decides whether the evidence is enough.

The agent investigates one cell group

Actual demo: 388 nuclei in group 6; two genes support a Root hair candidate.

You ask

“Could these be root-hair cells?”

Celloras agent

Checks published marker genes

Zetaris reference retrieval

Measures activity of those genes

Scientific analysis tools

Recalls the saved review and why

Meterless H-MEM

You see

Root hair candidate
2 supporting genes
Links to the evidence

Annotation suggests the identity. The journal keeps your judgment.

“What did we decide, and why?”

The research journal keeps the decision attached to its evidence.

Actual agent reply after a demo review

Your latest decision for group 6 is unresolved: you withdrew the provisional Root hair label pending review of independent evidence.

Open the reply and its saved-review source

Computed candidate

Root hair

Researcher’s saved decision

Unresolved

Global single-cell sequencing: $3.46B forecast for 2030.

MarketsandMarkets (2025); includes equipment, consumables and services.

celloras.com

Public code and demo