

MPC TRADES - APP FACTORY

BundleKit

Deployment Runbook

Target domain: `bundlekit.mpctrades.com`
Repository: `github.com/mpctrades/bundlekit`

Generated 2026-08-20 - Live -- static site release via nginx + certbot

Status: deployed and live

<https://bundlekit.mpctrades.com> is serving the site right now.

Verified with curl and in-browser after every step below. HTTP redirects to HTTPS, and the Let's Encrypt certificate renews automatically via certbot's systemd timer.

Server: 187.52.115.100 (Ubuntu, nginx 1.24), reached as devteam02 over SSH with the key already present on this machine -- no password needed.

This server does not run Docker/Traefik for its sites. It follows the same pattern as the sibling apps already on the box (shuffly.mpctrades.com, stockping-web.mpctrades.com, deliverby-web.mpctrades.com): host-level nginx, one server block per site in /etc/nginx/sites-available, TLS issued and renewed by certbot. BundleKit's config mirrors shuffly.mpctrades.com exactly, since that's the closest sibling -- a pure static HTML site with no backend.

Commits pushed to origin/main for this release:

```
6ca9baf  Add BundleKit marketing site and app scaffold
9dbc966  Add Docker/Traefik deploy config for bundlekit-web
73a69f2  Replace Docker/Traefik plan with the real nginx+certbot deploy config
```

9dbc966 was a first guess at the stack, made before the server had been inspected. 73a69f2 replaces it with the config that's actually running -- kept in history rather than rewritten, so the record stays honest.

Step 1 -- DNS (already in place)

An A record already existed: bundlekit.mpctrades.com -> 187.52.115.100, DNS-only (not proxied). Confirmed propagated from two public resolvers before touching the server:

```
dig +short bundlekit.mpctrades.com @1.1.1.1
dig +short bundlekit.mpctrades.com @8.8.8.8
# both returned: 187.52.115.100
```

Step 2 -- Confirm server access

```
ssh -o BatchMode=yes -o ConnectTimeout=6 devteam02@187.52.115.100 \
"echo CONNECTED && whoami && uname -a"
```

Connected on the first try with the key already on this machine -- no setup needed.

Step 3 -- Inspect the server before assuming a stack

Checked for Docker/Traefik (the original assumption) versus what's actually there:

```
docker network ls
docker ps
ss -tlnp
which nginx && systemctl is-active nginx
ls /etc/nginx/sites-enabled/
cat /etc/nginx/sites-available/shuffly.mpctrades.com
sudo -n true # confirms passwordless sudo
```

*Found: no Traefik anywhere; host nginx + certbot serving every other *.mpctrades.com site from /var/www/<name>. Matched that pattern instead of forcing Docker.*

Step 4 -- Deploy the file

```
ssh devteam02@187.52.115.100
mkdir -p ~/apps && cd ~/apps
git clone https://github.com/mpctrades/bundlekit.git

sudo mkdir -p /var/www/bundlekit
sudo cp ~/apps/bundlekit/bundlekit-web/index.html /var/www/bundlekit/index.html
sudo chown -R root:root /var/www/bundlekit
```

Step 5 -- nginx site config

Written to /etc/nginx/sites-available/bundlekit.mpctrades.com, then enabled:

```
server {
    listen 80;
    listen [::]:80;
    server_name bundlekit.mpctrades.com;
    root /var/www/bundlekit;
    index index.html;
    location / { try_files $uri $uri/ =404; }
}

sudo ln -sf /etc/nginx/sites-available/bundlekit.mpctrades.com \
        /etc/nginx/sites-enabled/bundlekit.mpctrades.com
sudo nginx -t
sudo systemctl reload nginx
```

Step 6 -- TLS via certbot

```
sudo certbot --nginx -d bundlekit.mpctrades.com \
    --non-interactive --agree-tos -m team@mpctrades.com --redirect
```

certbot rewrote the config itself to add the SSL block and the HTTP->HTTPS redirect (the "managed by Certbot" sections) -- same as it did for every sibling site. Certificate expires 2026-11-18 and renews automatically.

Step 7 -- Verify

```
curl -sI https://bundlekit.mpctrades.com/  
curl -sI http://bundlekit.mpctrades.com/      # confirm 301 redirect
```

Result: HTTPS returns 200, HTTP redirects to HTTPS, and the page was confirmed rendering correctly in-browser at the live domain.

Redeploying after future changes

bundlekit-web/index.html is a single self-contained file (every image is inlined), so shipping an update is: push to main, then on the server:

```
cd ~/apps/bundlekit && git pull  
sudo cp bundlekit-web/index.html /var/www/bundlekit/index.html  
sudo nginx -t && sudo systemctl reload nginx
```

Scripted as `deploy/redeploy.sh` in the repo -- run it on the server after a git pull.

Rolling back

```
cd ~/apps/bundlekit  
git log --oneline  
git checkout <previous-commit-hash> -- bundlekit-web/index.html  
sudo cp bundlekit-web/index.html /var/www/bundlekit/index.html  
sudo systemctl reload nginx
```

Files this deploy added to the repo

`deploy/nginx-bundlekit.mpctrades.com.conf` the exact live config, for version control
`deploy/redeploy.sh` the update script above, ready to run