

Jobs

Generated by Talend Integration Cloud Hybrid Edition

Project Name	mpd_test	GENERATION DATE	Jul 6, 2018 6:23:41 PM
AUTHOR	Kua, Petre	Talend Integration Cloud VERSION	6.5.1.20180116_1512

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description


Properties	Values
Name	mpd_test
Language	java

Description	test	

Description

Properties	Values
Name	tgt_dim_customer
Author	Kua, Petre
Version	0.1
Purpose	Customer Dimension
Status	
Description	Job to load target customer dimension
Creation	Jul 2, 2018 3:02:50 PM
Modification	Jul 4, 2018 5:26:27 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt
connection_mysql_staging_tci_db_Login	connection_mysql_staging_tci_db_Login?
connection_mysql_staging_tci_db_Server	connection_mysql_staging_tci_db_Server?
connection_mysql_staging_tci_db_Port	connection_mysql_staging_tci_db_Port?
connection_mysql_staging_tci_db_Password	connection_mysql_staging_tci_db_Password?
connection_mysql_staging_tci_db_Database	connection_mysql_staging_tci_db_Database?
connection_mysql_staging_tci_db_AdditionalParams	connection_mysql_staging_tci_db_AdditionalPa

connection_mysql_target_tci_db_Database	connection_mysql_target_tci_db_Database?
connection_mysql_target_tci_db_Port	connection_mysql_target_tci_db_Port?
connection_mysql_target_tci_db_AdditionalParams	connection_mysql_target_tci_db_AdditionalPara
connection_mysql_target_tci_db_Password	connection_mysql_target_tci_db_Password?
connection_mysql_target_tci_db_Login	connection_mysql_target_tci_db_Login?
connection_mysql_target_tci_db_Server	connection_mysql_target_tci_db_Server?

ContextProduction

Name	Prompt
connection_mysql_staging_tci_db_Login	connection_mysql_staging_tci_db_Login?
connection_mysql_staging_tci_db_Server	connection_mysql_staging_tci_db_Server?
connection_mysql_staging_tci_db_Port	connection_mysql_staging_tci_db_Port?
connection_mysql_staging_tci_db_Password	connection_mysql_staging_tci_db_Password?
connection_mysql_staging_tci_db_Database	connection_mysql_staging_tci_db_Database?
connection_mysql_staging_tci_db_AdditionalParams	connection_mysql_staging_tci_db_AdditionalPa
connection_mysql_target_tci_db_Database	connection_mysql_target_tci_db_Database?
connection_mysql_target_tci_db_Port	connection_mysql_target_tci_db_Port?

connection_mysql_target_tci_db_AdditionalParams	connection_mysql_target_tci_db_AdditionalPara
connection_mysql_target_tci_db_Password	connection_mysql_target_tci_db_Password?
connection_mysql_target_tci_db_Login	connection_mysql_target_tci_db_Login?
connection_mysql_target_tci_db_Server	connection_mysql_target_tci_db_Server?

Component List

Component Name	Component Type
tMap_1	tMap
tMysqlConnection_1	tMysqlConnection
tMysqlConnection_2	tMysqlConnection
tMysqlInput_1	tMysqlInput
tMysqlInput_2	tMysqlInput
tMysqlInput_3	tMysqlInput
tMysqlInput_4	tMysqlInput
tMysqlInput_5	tMysqlInput
tMysqlInput_6	tMysqlInput
tMysqlSCD_1	tMysqlSCD

Components Description

Component tMysqlConnection

 UNIQUE NAME	tMysqlConnection_1	INPUT(S)	none
LABEL	stg_db_conn	OUTPUT(S)	tMysqlConnection_2

Component Parameters:

Component Parameters:		
Properties	Values	
Unique Name	tMysqlConnection_1	
Component Name	tMysqlConnection	
Version	0.102 (ALPHA)	
Family	Databases/MySQL ELT/Connections	
Start	true	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	true	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	

Help	org.talend.help.tMysqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\TalendStudio\v651\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MYSQL):staging_tci_db
DB Version	MYSQL_5
Host	context.connection_mysql_staging_tci_db_Server
Database Driver	MYSQL
Port	context.connection_mysql_staging_tci_db_Port
Database	context.connection_mysql_staging_tci_db_Database
Additional JDBC Parameters	context.connection_mysql_staging_tci_db_AdditionalParams

Username	context.connection_mysql_staging_tci_db_Login
Password	context.connection_mysql_staging_tci_db_Password
Encoding	"ISO-8859-15"
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	false
Data source alias	пп
Auto Commit	false
Label format	stg_db_conn
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:

Component tMysqlConnection

 UNIQUE NAME	tMysqlConnection_2	INPUT(S)	tMysqlConnection_1
LABEL	tgt_db_conn	OUTPUT(S)	tMysqlInput_1

Component Parameters:		
Properties	Values	
Unique Name	tMysqlConnection_2	
Component Name	tMysqlConnection	
Version	0.102 (ALPHA)	
Family	Databases/MySQL ELT/Connections	
Start	false	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	true	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tMysqlConnection	

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\TalendStudio\v651\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MYSQL):target_tci_db
DB Version	MYSQL_5
Host	context.connection_mysql_target_tci_db_Server
Database Driver	MYSQL
Port	context.connection_mysql_target_tci_db_Port
Database	context.connection_mysql_target_tci_db_Database
Additional JDBC Parameters	context.connection_mysql_target_tci_db_AdditionalParams
Username	context.connection_mysql_target_tci_db_Login

Password	context.connection_mysql_target_tci_db_Password
Encoding	"ISO-8859-15"
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	false
Data source alias	пп
Auto Commit	true
Label format	tgt_db_conn
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tMysqlInput

	UNIQUE NAME	tMysqlInput_1	INPUT(S)	tMysqlConnection_2	
	LABEL	TABLE	OUTPUT(S)	tMap_1	

_ mnonont D

Component Parameters:		
Properties	Values	
Unique Name	tMysqlInput_1	
Component Name	tMysqlInput	
Version	0.102 (ALPHA)	
Family	Databases/MySQL	
Start	false	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tMysqlInput	
Update components	true	

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\TalendStudio\v651\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MYSQL):staging_tci_db
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	context.connection_mysql_staging_tci_db_Server
Port	context.connection_mysql_staging_tci_db_Port
Database	context.connection_mysql_staging_tci_db_Database
Database Driver	MYSQL
Username	context.connection_mysql_staging_tci_db_Login
Password	context.connection_mysql_staging_tci_db_Password

REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DB (MYSQL):staging_tci_db - stg_gigya
Table Name	"stg_gigya"
Query Type	Built-In
Guess Schema	н
Query	"SELECT `stg_gigya`.`UID`, `stg_gigya`.`created`, stg_gigya`.`iRank`, `stg_gigya`.`isActive`, stg_gigya`.`isRegistered', `stg_gigya`.`isVerified', stg_gigya`.`lastLogin`, `stg_gigya`.`lastUpdated`, stg_gigya`.`loginProvider`, stg_gigya`.`socialProviders`, stg_gigya`.`data_bh_login_timestampMY`, stg_gigya`.`data_education_level', stg_gigya`.`data_ethnicity', stg_gigya`.`data_marital_status`, stg_gigya`.`data_mobile_number`, stg_gigya`.`data_mobile_number`, stg_gigya`.`data_preferred_contact_method`, stg_gigya`.`profile_birthDay`, stg_gigya`.`profile_birthYear`, stg_gigya`.`profile_country`, 'stg_gigya`.`profile_centifications`, `stg_gigya`.`profile_city` stg_gigya`.`profile_educationLevel`, 'stg_gigya`.`profile_educationLevel`, 'stg_gigya`.`profile_landustry`, 'stg_gigya`.`profile_landustry`, 'stg_gigya`.`profile_languages`, 'stg_gigya`.`profile_lastName`, `stg_gigya`.`profile_locale`, 'stg_gigya`.`profile_lastName`, `stg_gigya`.`profile_locale`, 'stg_gigya`.`profile_skills_level`, 'stg_gigya`.`profile_skills_level`, 'stg_gigya`.`profile_skills_skill', 'stg_gigya`.`profile_skills_skill', 'stg_gigya`.`profile_skills_skill', 'stg_gigya`.`profile_skills_skill', 'stg_gigya`.`profile_skills_years`, 'stg_gigya`.`profile_state 'stg_gigya`.`profile_timezone`, 'stg_gigya`.`profile_teusername`, `stg_gigya`.`profile_verifiec 'stg_gigya`.`profile_teusername`, `stg_gigya`.`profile_verifiec 'stg_gigya`.`profile_timezone`, 'stg_gigya`.`profile_username`, `stg_gigya`.`profile_verifiec 'stg_gigya`.`profile_zip` FROM` stg_gigya`.`profile_verifiec 'stg_gigya`.`profile_zip` FROM` stg_gigya`.`profile_verifiec 'stg_gigya`.`profile_zip` FROM` stg_gigya`.`profile_verifiec 'stg_gigya`.`profile_zip` FROM` stg_gigya`.`profile_verifiec

Specify a data source alias	false
Data source alias	пп
Mapping	mysql_id
Additional JDBC Parameters	context.connection_mysql_staging_tci_db_AdditionalParan
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false

[{SCHEMA COLUMN=UID, TRIM=false}, {SCHEMA COLUMN=created, TRIM=false}, {SCHEMA_COLUMN=iRank, TRIM=false}, {SCHEMA COLUMN=isActive, TRIM=false}, {SCHEMA COLUMN=isRegistered, TRIM=false}, {SCHEMA COLUMN=isVerified, TRIM=false}, {SCHEMA COLUMN=lastLogin, TRIM=false}. {SCHEMA COLUMN=lastUpdated, TRIM=false}, {SCHEMA COLUMN=loginProvider, TRIM=false}, {SCHEMA COLUMN=socialProviders, TRIM=false}, {SCHEMA_COLUMN=data_bh_login_timestampMY, TRIM=false}, {SCHEMA COLUMN=data education level, TRIM=false}, {SCHEMA_COLUMN=data_ethnicity, TRIM=false}, {SCHEMA COLUMN=data income bracket, TRIM=false}, {SCHEMA_COLUMN=data_marital_status, TRIM=false}, {SCHEMA COLUMN=data mobile number, TRIM=false}, {SCHEMA_COLUMN=data_occupation, TRIM=false}. {SCHEMA_COLUMN=data_preferred_contact_method, TRIM=false}, {SCHEMA COLUMN=profile birthDay, TRIM=false}, {SCHEMA_COLUMN=profile_birthMonth, TRIM=false}, {SCHEMA COLUMN=profile birthYear, TRIM=false}, {SCHEMA_COLUMN=profile_certifications, TRIM=false}, {SCHEMA COLUMN=profile city, TRIM=false}, {SCHEMA_COLUMN=profile_country, TRIM=false}, {SCHEMA COLUMN=profile educationLevel TRIM=false}, {SCHEMA_COLUMN=profile_email, TRIM=false}, {SCHEMA COLUMN=profile firstName, TRIM=false}, {SCHEMA_COLUMN=profile_gender, TRIM=false}, {SCHEMA COLUMN=profile hometown, TRIM=false}, {SCHEMA_COLUMN=profile_industry, TRIM=false}, {SCHEMA COLUMN=profile interestedIn, TRIM=false), {SCHEMA COLUMN=profile languages, TRIM=false}, {SCHEMA COLUMN=profile lastName, TRIM=false), {SCHEMA COLUMN=profile locale, TRIM=false}, {SCHEMA COLUMN=profile name, TRIM=false}, {SCHEMA COLUMN=profile nickname, TRIM=false}, {SCHEMA_COLUMN=profile_religion, TRIM=false}, {SCHEMA_COLUMN=profile_skills_level, TRIM=false}, {SCHEMA COLUMN=profile skills skill, TRIM=false}, {SCHEMA_COLUMN=profile_skills_years, TRIM=false}, {SCHEMA_COLUMN=profile_specialities, TRIM=false}, {SCHEMA_COLUMN=profile_state, TRIM=false}, {SCHEMA COLUMN=profile timezone, TRIM=false}, {SCHEMA COLUMN=profile username, TRIM=false}, {SCHEMA_COLUMN=profile_verified, TRIM=false}, {SCHEMA_COLUMN=profile_zip,

TRIM=false}]

Trim column

Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for stg_gigya:

Schema for stg_gigya:						
Column	Key	Туре	Length	Precision	Nullable	Comment
UID	true	String	255		false	
created	false	java.util.Date	19		true	
iRank	false	String	65535		true	
isActive	false	String	65535		true	
isRegistered	false	String	65535		true	
isVerified	false	String	65535		true	
lastLogin	false	java.util.Date	19		true	
lastUpdated	false	java.util.Date	19		true	

loginProvider	false	String	65535	true
socialProviders	false	String	65535	true
data_bh_login_timestampMY	false	java.util.Date	19	true
data_education_level	false	String	65535	true
data_ethnicity	false	String	65535	true
data_income_bracket	false	String	65535	true
data_marital_status	false	String	65535	true
data_mobile_number	false	String	65535	true
data_occupation	false	String	65535	true
data_preferred_contact_method	false	String	65535	true
profile_birthDay	false	String	65535	true
profile_birthMonth	false	String	65535	true
profile_birthYear	false	String	65535	true
profile_certifications	false	String	65535	true
profile_city	false	String	65535	true
profile_country	false	String	65535	true
profile_educationLevel	false	String	65535	true

profile_email	false	String	65535	true
profile_firstName	false	String	65535	true
profile_gender	false	String	65535	true
profile_hometown	false	String	65535	true
profile_industry	false	String	65535	true
profile_interestedIn	false	String	65535	true
profile_languages	false	String	65535	true
profile_lastName	false	String	65535	true
profile_locale	false	String	65535	true
profile_name	false	String	65535	true
profile_nickname	false	String	65535	true
profile_religion	false	String	65535	true
profile_skills_level	false	String	65535	true
profile_skills_skill	false	String	65535	true
profile_skills_years	false	String	65535	true
profile_specialities	false	String	65535	true
profile_state	false	String	65535	true

profile_timezone	false	String	65535	true
profile_username	false	String	65535	true
profile_verified	false	String	65535	true
profile_zip	false	String	65535	true

Original Function Parameters: Component tMysqlInput

	UNIQUE NAME	tMysqlInput_2	INPUT(S)	none	
	LABEL	TABLE	OUTPUT(S)	tMap_1	

Component Parameters:

Component Parameters:			
Properties	Values		
Unique Name	tMysqlInput_2		
Component Name	tMysqlInput		
Version	0.102 (ALPHA)		
Family	Databases/MySQL		
Start	false		
Startable	true		
SUBTREE_START	false		
END_OF_FLOW	false		

Activate	truo
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\TalendStudio\v651\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MYSQL):target_tci_db
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	context.connection_mysql_target_tci_db_Server

Port	context.connection_mysql_target_tci_db_Port
Database	context.connection_mysql_target_tci_db_Database
Database Driver	MYSQL
Username	context.connection_mysql_target_tci_db_Login
Password	context.connection_mysql_target_tci_db_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"lookup_contactMethod"
Query Type	Built-In
Guess Schema	ни
Query	"SELECT `lookup_contactMethod`.`contactMethodDesc`, `lookup_contactMethod`.`contactMethodSid` FROM `lookup_contactMethod`"
Specify a data source alias	false
Data source alias	1111
Mapping	mysql_id
Additional JDBC Parameters	context.connection_mysql_target_tci_db_AdditionalParams
Encoding	"ISO-8859-15"

Enable stream	false
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=contactMethodDesc, TRIM=false}, {SCHEMA_COLUMN=contactMethodSid, TRIM=false}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for lookup_contactMethod :

Comomic for footian						
Column	Key	Туре	Length	Precision	Nullable	Comment
contactMethodDesc	false	String	255		true	
contactMethodSid	true	int	10		false	

Original Function Parameters: Component tMysqlInput

	UNIQUE NAME	tMysqlInput_3	INPUT(S)	none

L	_ABEL	TABLE	OUTPUT(S)	tMap_1
---	-------	-------	-----------	--------

Component Parameters:

Component Farameters:	
Properties	Values
Unique Name	tMysqlInput_3
Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	

JAVA_LIBRARY_PATH	C:\Talend\TalendStudio\v651\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MYSQL):target_tci_db
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	context.connection_mysql_target_tci_db_Server
Port	context.connection_mysql_target_tci_db_Port
Database	context.connection_mysql_target_tci_db_Database
Database Driver	MYSQL
Username	context.connection_mysql_target_tci_db_Login
Password	context.connection_mysql_target_tci_db_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true

Schema	Built-In
Table Name	"lookup_education"
Query Type	Built-In
Guess Schema	пп
Query	"SELECT `lookup_education`.`educationDesc`, `lookup_education`.`educationSid` FROM `lookup_education`"
Specify a data source alias	false
Data source alias	пп
Mapping	mysql_id
Additional JDBC Parameters	context.connection_mysql_target_tci_db_AdditionalParams
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=educationDesc, TRIM=false}, {SCHEMA_COLUMN=educationSid, TRIM=false}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for lookup_education:

Column	Key	Туре	Length	Precision	Nullable	Comment
educationDesc	false	String	50		true	
educationSid	true	int	10		false	

Original Function Parameters: Component tMysqlInput

UNIQUE NAME	tMysqlInput_4	INPUT(S)	none
LABEL	TABLE	OUTPUT(S)	tMap_1

Component Parameters:

Component Farameters.		
Properties	Values	
Unique Name	tMysqlInput_4	
Component Name	tMysqlInput	
Version	0.102 (ALPHA)	
Family	Databases/MySQL	

Property Type	repository: DB (MYSQL):target_tci_db
	false
Number of parallel executions	2
Enable parallel execution	false
Title color	
Subjob color	
JAVA_LIBRARY_PATH	C:\Talend\TalendStudio\v651\configuration\lib\java
IREPORT_PATH	
Update components	true
Help	org.talend.help.tMysqlInput
tStatCatcher Statistics	false
DUMMY	false
Activate	true
END_OF_FLOW	false
SUBTREE_START	false
Startable	true
Start	false

DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	context.connection_mysql_target_tci_db_Server
Port	context.connection_mysql_target_tci_db_Port
Database	context.connection_mysql_target_tci_db_Database
Database Driver	MYSQL
Username	context.connection_mysql_target_tci_db_Login
Password	context.connection_mysql_target_tci_db_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"lookup_marital"
Query Type	Built-In
Guess Schema	пп
Query	"SELECT `lookup_marital`.`maritalDesc`, `lookup_marital`.`maritalSid` FROM `lookup_marital`"
Specify a data source alias	false
Data source alias	пп

Mapping	mysql_id
Additional JDBC Parameters	context.connection_mysql_target_tci_db_AdditionalParams
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=maritalDesc, TRIM=false}, {SCHEMA_COLUMN=maritalSid, TRIM=false}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for lookup_marital:

Column	Key	Туре	Length	Precision	Nullable	Comment
maritalDesc	false	String	255		true	
maritalSid	true	int	10		false	

Original Function Parameters: Component tMysqlInput

	UNIQUE NAME	tMysqlInput_5	INPUT(S)	none
	LABEL	TABLE	OUTPUT(S)	tMap_1

Component Parameters:		
Properties	Values	
Unique Name	tMysqlInput_5	
Component Name	tMysqlInput	
Version	0.102 (ALPHA)	
Family	Databases/MySQL	
Start	false	
Startable	true	
SUBTREE_START	false	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tMysqlInput	

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\TalendStudio\v651\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MYSQL):target_tci_db
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	context.connection_mysql_target_tci_db_Server
Port	context.connection_mysql_target_tci_db_Port
Database	context.connection_mysql_target_tci_db_Database
Database Driver	MYSQL
Username	context.connection_mysql_target_tci_db_Login

Password	context.connection_mysql_target_tci_db_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"lookup_occupation"
Query Type	Built-In
Guess Schema	1111
Query	"SELECT `lookup_occupation`.`occupationDesc`, `lookup_occupation`.`occupationSid` FROM `lookup_occupation`"
Specify a data source alias	false
Data source alias	1111
Mapping	mysql_id
Additional JDBC Parameters	context.connection_mysql_target_tci_db_AdditionalParams
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=occupationDesc, TRIM=false}, {SCHEMA_COLUMN=occupationSid, TRIM=false}]
Label format	TABLE

Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for lookup_occupation:

Column	Key		Length	Precision	Nullable	Comment
occupationDesc	false	String	255		true	
occupationSid	true	int	10		false	

Original Function Parameters: Component tMysqlInput

The second second	UNIQUE NAME	tMysqlInput_6	INPUT(S)	none
	LABEL	TABLE	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values	
Unique Name	tMysqlInput_6	
Component Name	tMysqlInput	

Version	0.102 (ALPHA)
Family	Databases/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\TalendStudio\v651\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

	false
Property Type	repository: DB (MYSQL):target_tci_db
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	context.connection_mysql_target_tci_db_Server
Port	context.connection_mysql_target_tci_db_Port
Database	context.connection_mysql_target_tci_db_Database
Database Driver	MYSQL
Username	context.connection_mysql_target_tci_db_Login
Password	context.connection_mysql_target_tci_db_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"lookup_race"
Query Type	Built-In
Guess Schema	пп
Query	"SELECT `lookup_race`.`raceDesc`, `lookup_race`.`raceSid` FROM `lookup_race`"

Specify a data source alias	false
Data source alias	пп
Mapping	mysql_id
Additional JDBC Parameters	context.connection_mysql_target_tci_db_AdditionalParams
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=raceDesc, TRIM=false}, {SCHEMA_COLUMN=raceSid, TRIM=false}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for lookup_race :

Column	Key	Туре	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

raceDesc	false	String	20	true	
raceSid	true	int	10	false	

Original Function Parameters: Component tMap

UNIQUE NAME	tMap_1	INPUT(S)	tMap_1 , tMysqlInput_2, tMysqlInput_3, tMysqlInput_4 , tMysqlInput_5, tMysqlInput_6
LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlSCD_1



Component Parameters:

Component arannotoror	
Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO

Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):
Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Туре	Expression	isNullable
UID	String		false
created	java.util.Date		true
iRank	String		true
isActive	String		true
isRegistered	String		true
isVerified	String		true
lastLogin	java.util.Date		true
lastUpdated	java.util.Date		true
loginProvider	String		true
socialProviders	String		true
data_bh_login_timestampMY	java.util.Date		true
data_education_level	String		true
data_ethnicity	String		true
data_income_bracket	String		true
data_marital_status	String		true
data_mobile_number	String		true

data_occupation	String	true
data_preferred_contact_method	String	true
profile_birthDay	String	true
profile_birthMonth	String	true
profile_birthYear	String	true
profile_certifications	String	true
profile_city	String	true
profile_country	String	true
profile_educationLevel	String	true
profile_email	String	true
profile_firstName	String	true
profile_gender	String	true
profile_hometown	String	true
profile_industry	String	true
profile_interestedIn	String	true
profile_languages	String	true
profile_lastName	String	true

profile_locale	String	true
profile_name	String	true
profile_nickname	String	true
profile_religion	String	true
profile_skills_level	String	true
profile_skills_skill	String	true
profile_skills_years	String	true
profile_specialities	String	true
profile_state	String	true
profile_timezone	String	true
profile_username	String	true
profile_verified	String	true
profile_zip	String	true

Constraint Table Entries(row1):

Name Type Expression isNullable

Mapper table Properties (row2):

happer table i roperties (10WZ).			
Properties	Values		
Name	row2		
Matching-mode	ALL_MATCHES		
isMinimized	true		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(row2):

Name	Туре	Expression	isNullable
contactMethodDesc	String	row1.data_preferred_contact_method	true
contactMethodSid	int		false

Constraint Table Entries(row2):

Name	Туре	Expression	isNullable

Mapper table Properties (row3):

5(10W3).
Values
row3
ALL_MATCHES
true
false
false
false
null

Metadata Table Entries(row3):

Name	Туре	Expression	isNullable
educationDesc	String	row1.data_education_level	true
educationSid	int		false

Constraint Table Entries(row3):

Name	Туре	Expression	isNullable

Mapper table Properties (row4):

5(10W+).
Values
row4
ALL_MATCHES
true
false
false
false
null

Metadata Table Entries(row4):

Name	Туре	Expression	isNullable
maritalDesc	String	row1.data_marital_status	true
maritalSid	int		false

Constraint Table Entries(row4):

	Name	Туре	Expression	isNullable
--	------	------	------------	------------

Mapper table Properties (row5):

happer table i roperties (1040).			
Properties	Values		
Name	row5		
Matching-mode	ALL_MATCHES		
isMinimized	true		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(row5):

Name	Туре	Expression	isNullable
occupationDesc	String	row1.data_occupation	true
occupationSid	int		false

Constraint Table Entries(row5):

Name	Туре	Expression	isNullable

Mapper table Properties(row6):

mapper table i roperties (rowo).	
Properties	Values
Name	row6
Matching-mode	ALL_MATCHES
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row6):

Name	Туре	Expression
raceDesc	String	(StringHandling.DOWNCASE(row1.data_ethnicity).matches("my malaya melayu m")) (StringHandling.DOWNCASE(row1.data_ethnicity).matches("in i"))?"Indian":(StringHandling.Downcase("in i"))
raceSid	int	

Constraint Table Entries(row6):

Name	Туре	Expression
------	------	------------

Mapper table for tMap_1 (output): Mapper table Properties(out1):

Properties	Values
Name	out1
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(out1):

Name			isNullable
gigyaID	String	row1.UID	false
dateCreated	java.util.Date	row1.created	true
firstName	String	row1.profile_firstName	true
lastName	String	row1.profile_lastName	true
name	String	row1.profile_name	true
nickName	String	row1.profile_nickname	true
userName	String	row1.profile_username	true

DOB	String	(row1.profile_birthYear != null && row1.profile_birthMonth != null && row1.profile_birthDay != null)? (row1.profile_birthYear + (((StringHandling.LEN(row1.profile_birthMonth)) == 1)?("0" + row1.profile_birthMonth):row1.profile_birthMonth)) + (((StringHandling.LEN(row1.profile_birthDay)) == 1)?("0" + row1.profile_birthDay):row1.profile_birthDay))) :null	true
birthDay	String	row1.profile_birthDay	true
birthMonth	String	row1.profile_birthMonth	true
birthYear	String	row1.profile_birthYear	true
religion	String	row1.profile_religion	true
gender	String	row1.profile_gender	true
raceSid	int	row6.raceSid	false
educationSid	int	row3.educationSid	false
maritalSid	int	row4.maritalSid	false
city	String	row1.profile_city	true
state	String	row1.profile_state	true
country	String	row1.profile_country	true
zip	String	row1.profile_zip	true
hometown	String	row1.profile_hometown	true

occupationSid	int	row5.occupationSid	false
certifications	String	row1.profile_certifications	true
phone	String	row1.data_mobile_number	true
email	String	row1.profile_email	true
contactMethodSic	dint	row2.contactMethodSid	false
timezone	String	row1.profile_timezone	true
locale	String	row1.profile_locale	true
languages	String	row1.profile_languages	true
industry	String	row1.profile_industry	true
interestedIn	String	row1.profile_interestedIn	true
skillLevel	String	row1.profile_skills_level	true
skills	String	row1.profile_skills_skill	true
skillsYears	String	row1.profile_skills_years	true
specialities	String	row1.profile_specialities	true
incomeBracket	String	row1.data_income_bracket	true
siteBhLastLogin	java.util.Date	row1.data_bh_login_timestampMY	true
iRank	String	row1.iRank	true

isActive	String	row1.isActive	true
isRegistered	String	row1.isRegistered	true
isVerified	String	row1.isVerified	true
profileVerified	String	row1.profile_verified	true
lastLogin	java.util.Date	row1.lastLogin	true
lastUpdated	java.util.Date	row1.lastUpdated	true
loginProvider	String	row1.loginProvider	true
socialProviders	String	row1.socialProviders	true

Constraint Table Entries(out1):

Name Ty	уре	Expression	isNullable
---------	-----	------------	------------

Mapper table for tMap_1 (var):

Mapper table Properties (Var):

mapper table i repetties	5(· ···).
Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

me	Туре	Expression	isNullable
----	------	------------	------------

Constraint Table Entries (Var):

Name	Туре	Expression	isNullable

Component tMysqlSCD

UNIQUE NAME	tMysqlSCD_1		tMap_1 , tMysqlInput_2, tMysqlInput_3, tMysqlInput_4 , tMysqlInput_5, tMysqlInput_6
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:

Properties	Values
------------	--------

Activate	true		
tStatCatcher Statistics	false		
Enable parallel execution	false		
Use an existing connection	true		
Component List	tMysqlConnection_2		
Table	"dim_customer"		
Action on table	CREATE_IF_NOT_EXISTS		
SCD Editor			
Use memory saving mode	false		
Source keys include Null	false		
Die on error	false		
Debug mode	false		
Show Information	false		
Comment			
Use an existing validation rule	false		

Schema for tMysqlSCD_1:

Column	Key	Туре	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

			1		
gigyaID	false	String	255	false	
dateCreated	false	java.util.Date	19	true	
firstName	false	String	255	true	
lastName	false	String	255	true	
name	false	String	255	true	
nickName	false	String	255	true	
userName	false	String	255	true	
DOB	false	String	8	true	
birthDay	false	String	2	true	
birthMonth	false	String	2	true	
birthYear	false	String	4	true	
religion	false	String	255	true	
gender	false	String	255	true	
raceSid	false	int	10	false	
educationSid	false	int	10	false	
maritalSid	false	int	10	false	
city	false	String	255	true	

state	false	String	255	true
country	false	String	255	true
zip	false	String	255	true
hometown	false	String	255	true
occupationSid	false	int	10	false
certifications	false	String	255	true
phone	false	String	255	true
email	false	String	255	true
contactMethodSic	lfalse	int	10	false
timezone	false	String	255	true
locale	false	String	255	true
languages	false	String	255	true
industry	false	String	255	true
interestedIn	false	String	255	true
skillLevel	false	String	255	true
skills	false	String	255	true
skillsYears	false	String	255	true

specialities	false	String	255	true	
incomeBracket	false	String	255	true	
siteBhLastLogin	false	java.util.Date	19	true	
iRank	false	String	255	true	
isActive	false	String	255	true	
isRegistered	false	String	255	true	
isVerified	false	String	255	true	
profileVerified	false	String	255	true	
lastLogin	false	java.util.Date	19	true	
lastUpdated	false	java.util.Date	19	true	
loginProvider	false	String	255	true	
socialProviders	false	String	255	true	
custSid	true	int		false	Column generated by scd editor.