talend

Jobs

Generated by Talend Integration Cloud
Hybrid Edition

Project Name	mpd_test	GENERATION DATE	Jan 18, 2019 10:48:34 AM
AUTHOR	Nazri, Hafeez	Talend Integration Cloud VERSION	6.5.1.20180116_1512

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	mpd_test
Language	java

Description	test

Description

Properties	Values
Name	hm_sor_lotame_fromBQ_gcp
Author	Nazri, Hafeez
Version	0.1
Purpose	Capture lotame id from BQ
Status	
Description	Capture NST lotame_id, Gigya id and GA Client id and date from Big Query and then insert into table sor_lotame_nst
Creation	Nov 14, 2018 11:51:18 AM
Modification	Dec 21, 2018 5:15:15 PM

Preview Picture

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false

On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt
connection_mysqltarget_tci_db_AdditionalParams	connection_mysqltarget_tci_db_AdditionalParam
connection_mysqltarget_tci_db_Database	connection_mysqltarget_tci_db_Database?
connection_mysqltarget_tci_db_Login	connection_mysqltarget_tci_db_Login?
connection_mysqltarget_tci_db_Password	connection_mysqltarget_tci_db_Password?
connection_mysqltarget_tci_db_Server	connection_mysqltarget_tci_db_Server?
connection_mysqltarget_tci_db_Port	connection_mysqltarget_tci_db_Port?
connection_mysqlstaging_tci_db_Login	connection_mysqlstaging_tci_db_Login?
connection_mysqlstaging_tci_db_Database	connection_mysqlstaging_tci_db_Database?

connection_mysqlstaging_tci_db_Password	connection_mysqlstaging_tci_db_Password?
connection_mysqlstaging_tci_db_AdditionalParams	connection_mysqlstaging_tci_db_AdditionalPara
connection_mysqlstaging_tci_db_Server	connection_mysqlstaging_tci_db_Server?
connection_mysqlstaging_tci_db_Port	connection_mysqlstaging_tci_db_Port?

Component List

Component Name	Component Type
tBigQueryInput_1	tBigQueryInput
tMap_1	tMap
tMysqlOutput_1	tMysqlOutput

Components Description

Component   tBigQueryInput

	UNIQUE NAME	tBigQueryInput_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tBigQueryInput_1

Component Name	tBigQueryInput
Version	0.102 (ALPHA)
Family	Big Data/Google BigQuery
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tBigQueryInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	/Users/hafeez/Downloads/Talend-Studio-20180116_1512-'
Subjob color	
Title color	
Enable parallel execution	false

Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Client Id	"434785495492-q0d8nogibd7qj7agenqfq6fh6h1j13vd.apps
Client Secret	*************************
Project Id	"mpdbq1"
Authorization Code	"4/jgCnEAvIUTDxBXDHXBaxMZXjGrPJF3Fwiutwda4SEDs
Query	"SELECT GAClientId,GigyaId,LotamePId,date FROM [mpdbq1:1396468.sor_lotame_hm_daily] WHERE LotameF GigyaId IS NOT NULL and GAClientId IS NOT NULL"
Result size	LARGE
token properties File Name	"/home/hafeez/sor_lotame_daily/token/token.properties"
Advanced separator(for number)	false
Thousands separator	","
Decimal separator	"."
Encoding	"ISO-8859-15"
Label format	__UNIQUE_NAME__

Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata :

Column	Key	Type	Length	Precision	Nullable	Comment
GAClientId	false	String			true	
GigyaId	false	String			true	
LotamePId	false	String			true	
date	false	String			true	

Original Function Parameters:
Component   tMysqlOutput

	UNIQUE NAME	tMysqlOutput_1	INPUT(S)	tMap_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values

Unique Name	tMysqlOutput_1
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	/Users/hafeez/Downloads/Talend-Studio-20180116_1512-\
Subjob color	
Title color	
Enable parallel execution	false

Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Database Driver	MySQL
Host	"35.187.224.17"
Port	"3306"
Database	"stg_tci"
Username	"tci_admin"
Password	**************
Table	"sor_lotame_hm_daily"
Action on table	CREATE_IF_NOT_EXISTS
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In

Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=GAClientId, UPDATE_KEY=false, [UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLU UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE= {SCHEMA_COLUMN=LotamePId, UPDATE_KEY=false, D UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLU UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE= {SCHEMA_COLUMN=time, UPDATE_KEY=false, DELETE UPDATABLE=true, INSERTABLE=true}]

Use Hint Options	false
Hint Options	[]
Enable debug mode	false
Use duplicate key update mode insert	false
	[]
Support null in "SQL WHERE" statement	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlOutput_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
GAClientId	false	String			true	
GigyaId	false	String			true	

LotamePId	false	String			true	
date	false	String			true	
time	false	java.util.Date			true	

Original Function Parameters:
Component   tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tBigQueryInput_1	
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMysqlOutput_1	

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false

Comment	
Use an existing validation rule	`false`

Mapper table for tMap_1 (input):

Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Type	Expression	isNullable
GAClientId	String		true
GigyaId	String		true
LotamePId	String		true
date	String		true

Constraint Table Entries(row1):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (output):

Mapper table Properties(insert2mysql):

Properties	Values
Name	insert2mysql
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(insert2mysql):

Name	Type	Expression	isNullable
GAClientId	String	row1.GAClientId	true
GigyaId	String	row1.GigyaId	true
LotamePId	String	row1.LotamePId	true
date	String	row1.date	true
time	java.util.Date	TalendDate.getCurrentDate()	true

Constraint Table Entries(insert2mysql):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable