РМД Аэропорт

Table Of Contents

1. 'Table' section	3
Table Table	3
Column(s) of "компания" Table	3
Column(s) of "пассажир" Table	3
Column(s) of "рейс" Table	3
Index	

Table

Table	
Name	
компания	
пассажир	
рейс	

Column(s) of "компания" Table			
Name	Datatype	Is PK	
NumLic	Long Integer	Yes	
NameC	Text(18)	No	
CountryCom	Text(20)	No	
tel	Text(20)	No	

Column(s) of "пассажир" Table			
Name	Datatype	Is PK	
pass	Text(20)	Yes	
name	Text(20)	No	
sex	Text(20)	No	
country	Text(20)	No	
BtDate	Date/Time	No	
NumR	Text(18)	No	

Column(s) of "peŭc" Table			
Name	Datatype	Is PK	
NumR	Text(18)	Yes	
typeR	Byte	No	
Comp	Text()	No	
ArOut	Text(20)	No	
ArIn	Text(20)	No	
CityOut	Text(18)	No	
Cityn	Text(20)	No	
NumLic	Long Integer	No	
default	Text(18)	No	

default 3
A ArIn 3 ArOut 3
B BtDate 3
C Cityn 3 CityOut 3 Comp 3 country 3 CountryCom 3
N name 3 NameC 3 NumLic 3 NumR 3
P pass 3
S sex 3
T tel 3 typeR 3
К компания 3
П пассажир 3
Р рейс 3