SCREW & SUPPLY, LLC
SECURITY FASTENER SPECIALISTS

// SECURITY FASTENER CATALOG 2026

Security Fastener *Specialists*

Tamper-resistant fasteners and the tools to install them.
Stocked deep, with custom specials made to your print.



SCREWSUPPLY.COM SALES@SCREWSUPPLY.COM TOLL FREE (800) 223-1316

Over half a century and two generations of service to our customers

Screw & Supply, LLC was started in April of 1960 on Lafayette Street in lower Manhattan by Harry Thaw. Not too long after that Harry moved to their long term home off the Bowery on Bond Street.

Peggy Thaw first started working there as a bookkeeper in 1974. In 1978, when Harry was ready to retire to sunny Florida, Peggy purchased the business from him.

Screw & Supply was always a general full line fastener distributorship. Some changes were instituted and the company began specializing in security screws selling primarily to other distributors.

Several years later Screw & Supply began importing bits, keys, sockets, and drivers for the installation and removal of these security products.

In 1984, after outgrowing our Manhattan location, Screw & Supply moved to Box Street in Brooklyn, NY. Then in June of 1989 we moved to our present, permanent facility in Holbrook, NY.

In 1999 Peggy went into business with two very knowledgeable and talented cold headers and the manufacturing component was added.




Table of Contents

HOW TO SPECIFY

Applications by industry 5

Choosing a security drive 6

Custom specials to print or sample 7

BITS, SOCKETS, KEYS, DRIVERS & KITS

Hex Spanner Bits 8

Security 6 Lobe Bits 8

Security Hex Socket Bit 8

Hex Tri-Wing Bit 8

Hex Security Phillips Bit 8

Keys 9

Trigroove Sockets 9

Drivers 10

Kits 11

6 LOBE SECURITY (TORX® TYPE)

Button 6 Lobe Cap Screws — 18/8 SS 12

Button 6 Lobe Cap Screws — Alloy Zinc 13

Flat 6 Lobe Cap Screws — 18/8 SS 14

Flat 6 Lobe Cap Screws — Alloy Zinc 15

Button 6 Lobe Sheet Metal Screws 16

Flat 6 Lobe Sheet Metal Screws 17

Pan & Button Head 6 Lobe Self Drill 18

Flat Head 6 Lobe Self Drill 19

6 LOBE MASONRY SCREWS

Button Head 6 Lobe Masonry Screw 20

Flat Head 6 Lobe Masonry Screw 20

We stock it so you can lock it.

We stock and distribute security fasteners. While the pages that follow contain an extensive list of our products, we are always adding new ones. If you are looking for something and do not see it, do not think that we don't have it, or cannot get it for you.

HEX SOCKET SECURITY

Button Hex Socket Cap Screws 21–22

Flat Hex Socket Cap Screws 23

Button Hex Socket Sheet Metal Screw 24

Flat Hex Socket Sheet Metal Screw 25

SPANNER SCREWS

Pan Spanner 26

Flat Spanner & Flat Undercut Spanner 27

Flat Spanner Sheet Metal & Oval Spanner 28

TRIGROOVE SCREWS

Machine Screw 29

Sheet Metal Screw 29

ROUND ONE WAY SCREWS

Machine Screw 30

Sheet Metal Screw 30

SECURITY NUTS

Trigroove Nut 31

Break-Away Nut 31

TECHNICAL DATA

Materials & Strength 32

Installation Torque 33

6 Lobe Head Dimensions 34

Hex Socket Head Dimensions 35

Security Nut Dimensions 36

Part Number Index 37

Same-day shipping on in-stock items.

We maintain deep inventory across our core product lines, with competitive pricing and dependable availability you can trust. In-stock orders ship the same day, giving you the confidence to plan ahead, meet deadlines, and keep every project moving.

TORX® IS A REGISTERED TRADEMARK OF ACUMENT GLOBAL TECHNOLOGIES.

Where these fasteners go to work

Eight environments our customers specify for, with the drives that suit each one and where to find them in this catalog. These are examples — many more applications call for security fasteners.

PUBLIC FACILITIES

Public Restrooms & Partitions

Toilet partitions, grab bars, dispensers, and fixtures in high-traffic public spaces demand fasteners that resist casual tampering and vandalism.

6 LOBE PP.12–19 · SPANNER PP.26–28 · ONE WAY P.30 · NUTS P.31

TRANSIT & INFRASTRUCTURE

Transit, Rail & Signage

Stations, shelters, rolling stock, and public signage need anti-theft holding power that stands up to weather and repeated public contact.

6 LOBE PP.12–19 · SPANNER PP.26–28 · TRIGROOVE P.29 · SOCKETS P.9

OUTDOOR & UTILITY

Utility & Infrastructure

Meters, guardrail, fencing, and outdoor enclosures rely on tamper-resistant fasteners and nuts to deter theft and unauthorized access.

TRIGROOVE P.29 · NUTS P.31 · SPANNER PP.26–28 · SOCKETS P.9

MAXIMUM SECURITY

Detention & Institutional

Correctional, behavioral-health, and secure institutional environments require the highest tamper resistance and smooth, no-purchase heads.

TRIGROOVE P.29 · SOCKETS P.9 · NUTS P.31 · ONE WAY P.30

CONTROLLED ACCESS

Electronics & Electrical Enclosures

Controlled-access fastening keeps panels, junction boxes, and equipment cabinets closed to everyone but authorized service techs.

6 LOBE PP.12–19 · HEX SOCKET PP.21–25 · ONE WAY P.30

INDUSTRIAL SAFETY

Machinery Guarding & Panels

Keep safety guards, access panels, and covers fixed in place so they are not removed without the right tool, supporting OSHA-minded designs.

HEX SOCKET PP.21–25 · 6 LOBE PP.12–19 · SOCKETS P.9

RIDER & USER SAFETY

Amusement & Fitness Equipment

Rides, playground structures, and gym equipment need pin-in drives that lock assemblies down for rider and user safety.

HEX SOCKET PP.21–25 · 6 LOBE PP.12–19 · NUTS P.31

INSTALL & MAINTAIN

Field Service & MRO

Technicians and maintenance crews need the matching bits, keys, drivers, and sockets to install and service every security drive we stock.

BITS & KEYS PP.8–9 · DRIVERS P.10 · KITS P.11 · SOCKETS P.9

Choosing a security drive

Every drive in this catalog resists a standard screwdriver. They differ in how hard they are to defeat, how easily the right tool can be had, and whether the fastener survives removal. Pick the level that matches how often the joint will be opened.

DRIVE	TAMPER RESISTANCE	TOOL AVAILABILITY	REMOVAL	STOCKED RANGE
6 Lobe Security pin in 6 lobe, Torx® type	High	Bits, keys and drivers stocked in every size	Serviceable with the matching bit	T-7 – T-55
Hex Socket Security pin in hex	High	Bits and keys stocked, 3/32" through 5/16"	Serviceable with the matching bit	3/32" – 5/16"
Spanner two hole	Moderate	Bits, hand drivers and kits stocked #4 – #14	Serviceable with the matching bit	#4 – #14
Tri-Wing	Moderate	Bits stocked #0 – #6	Serviceable with the matching bit	#0 – #6
Trigroove	High	Matched socket required, TRS04 – TRS40	Serviceable with the matching socket	#6 – 5/8
Round One Way	Very high	Installs with an ordinary flat blade driver	SSTM tool bites the head; the head is destroyed	#6 – 1/4
Break-Away Nut	Highest	Installs with a standard wrench or socket	Hex shears off; the nut cannot be backed off	10-24 – 5/8-11

IF IT WILL BE SERVICED

Specify 6 Lobe Security or Hex Socket Security. One bit covers a whole size range, and the same bit set travels in a technician's pouch. Both drives seat fully and can be re-driven.

IF IT IS IN PUBLIC REACH

Spanner and Trigroove take tools that no one carries by accident. Trigroove in particular needs a matched socket, which makes it a good fit for enclosures, transit fittings and street furniture.

IF IT SHOULD NEVER OPEN

Round One Way screws and Break-Away nuts install with ordinary tools and give up nothing to turn against. Removal means drilling or cutting, so use them where the assembly is permanent.

6 Lobe Security is the six lobed drive commonly known as Torx®. Our 6 Lobe screws accept Torx® security bits of the listed size, and the bits, keys and drivers on page 8 through 10 fit both. Torx® is a registered trademark of Acument Global Technologies and is used here for reference only.

When Standard Fasteners Are *Not Enough*

Specials to print or to sample. We offer low minimum quantity requirements (5000 in most cases), quick deliveries and reasonable pricing.

SOCKET STYLES

Socket, Low Socket
Button Head, Flat Head
Cap Screw or Sheet Metal Threads (with or without Security Pins)
#4 – #14 Sheet Metal
4-40 – 1/2-13 Cap or Machine Screws
1/2-13 Socket Products — 100 piece minimum

POINT STYLES


Type 'A' Type 'AB' Type 'B' Type 'C'
Type 'CA' Type 'F' Type 'HI-LO'
Type 'PT' Type 'TT'

DRIVE STYLES

6 Lobe 6 Lobe Security
Hex Phillips Square

HEAD STYLES

Flat Flat Undercut Oval Oval Undercut
Pan Round Fillister Truss
Round Washer Tri-Groove



Send us a print — we'll quote tooling and lead time. Materials: 1018, 1022, 4037 Alloy Steel, 18/8 and 316 Stainless Steel

MADE IN THE USA

Bits & Sockets

Security 6 Lobe Bits — Torx® Type



SIZE	PART NO.	SHANK
T-7	TT07	1/4"
T-8	TT08	1/4"
T-9	TT09	1/4"
T-10	TT10	1/4"
T-15	TT15	1/4"
T-20	TT20	1/4"
T-25	TT25	1/4"

SIZE	PART NO.	SHANK
T-27	TT27	1/4"
T-30	TT30	1/4"
T-40	TT40	1/4"
T-45	TTL45	5/16"
T-50	TTL50	5/16"
T-55	TTL55	5/16"

Hex Spanner Bits

1/4" HEX SHANK



SIZE	PART NO.
#4	1/4SP04
#6	1/4SP06
#8	1/4SP08
#10	1/4SP10
#12	1/4SP12
#14	1/4SP14

1/4" Security Hex Socket Bit



PART NO.	SIZE
THB3/32	3/32
THB1/8	1/8
THB9/64	9/64
THB5/32	5/32
THB3/16	3/16
THB7/32	7/32
THB1/4	1/4
THB5/16	5/16

1/4" Hex Tri-Wing Bit



PART NO.	SIZE
TWD0	#0 for #1 Screws
TWD1	#1 for #2 Screws
TWD2	#2 for #4 Screws
TWD3	#3 for #6 Screws
TWD4	#4 for #8 Screws
TWD5	#5 for #10 Screws
TWD6	#6 for #12 & 14 Screws

1/4" Hex Security Phillips Bit



PART NO.	SIZE
TRP2	#2
TRP3	#3

Keys & Sockets

Trigroove Sockets



PART NO.	FOR SCREW SIZE	FOR NUT SIZE
TRS04	4	
TRS06	6, 8	
TRS10	10, 12, 14(1/4)	
TRS20		10, 1/4, 6MM
TRS30		5/16, 3/8, 8MM
TRS40		1/2, 10MM

Hex Socket Security Short Arm "L" Key

DRILLED BOTH ENDS



PART NO.	SIZE
THK3/32	3/32
THK7/64	7/64
THK1/8	1/8
THK9/64	9/64
THK5/32	5/32
THK3/16	3/16
THK7/32	7/32
THK1/4	1/4
THK5/16	5/16

6 Lobe Security Short Arm "L" Key

DRILLED BOTH ENDS



PART NO.	SIZE
KTT07	T-7
KTT08	T-8
KTT09	T-9
KTT10	T-10
KTT15	T-15
KTT20	T-20
KTT25	T-25
KTT27	T-27
KTT30	T-30
KTT40	T-40
KTT45	T-45
KTT50	T-50
KTT55	T-55

Drivers

1/4" Magnetic Hand Driver

FOR ALL 1/4" DRIVE BITS

PART NO.	SIZE	FLIP CAP STORAGE
MHD1/4	1/4 Drive	No
MSD1/4	1/4 Drive	Yes

Security 6 Lobe Hand Driver Complete

PART NO.	SIZE
HDTT07	T-7
HDTT08	T-8
HDTT09	T-9
HDTT10	T-10
HDTT15	T-15
HDTT20	T-20
HDTT25	T-25
HDTT27	T-27
HDTT30	T-30
HDTT40	T-40

Spanner Hand Driver Complete

PART NO.	SIZE
SPD04	#4
SPD06	#6
SPD08	#8
SPD10	#10
SPD12	#12
SPD14	#14

Trigroove Handles

PART NO.	FOR SOCKET SIZE
TRIH-1	4, 6, 10
TRIH-2	20, 30, 40

One Way Screw Removal Tool

PART NO.	SIZE
SSTM06-8	For #4, 6, 8 Screws
SSTM10-12	For #10, 12 Screws
SSTM14	For #14, 5/16, 3/8 Screws

One Way Screw Removal Tool: this tool has special grade carbide pins. These pins have a very sharp edge. In order for this tool to work properly, you must use considerable downward pressure as you are turning so that the pins literally bite into the slope in the head of the screw.

Kits

1/4" Magnetic Spanner Kit with 6 Bits (#4 thru #14)

MSPK1/4-F

MHD1/4 Hand Driver & 6 Bits (#4 thru #14). Packed in a Heavy Vinyl Zip-Loc Pouch.



6 Lobe Security Bit Set

T6TK

MHD1/4 Hand Driver & 12 Bits (TT8, 9, 10, 15, 20, 25, 27, 30, 40, & TTL45, 50, 55). Packed in a Heavy Vinyl Zip-Loc Pouch.



6 Lobe Security Key Kit

TTKK

Containing 1 each: KTT8, 10, 15, 20, 25, 27, 30, 40. Packed in a Heavy Vinyl Zip-Loc Pouch.



Security Hex Socket Kit

THBK

Containing 1 each: THB3/32, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16; MHD1/4 Magnetic Hand Driver. Packed in a Heavy Vinyl Zip-Loc Pouch.



Trigroove Tool Kit

TRBH20

Containing 1 each: TRIH-1 Handle; TRS04, TRS06 & TRS10 Sockets. Packed in a Heavy Vinyl Zip-Loc Pouch.



Button 6 Lobe Cap Screws

18/8 STAINLESS STEEL



PART NO.	SIZE	DRIVE SIZE
T6B4C025SS	4-40 X 1/4	T-8
T6B4C037SS	4-40 X 3/8	T-8
T6B4C050SS	4-40 X 1/2	T-8
T6B4C075SS	4-40 X 3/4	T-8
T6B6C025SS	6-32 X 1/4	T-10
T6B6C037SS	6-32 X 3/8	T-10
T6B6C050SS	6-32 X 1/2	T-10
T6B6C062SS	6-32 X 5/8	T-10
T6B6C075SS	6-32 X 3/4	T-10
T6B6C100SS	6-32 X 1	T-10
T6B6C150SS	6-32 X 1-1/2	T-10
T6B6C200SS	6-32 X 2	T-10
T6B8C025SS	8-32 X 1/4	T-15
T6B8C037SS	8-32 X 3/8	T-15
T6B8C050SS	8-32 X 1/2	T-15
T6B8C062SS	8-32 X 5/8	T-15
T6B8C075SS	8-32 X 3/4	T-15
T6B8C100SS	8-32 X 1	T-15
T6B8C125SS	8-32 X 1-1/4	T-15
T6B8C150SS	8-32 X 1-1/2	T-15
T6B8C200SS	8-32 X 2	T-15
T6B10C025SS	10-24 X 1/4	T-25
T6B10C037SS	10-24 X 3/8	T-25
T6B10C050SS	10-24 X 1/2	T-25
T6B10C075SS	10-24 X 3/4	T-25
T6B10C100SS	10-24 X 1	T-25
T6B10C125SS	10-24 X 1-1/4	T-25
T6B10C150SS	10-24 X 1-1/2	T-25
T6B10C200SS	10-24 X 2	T-25
T6B10F025SS	10-32 X 1/4	T-25
T6B10F037SS	10-32 X 3/8	T-25
T6B10F050SS	10-32 X 1/2	T-25
T6B10F075SS	10-32 X 3/4	T-25
T6B10F100SS	10-32 X 1	T-25
T6B10F125SS	10-32 X 1-1/4	T-25
T6B10F150SS	10-32 X 1-1/2	T-25
T6B10F200SS	10-32 X 2	T-25
T6B12C050SS	12-24 X 1/2	T-25
T6B12C075SS	12-24 X 3/4	T-25
T6B25C037SS	1/4-20 X 3/8	T-27
T6B25C050SS	1/4-20 X 1/2	T-27
T6B25C062SS	1/4-20 X 5/8	T-27
T6B25C075SS	1/4-20 X 3/4	T-27
T6B25C100SS	1/4-20 X 1	T-27
T6B25C125SS	1/4-20 X 1-1/4	T-27
T6B25C150SS	1/4-20 X 1-1/2	T-27
T6B25C200SS	1/4-20 X 2	T-27
T6B25C250SS	1/4-20 X 2-1/2	T-27
T6B25C300SS	1/4-20 X 3	T-27
T6B31C050SS	5/16-18 X 1/2	T-40
T6B31C075SS	5/16-18 X 3/4	T-40
T6B31C100SS	5/16-18 X 1	T-40
T6B31C125SS	5/16-18 X 1-1/4	T-40
T6B31C150SS	5/16-18 X 1-1/2	T-40
T6B31C200SS	5/16-18 X 2	T-40
T6B31C250SS	5/16-18 X 2-1/2	T-40
T6B31C300SS	5/16-18 X 3	T-40
T6B37C075SS	3/8-16 X 3/4	T-45
T6B37C100SS	3/8-16 X 1	T-45
T6B37C125SS	3/8-16 X 1-1/4	T-45
T6B37C150SS	3/8-16 X 1-1/2	T-45
T6B37C200SS	3/8-16 X 2	T-45
T6B37C250SS	3/8-16 X 2-1/2	T-45
T6B37C300SS	3/8-16 X 3	T-45
T6B50C075SS	1/2-13 X 3/4	T-55
T6B50C100SS	1/2-13 X 1	T-55
T6B50C150SS	1/2-13 X 1-1/2	T-55
T6B50C200SS	1/2-13 X 2	T-55
T6B50C250SS	1/2-13 X 2-1/2	T-55
T6B50C300SS	1/2-13 X 3	T-55

TOOLS TT and TTL bits p.8 · KTT keys p.9 · HDTT hand drivers p.10 · T6TK bit set and TTKK key kit p.11. 6 Lobe Security is the drive commonly known as Torx®; Torx® security bits of the listed size fit these screws.

These screws are commonly ordered as machine screws, and most buyers ask for them that way. Under Industrial Fasteners Institute standards the correct term is cap screw: the head, thread and length dimensions are held to cap screw tolerances. Threads and fit are unaffected by the name.

Button 6 Lobe Cap Screws

ALLOY ZINC PLATED



PART NO.	SIZE	DRIVE SIZE
T6B6C037AZ	6-32 X 3/8	T-10
T6B6C050AZ	6-32 X 1/2	T-10
T6B6C062AZ	6-32 X 5/8	T-10
T6B6C075AZ	6-32 X 3/4	T-10
T6B6C100AZ	6-32 X 1	T-10
T6B6C150AZ	6-32 X 1-1/2	T-10
T6B6C200AZ	6-32 X 2	T-10
T6B8C025AZ	8-32 X 1/4	T-15
T6B8C037AZ	8-32 X 3/8	T-15
T6B8C050AZ	8-32 X 1/2	T-15
T6B8C062AZ	8-32 X 5/8	T-15
T6B8C075AZ	8-32 X 3/4	T-15
T6B8C100AZ	8-32 X 1	T-15
T6B8C125AZ	8-32 X 1-1/4	T-15
T6B8C150AZ	8-32 X 1-1/2	T-15
T6B8C200AZ	8-32 X 2	T-15
T6B10C050AZ	10-24 X 1/2	T-25
T6B10C075AZ	10-24 X 3/4	T-25
T6B10C100AZ	10-24 X 1	T-25
T6B10C125AZ	10-24 X 1-1/4	T-25
T6B10C150AZ	10-24 X 1-1/2	T-25
T6B10C200AZ	10-24 X 2	T-25
T6B10F050AZ	10-32 X 1/2	T-25
T6B10F075AZ	10-32 X 3/4	T-25
T6B10F100AZ	10-32 X 1	T-25
T6B10F125AZ	10-32 X 1-1/4	T-25
T6B10F150AZ	10-32 X 1-1/2	T-25
T6B12C050AZ	12-24 X 1/2	T-25
T6B12C075AZ	12-24 X 3/4	T-25
T6B25C050AZ	1/4-20 X 1/2	T-27
T6B25C062AZ	1/4-20 X 5/8	T-27
T6B25C075AZ	1/4-20 X 3/4	T-27
T6B25C100AZ	1/4-20 X 1	T-27
T6B25C125AZ	1/4-20 X 1-1/4	T-27
T6B25C150AZ	1/4-20 X 1-1/2	T-27
T6B25C200AZ	1/4-20 X 2	T-27
T6B25C250AZ	1/4-20 X 2-1/2	T-27
T6B25C300AZ	1/4-20 X 3	T-27
T6B31C050AZ	5/16-18 X 1/2	T-40
T6B31C075AZ	5/16-18 X 3/4	T-40
T6B31C100AZ	5/16-18 X 1	T-40
T6B31C125AZ	5/16-18 X 1-1/4	T-40
T6B31C150AZ	5/16-18 X 1-1/2	T-40
T6B31C200AZ	5/16-18 X 2	T-40
T6B31C250AZ	5/16-18 X 2-1/2	T-40
T6B31C300AZ	5/16-18 X 3	T-40
T6B37C075AZ	3/8-16 X 3/4	T-45
T6B37C100AZ	3/8-16 X 1	T-45
T6B37C125AZ	3/8-16 X 1-1/4	T-45
T6B37C150AZ	3/8-16 X 1-1/2	T-45
T6B37C200AZ	3/8-16 X 2	T-45
T6B37C250AZ	3/8-16 X 2-1/2	T-45
T6B37C300AZ	3/8-16 X 3	T-45

TOOLS TT and TTL bits p.8 · KTT keys p.9 · HDTT hand drivers p.10 · T6TK bit set and TTKK key kit p.11. 6 Lobe Security is the drive commonly known as Torx®; Torx® security bits of the listed size fit these screws.

These screws are commonly ordered as machine screws, and most buyers ask for them that way. Under Industrial Fasteners Institute standards the correct term is cap screw: the head, thread and length dimensions are held to cap screw tolerances. Threads and fit are unaffected by the name.

Flat 6 Lobe Cap Screws

18/8 STAINLESS STEEL



PART NO.	SIZE	DRIVE SIZE
T6F6C037SS	6-32 X 3/8	T-15
T6F6C050SS	6-32 X 1/2	T-15
T6F6C075SS	6-32 X 3/4	T-15
T6F6C100SS	6-32 X 1	T-15
T6F6C150SS	6-32 X 1-1/2	T-15
T6F6C200SS	6-32 X 2	T-15
T6F8C025USS	8-32 X 1/4 (Undercut)	T-15
T6F8C037SS	8-32 X 3/8	T-20
T6F8C050SS	8-32 X 1/2	T-20
T6F8C075SS	8-32 X 3/4	T-20
T6F8C100SS	8-32 X 1	T-20
T6F8C125SS	8-32 X 1-1/4	T-20
T6F8C150SS	8-32 X 1-1/2	T-20
T6F8C200SS	8-32 X 2	T-20
T6F10C050USS	10-24 X 1/2 (Undercut)	T-20
T6F10C050SS	10-24 X 1/2	T-25
T6F10C075SS	10-24 X 3/4	T-25
T6F10C100SS	10-24 X 1	T-25
T6F10C125SS	10-24 X 1-1/4	T-25
T6F10C150SS	10-24 X 1-1/2	T-25
T6F10C200SS	10-24 X 2	T-25
T6F10F050SS	10-32 X 1/2	T-25
T6F10F075SS	10-32 X 3/4	T-25
T6F10F100SS	10-32 X 1	T-25
T6F10F125SS	10-32 X 1-1/4	T-25
T6F10F150SS	10-32 X 1-1/2	T-25
T6F12C050USS	12-24 X 1/2 (Undercut)	T-20

PART NO.	SIZE	DRIVE SIZE
T6F12C075USS	12-24 X 3/4 (Undercut)	T-20
T6F12C100SS	12-24 X 1	T-25
T6F25C050USS	1/4-20 X 1/2 (Undercut)	T-27
T6F25C050SS	1/4-20 X 1/2	T-30
T6F25C075USS	1/4-20 X 3/4 (Undercut)	T-27
T6F25C075SS	1/4-20 X 3/4	T-30
T6F25C100SS	1/4-20 X 1	T-30
T6F25C125SS	1/4-20 X 1-1/4	T-30
T6F25C150SS	1/4-20 X 1-1/2	T-30
T6F25C200SS	1/4-20 X 2	T-30
T6F25C250SS	1/4-20 X 2-1/2	T-30
T6F25C300SS	1/4-20 X 3	T-30
T6F31C075SS	5/16-18 X 3/4	T-40
T6F31C100SS	5/16-18 X 1	T-40
T6F31C125SS	5/16-18 X 1-1/4	T-40
T6F31C150SS	5/16-18 X 1-1/2	T-40
T6F31C200SS	5/16-18 X 2	T-40
T6F31C250SS	5/16-18 X 2-1/2	T-40
T6F31C300SS	5/16-18 X 3	T-40
T6F37C075SS	3/8-16 X 3/4	T-45
T6F37C100SS	3/8-16 X 1	T-45
T6F37C125SS	3/8-16 X 1-1/4	T-45
T6F37C150SS	3/8-16 X 1-1/2	T-45
T6F37C200SS	3/8-16 X 2	T-45
T6F37C250SS	3/8-16 X 2-1/2	T-45
T6F37C300SS	3/8-16 X 3	T-45

TOOLS TT and TTL bits p.8 · KTT keys p.9 · HDTT hand drivers p.10 · T6TK bit set and TTKK key kit p.11. 6 Lobe Security is the drive commonly known as Torx®; Torx® security bits of the listed size fit these screws.

These screws are commonly ordered as machine screws, and most buyers ask for them that way. Under Industrial Fasteners Institute standards the correct term is cap screw: the head, thread and length dimensions are held to cap screw tolerances. Threads and fit are unaffected by the name.

Flat 6 Lobe Cap Screws

ALLOY ZINC PLATED



PART NO.	SIZE	DRIVE SIZE
T6F6C050AZ	6-32 X 1/2	T-15
T6F6C075AZ	6-32 X 3/4	T-15
T6F6C100AZ	6-32 X 1	T-15
T6F6C150AZ	6-32 X 1-1/2	T-15
T6F8C050AZ	8-32 X 1/2	T-20
T6F8C075AZ	8-32 X 3/4	T-20
T6F8C100AZ	8-32 X 1	T-20
T6F8C125AZ	8-32 X 1-1/4	T-20
T6F8C150AZ	8-32 X 1-1/2	T-20
T6F8C200AZ	8-32 X 2	T-20
T6F10C050AZ	10-24 X 1/2	T-25
T6F10C075AZ	10-24 X 3/4	T-25
T6F10C100AZ	10-24 X 1	T-25
T6F10C125AZ	10-24 X 1-1/4	T-25
T6F10C150AZ	10-24 X 1-1/2	T-25
T6F10F050AZ	10-32 X 1/2	T-25
T6F10F075AZ	10-32 X 3/4	T-25
T6F10F100AZ	10-32 X 1	T-25
T6F10F125AZ	10-32 X 1-1/4	T-25
T6F10F150AZ	10-32 X 1-1/2	T-25
T6F12C050UAZ	12-24 X 1/2 (Undercut)	T-20
T6F12C075AZ	12-24 X 3/4	T-25

PART NO.	SIZE	DRIVE SIZE
T6F12C100AZ	12-24 X 1	T-25
T6F25C050UAZ	1/4-20 X 1/2 (Undercut)	T-27
T6F25C075AZ	1/4-20 X 3/4	T-30
T6F25C100AZ	1/4-20 X 1	T-30
T6F25C125AZ	1/4-20 X 1-1/4	T-30
T6F25X150AZ	14 X 1-1/2	T-30
T6F25C200AZ	1/4-20 X 2	T-30
T6F31C075AZ	5/16-18 X 3/4	T-40
T6F31C100AZ	5/16-18 X 1	T-40
T6F31C125AZ	5/16-18 X 1-1/4	T-40
T6F31C150AZ	5/16-18 X 1-1/2	T-40
T6F31C200AZ	5/16-18 X 2	T-40
T6F31C250AZ	5/16-18 X 2-1/2	T-40
T6F31C300AZ	5/16-18 X 3	T-40
T6F37C050AZ	3/8-16 X 1/2	T-45
T6F37C075AZ	3/8-16 X 3/4	T-45
T6F37C100AZ	3/8-16 X 1	T-45
T6F37C150AZ	3/8-16 X 1-1/2	T-45
T6F37C200AZ	3/8-16 X 2	T-45
T6F37C250AZ	3/8-16 X 2-1/2	T-45
T6F37C300AZ	3/8-16 X 3	T-45

TOOLS TT and TTL bits p.8 · KTT keys p.9 · HDTT hand drivers p.10 · T6TK bit set and TTKK key kit p.11. 6 Lobe Security is the drive commonly known as Torx®; Torx® security bits of the listed size fit these screws.

These screws are commonly ordered as machine screws, and most buyers ask for them that way. Under Industrial Fasteners Institute standards the correct term is cap screw: the head, thread and length dimensions are held to cap screw tolerances. Threads and fit are unaffected by the name.

Button 6 Lobe Sheet Metal Screws

18/8 Stainless Steel



PART NO.	SIZE	DRIVE SIZE
T6B6X050SS	6 X 1/2	T-10
T6B6X075SS	6 X 3/4	T-10
T6B6X100SS	6 X 1	T-10
T6B6X150SS	6 X 1-1/2	T-10
T6B6X200SS	6 X 2	T-10
T6B8X050SS	8 X 1/2	T-15
T6B8X075SS	8 X 3/4	T-15
T6B8X100SS	8 X 1	T-15
T6B8X125SS	8 X 1-1/4	T-15
T6B8X150SS	8 X 1-1/2	T-15
T6B8X200SS	8 X 2	T-15
T6B8X300SS	8 X 3 (2" Thread)	T-15

PART NO.	SIZE	DRIVE SIZE
T6B10X050SS	10 X 1/2	T-25
T6B10X075SS	10 X 3/4	T-25
T6B10X100SS	10 X 1	T-25
T6B10X125SS	10 X 1-1/4	T-25
T6B10X150SS	10 X 1-1/2	T-25
T6B10X200SS	10 X 2	T-25
T6B10X250SS	10 X 2-1/2	T-25
T6B10X300SS	10 X 3	T-25
T6B12X050SS	12 X 1/2	T-25
T6B12X075SS	12 X 3/4	T-25
T6B12X100SS	12 X 1	T-25
T6B12X125SS	12 X 1-1/4	T-25

PART NO.	SIZE	DRIVE SIZE
T6B12X150SS	12 X 1-1/2	T-25
T6B12X200SS	12 X 2	T-25
T6B12X250SS	12 X 2-1/2	T-25
T6B12X300SS	12 X 3	T-25
T6B25X050SS	14 X 1/2	T-27
T6B25X075SS	14 X 3/4	T-27
T6B25X100SS	14 X 1	T-27
T6B25X125SS	14 X 1-1/4	T-27
T6B25X150SS	14 X 1-1/2	T-27
T6B25X200SS	14 X 2	T-27
T6B25X250SS	14 X 2-1/2	T-27
T6B25X300SS	14 X 3	T-27

Steel Zinc Plated



PART NO.	SIZE	DRIVE SIZE
T6B6X050SZ	6 X 1/2	T-10
T6B6X075SZ	6 X 3/4	T-10
T6B6X100SZ	6 X 1	T-10
T6B8X050SZ	8 X 1/2	T-15
T6B8X075SZ	8 X 3/4	T-15
T6B8X100SZ	8 X 1	T-15
T6B8X125SZ	8 X 1-1/4	T-15
T6B8X150SZ	8 X 1-1/2	T-15
T6B10X050SZ	10 X 1/2	T-25
T6B10X075SZ	10 X 3/4	T-25

PART NO.	SIZE	DRIVE SIZE
T6B10X100SZ	10 X 1	T-25
T6B10X150SZ	10 X 1-1/2	T-25
T6B10X200SZ	10 X 2	T-25
T6B10X300SZ	10 X 3	T-25
T6B25X075SZ	14 X 3/4	T-27
T6B25X100SZ	14 X 1	T-27
T6B25X150SZ	14 X 1-1/2	T-27
T6B25X200SZ	14 X 2	T-27
T6B25X300SZ	14 X 3	T-27

TOOLS TT and TTL bits p.8 · KTT keys p.9 · HDTT hand drivers p.10 · T6TK bit set and TTKK key kit p.11. 6 Lobe Security is the drive commonly known as Torx®; Torx® security bits of the listed size fit these screws.

Flat 6 Lobe Sheet Metal Screws

18/8 Stainless Steel



PART NO.	SIZE	DRIVE SIZE
T6F6X050SS	6 X 1/2	T-15
T6F6X075SS	6 X 3/4	T-15
T6F6X100SS	6 X 1	T-15
T6F6X150SS	6 X 1-1/2	T-15
T6F6X200SS	6 X 2	T-15
T6F8X050SS	8 X 1/2	T-20
T6F8X075SS	8 X 3/4	T-20
T6F8X100SS	8 X 1	T-20
T6F8X125SS	8 X 1-1/4	T-20
T6F8X150SS	8 X 1-1/2	T-20
T6F8X200SS	8 X 2	T-20

PART NO.	SIZE	DRIVE SIZE
T6F10X050SS	10 X 1/2	T-25
T6F10X075SS	10 X 3/4	T-25
T6F10X100SS	10 X 1	T-25
T6F10X150SS	10 X 1-1/2	T-25
T6F10X200SS	10 X 2	T-25
T6F10X300SS	10 X 3	T-25
T6F12X050SS	12 X 1/2	T-25
T6F12X075SS	12 X 3/4	T-25
T6F12X100SS	12 X 1	T-25
T6F12X125SS	12 X 1-1/4	T-25
T6F12X150SS	12 X 1-1/2	T-25

PART NO.	SIZE	DRIVE SIZE
T6F12X200SS	12 X 2	T-25
T6F12X250SS	12 X 2-1/2	T-25
T6F12X300SS	12 X 3	T-25
T6F25X075SS	14 X 3/4	T-30
T6F25X100SS	14 X 1	T-30
T6F25X125SS	14 X 1-1/4	T-30
T6F25X150SS	14 X 1-1/2	T-30
T6F25X200SS	14 X 2	T-30
T6F25X300SS	14 X 3	T-30

Steel Zinc Plated



PART NO.	SIZE	DRIVE SIZE
T6F6X050SZ	6 X 1/2	T-15
T6F6X075SZ	6 X 3/4	T-15
T6F6X100SZ	6 X 1	T-15
T6F6X150SZ	6 X 1-1/2	T-15
T6F8X050SZ	8 X 1/2	T-20
T6F8X075SZ	8 X 3/4	T-20
T6F8X100SZ	8 X 1	T-20
T6F8X125SZ	8 X 1-1/4	T-20
T6F8X150SZ	8 X 1-1/2	T-20

PART NO.	SIZE	DRIVE SIZE
T6F10X075SZ	10 X 3/4	T-25
T6F10X100SZ	10 X 1	T-25
T6F10X150SZ	10 X 1-1/2	T-25
T6F10X200SZ	10 X 2	T-25
T6F25X075SZ	14 X 3/4	T-30
T6F25X100SZ	14 X 1	T-30
T6F25X150SZ	14 X 1-1/2	T-30
T6F25X200SZ	14 X 2	T-30

TOOLS TT and TTL bits p.8 · KTT keys p.9 · HDTT hand drivers p.10 · T6TK bit set and TTKK key kit p.11. 6 Lobe Security is the drive commonly known as Torx®; Torx® security bits of the listed size fit these screws.

Self Drill Screws

Pan 6 Lobe Self Drill

410 STAINLESS STEEL



PART NO.	SIZE	DRIVE SIZE
T6P8SD050SS	8 X 1/2	T-20
T6P8SD075SS	8 X 3/4	T-20
T6P8SD100SS	8 X 1	T-20
T6P8SD125SS	8 X 1-1/4	T-20
T6P8SD150SS	8 X 1-1/2	T-20
T6P10SD050SS	10 X 1/2	T-25
T6P10SD075SS	10 X 3/4	T-25
T6P10SD100SS	10 X 1	T-25
T6P10SD125SS	10 X 1-1/4	T-25
T6P10SD150SS	10 X 1-1/2	T-25
T6P10SD200SS	10 X 2	T-25
T6P12SD075SS	12 X 3/4	T-25
T6P12SD100SS	12 X 1	T-25
T6P12SD150SS	12 X 1-1/2	T-25
T6P12SD200SS	12 X 2	T-25
T6P25SD075SS	14 X 3/4	T-30
T6P25SD100SS	14 X 1	T-30
T6P25SD150SS	14 X 1-1/2	T-30
T6P25SD200SS	14 X 2	T-30

Button Head 6 Lobe Self Drill

STEEL ZINC PLATED



PART NO.	SIZE	DRIVE SIZE
T6B8SD050SZ	8 X 1/2	T-15
T6B8SD075SZ	8 X 3/4	T-15
T6B8SD100SZ	8 X 1	T-15
T6B8SD150SZ	8 X 1-1/2	T-15
T6B10SD050SZ	10 X 1/2	T-25
T6B10SD075SZ	10 X 3/4	T-25
T6B10SD100SZ	10 X 1	T-25
T6B10SD150SZ	10 X 1-1/2	T-25
T6B10SD200SZ	10 X 2	T-25
T6B25SD150SZ	14 X 1-1/2	T-30
T6B25SD200SZ	14 X 2	T-30
T6B25FSD075SZ	1/4-28 X 3/4	T-27
T6B25FSD100SZ	1/4-28 X 1	T-27

TOOLS TT and TTL bits p.8 · KTT keys p.9 · HDTT hand drivers p.10 · T6TK bit set and TTKK key kit p.11. 6 Lobe Security is the drive commonly known as Torx®; Torx® security bits of the listed size fit these screws.

Flat Head 6 Lobe Self Drill

Flat Head 6 Lobe Self Drill

410 STAINLESS STEEL



PART NO.	SIZE	DRIVE SIZE
T6F8SD050SS	8 X 1/2	T-15
T6F8SD075SS	8 X 3/4	T-15
T6F8SD100SS	8 X 1	T-15
T6F8SD125SS	8 X 1-1/4	T-15
T6F8SD150SS	8 X 1-1/2	T-15
T6F8SD200SS	8 X 2	T-15
T6F10SD050SS	10 X 1/2	T-20
T6F10SD075SS	10 X 3/4	T-20
T6F10SD100SS	10 X 1	T-20
T6F10SD125SS	10 X 1-1/4	T-20
T6F10SD150SS	10 X 1-1/2	T-20
T6F10SD200SS	10 X 2	T-20
T6F12SD100SS	12 X 1	T-25
T6F12SD150SS	12 X 1-1/2	T-25
T6F25SD075SS	14 X 3/4	T-27
T6F25SD100SS	14 X 1	T-27
T6F25SD150SS	14 X 1-1/2	T-27
T6F25SD200SS	14 X 2	T-27
T6F25SD300SS	14 X 3	T-27

Flat Head 6 Lobe Self Drill

STEEL ZINC PLATED



PART NO.	SIZE	DRIVE SIZE
T6F8SD050SZ	8 X 1/2	T-15
T6F8SD075SZ	8 X 3/4	T-15
T6F8SD100SZ	8 X 1	T-15
T6F8SD125SZ	8 X 1-1/4	T-15
T6F8SD150SZ	8 X 1-1/2	T-15
T6F10SD050SZ	10 X 1/2	T-20
T6F10SD075SZ	10 X 3/4	T-20
T6F10SD100SZ	10 X 1	T-20
T6F10SD150SZ	10 X 1-1/2	T-20
T6F10SD200SZ	10 X 2	T-20
T6F25SD100SZ	14 X 1	T-27
T6F25SD150SZ	14 X 1-1/2	T-27
T6F25SD200SZ	14 X 2	T-27

TOOLS TT and TTL bits p.8 · KTT keys p.9 · HDTT hand drivers p.10 · T6TK bit set and TTKK key kit p.11. 6 Lobe Security is the drive commonly known as Torx®; Torx® security bits of the listed size fit these screws.

6 Lobe Masonry Screws

Button Head 6 Lobe Masonry Screw



PART NO.	SIZE	DRIVE SIZE
S25K125BZ	1/4 X 1-1/4	T-27
S25K175BZ	1/4 X 1-3/4	T-27
S25K225BZ	1/4 X 2-1/4	T-27
S25K275BZ	1/4 X 2-3/4	T-27

Flat Head 6 Lobe Masonry Screw



PART NO.	SIZE	DRIVE SIZE
S25K125FZ	1/4 X 1-1/4	T-27
S25K175FZ	1/4 X 1-3/4	T-27
S25K225FZ	1/4 X 2-1/4	T-27
S25K275FZ	1/4 X 2-3/4	T-27

TOOLS TT25 and TT27 bits p.8 · KTT27 key p.9 · HDTT27 driver p.10 · T6TK bit set p.11

6 Lobe Security Masonry Screws are the best solution when needed in masonry such as concrete, brick, or hollow brick. It is the perfect combination of Tamper-Resistant security, superior quality and easy installation. Its high and sharp thread taps securely and easily into masonry. Its notched cutting edge and alternating low thread makes driving fast and accurate. A Stalgard finish provides superior corrosion resistance. Typically, fasteners with a Stalgard coated finish show no red rust or other base material corrosion on significant surfaces even after 800 hours of 5% neutral salt spray exposure (ASTMB117). Torx® is a registered trademark of Acument Global Technologies.

Button Hex Socket Cap Screws

18/8 STAINLESS STEEL



PART NO.	SIZE	DRIVE SIZE
THB6C037SS	6-32 X 3/8	1/8
THB6C050SS	6-32 X 1/2	1/8
THB6C075SS	6-32 X 3/4	1/8
THB6C100SS	6-32 X 1	1/8
THB6C150SS	6-32 X 1-1/2	1/8
THB8C037SS	8-32 X 3/8	5/32
THB8C050SS	8-32 X 1/2	5/32
THB8C075SS	8-32 X 3/4	5/32
THB8C100SS	8-32 X 1	5/32
THB8C150SS	8-32 X 1-1/2	5/32
THB10C050SS	10-24 X 1/2	5/32
THB10C062SS	10-24 X 5/8	5/32
THB10C075SS	10-24 X 3/4	5/32
THB10C100SS	10-24 X 1	5/32
THB10C125SS	10-24 X 1-1/4	5/32
THB10C150SS	10-24 X 1-1/2	5/32
THB10F037SS	10-32 X 3/8	5/32
THB10F050SS	10-32 X 1/2	5/32
THB10F075SS	10-32 X 3/4	5/32
THB10F100SS	10-32 X 1	5/32
THB10F150SS	10-32 X 1-1/2	5/32

PART NO.	SIZE	DRIVE SIZE
THB25C050SS	1/4-20 X 1/2	5/32
THB25C075SS	1/4-20 X 3/4	5/32
THB25C100SS	1/4-20 X 1	5/32
THB25C125SS	1/4-20 X 1-1/4	5/32
THB25C150SS	1/4-20 X 1-1/2	5/32
THB25C200SS	1/4-20 X 2	5/32
THB25C300SS	1/4-20 X 3	5/32
THB31C050SS	5/16-18 X 1/2	3/16
THB31C075SS	5/16-18 X 3/4	3/16
THB31C100SS	5/16-18 X 1	3/16
THB31C150SS	5/16-18 X 1-1/2	3/16
THB31C200SS	5/16-18 X 2	3/16
THB37C050SS	3/8-16 X 1/2	7/32
THB37C075SS	3/8-16 X 3/4	7/32
THB37C100SS	3/8-16 X 1	7/32
THB37C125SS	3/8-16 X 1-1/4	7/32
THB37C150SS	3/8-16 X 1-1/2	7/32
THB37C200SS	3/8-16 X 2	7/32
THB37C250SS	3/8-16 X 2-1/2	7/32
THB37C300SS	3/8-16 X 3	7/32
THB37C400SS	3/8-16 X 4	7/32

TOOLS THB bits p.8 · THK keys p.9 · MHD1/4 magnetic driver p.10 · THBK kit p.11

These screws are commonly ordered as machine screws, and most buyers ask for them that way. Under Industrial Fasteners Institute standards the correct term is cap screw: the head, thread and length dimensions are held to cap screw tolerances. Threads and fit are unaffected by the name.

Button Hex Socket Cap Screws

ALLOY BLACK OXIDE



PART NO.	SIZE	DRIVE SIZE	PART NO.	SIZE	DRIVE SIZE
THB6C037AB	6-32 X 3/8	1/8	THB25C050AB	1/4-20 X 1/2	5/32
THB6C050AB	6-32 X 1/2	1/8	THB25C062AB	1/4-20 X 5/8	5/32
THB6C075AB	6-32 X 3/4	1/8	THB25C075AB	1/4-20 X 3/4	5/32
THB8C037AB	8-32 X 3/8	5/32	THB25C100AB	1/4-20 X 1	5/32
THB8C050AB	8-32 X 1/2	5/32	THB25C125AB	1/4-20 X 1-1/4	5/32
THB8C075AB	8-32 X 3/4	5/32	THB25C150AB	1/4-20 X 1-1/2	5/32
THB10C050AB	10-24 X 1/2	5/32	THB25C200AB	1/4-20 X 2	5/32
THB10C062AB	10-24 X 5/8	5/32	THB31C050AB	5/16-18 X 1/2	3/16
THB10C075AB	10-24 X 3/4	5/32	THB31C075AB	5/16-18 X 3/4	3/16
THB10C100AB	10-24 X 1	5/32	THB31C100AB	5/16-18 X 1	3/16
THB10F037AB	10-32 X 3/8	5/32	THB31C150AB	5/16-18 X 1-1/2	3/16
THB10F050AB	10-32 X 1/2	5/32	THB31C200AB	5/16-18 X 2	3/16
THB10F075AB	10-32 X 3/4	5/32	THB37C075AB	3/8-16 X 3/4	7/32
THB10F100AB	10-32 X 1	5/32	THB37C100AB	3/8-16 X 1	7/32

TOOLS THB bits p.8 · THK keys p.9 · MHD1/4 magnetic driver p.10 · THBK kit p.11

These screws are commonly ordered as machine screws, and most buyers ask for them that way. Under Industrial Fasteners Institute standards the correct term is cap screw: the head, thread and length dimensions are held to cap screw tolerances. Threads and fit are unaffected by the name.

Flat Hex Socket Cap Screws

18/8 Stainless Steel



PART NO.	SIZE	DRIVE SIZE
THF6C037SS	6-32 X 3/8	1/8
THF6C050SS	6-32 X 1/2	1/8
THF6C075SS	6-32 X 3/4	1/8
THF6C100SS	6-32 X 1	1/8
THF8C037SS	8-32 X 3/8	5/32
THF8C050SS	8-32 X 1/2	5/32
THF8C075SS	8-32 X 3/4	5/32
THF8C100SS	8-32 X 1	5/32
THF10C037SS	10-24 X 3/8	5/32
THF10C050SS	10-24 X 1/2	5/32
THF10C075SS	10-24 X 3/4	5/32
THF10C100SS	10-24 X 1	5/32
THF10C150SS	10-24 X 1-1/2	5/32
THF10F037SS	10-32 X 3/8	5/32
THF10F050SS	10-32 X 1/2	5/32
THF10F075SS	10-32 X 3/4	5/32
THF10F100SS	10-32 X 1	5/32
THF10F150SS	10-32 X 1-1/2	5/32
THF25C050SS	1/4-20 X 1/2	5/32
THF25C075SS	1/4-20 X 3/4	5/32
THF25C100SS	1/4-20 X 1	5/32
THF25C125SS	1/4-20 X 1-1/4	5/32
THF25C150SS	1/4-20 X 1-1/2	5/32
THF25C200SS	1/4-20 X 2	5/32
THF25C225SS	1/4-20 X 2-1/4	5/32
THF25C300SS	1/4-20 X 3	5/32
THF31C075SS	5/16-18 X 3/4	3/16
THF31C100SS	5/16-18 X 1	3/16
THF37C075SS	3/8-16 X 3/4	7/32
THF37C100SS	3/8-16 X 1	7/32

Alloy Black Oxide



PART NO.	SIZE	DRIVE SIZE
THF6C025AB	6-32 X 1/4	1/8
THF6C037AB	6-32 X 3/8	1/8
THF6C050AB	6-32 X 1/2	1/8
THF6C075AB	6-32 X 3/4	1/8
THF8C050AB	8-32 X 1/2	5/32
THF10C050AB	10-24 X 1/2	5/32
THF10C075AB	10-24 X 3/4	5/32
THF10F075AB	10-32 X 3/4	5/32
THF25C050AB	1/4-20 X 1/2	5/32
THF25C075AB	1/4-20 X 3/4	5/32
THF25C100AB	1/4-20 X 1	5/32
THF25C200AB	1/4-20 X 2	5/32
THF31C075AB	5/16-18 X 3/4	3/16
THF37C075AB	3/8-16 X 3/4	7/32

TOOLS THB bits p.8 · THK keys p.9 · MHD1/4 magnetic driver p.10 · THBK kit p.11

These screws are commonly ordered as machine screws, and most buyers ask for them that way. Under Industrial Fasteners Institute standards the correct term is cap screw: the head, thread and length dimensions are held to cap screw tolerances. Threads and fit are unaffected by the name.

Button Hex Socket Sheet Metal Screw

18/8 Stainless Steel



PART NO.	SIZE	DRIVE SIZE
THB6X037SS	6 X 3/8	1/8
THB6X050SS	6 X 1/2	1/8
THB6X075SS	6 X 3/4	1/8
THB6X100SS	6 X 1	1/8
THB6X150SS	6 X 1-1/2	1/8
THB8X037SS	8 X 3/8	5/32
THB8X050SS	8 X 1/2	5/32
THB8X075SS	8 X 3/4	5/32
THB8X100SS	8 X 1	5/32
THB8X125SS	8 X 1-1/4	5/32
THB8X150SS	8 X 1-1/2	5/32

PART NO.	SIZE	DRIVE SIZE
THB8X200SS	8 X 2	5/32
THB10X050SS	10 X 1/2	5/32
THB10X075SS	10 X 3/4	5/32
THB10X100SS	10 X 1	5/32
THB10X150SS	10 X 1-1/2	5/32
THB25X050SS	14 X 1/2	5/32
THB25X075SS	14 X 3/4	5/32
THB25X100SS	14 X 1	5/32
THB25X125SS	14 X 1-1/4	5/32
THB25X150SS	14 X 1-1/2	5/32
THB25X200SS	14 X 2	5/32

TOOLS THB bits p.8 · THK keys p.9 · MHD1/4 magnetic driver p.10 · THBK kit p.11

Flat Hex Socket Sheet Metal Screw

18/8 Stainless Steel



PART NO.	SIZE	DRIVE SIZE	PART NO.	SIZE	DRIVE SIZE
THF6X050SS	6 X 1/2	1/8	THF10X100SS	10 X 1	5/32
THF6X075SS	6 X 3/4	1/8	THF10X150SS	10 X 1-1/2	5/32
THF6X100SS	6 X 1	1/8	THF10X200SS	10 X 2	5/32
THF8X075SS	8 X 3/4	5/32	THF25X075SS	14 X 3/4	5/32
THF8X100SS	8 X 1	5/32	THF25X125SS	14 X 1-1/4	5/32
THF8X150SS	8 X 1-1/2	5/32	THF25X150SS	14 X 1-1/2	5/32
THF10X050SS	10 X 1/2	5/32	THF25X200SS	14 X 2	5/32
THF10X075SS	10 X 3/4	5/32			

TOOLS THB bits p.8 · THK keys p.9 · MHD1/4 magnetic driver p.10 · THBK kit p.11

Pan Spanner

Machine Screw

18/8 STAINLESS STEEL



PART NO.	SIZE
SPP6C037SS	6-32 X 3/8
SPP6C050SS	6-32 X 1/2
SPP6C062SS	6-32 X 5/8
SPP6C075SS	6-32 X 3/4
SPP6C100SS	6-32 X 1
SPP6C125SS	6-32 X 1-1/4
SPP6C150SS	6-32 X 1-1/2
SPP6C200SS	6-32 X 2
SPP8C037SS	8-32 X 3/8
SPP8C050SS	8-32 X 1/2
SPP8C062SS	8-32 X 5/8
SPP8C075SS	8-32 X 3/4
SPP8C100SS	8-32 X 1
SPP8C125SS	8-32 X 1-1/4

PART NO.	SIZE
SPP8C150SS	8-32 X 1-1/2
SPP8C200SS	8-32 X 2
SPP10C037SS	10-24 X 3/8
SPP10C050SS	10-24 X 1/2
SPP10C062SS	10-24 X 5/8
SPP10C075SS	10-24 X 3/4
SPP10C100SS	10-24 X 1
SPP10C125SS	10-24 X 1-1/4
SPP10C150SS	10-24 X 1-1/2
SPP10C200SS	10-24 X 2
SPP10F037SS	10-32 X 3/8
SPP10F050SS	10-32 X 1/2
SPP10F062SS	10-32 X 5/8
SPP10F075SS	10-32 X 3/4

PART NO.	SIZE
SPP10F100SS	10-32 X 1
SPP10F125SS	10-32 X 1-1/4
SPP10F150SS	10-32 X 1-1/2
SPP10F200SS	10-32 X 2
SPP12C050SS	12-24 X 1/2
SPP12C075SS	12-24 X 3/4
SPP25C050SS	1/4-20 X 1/2
SPP25C062SS	1/4-20 X 5/8
SPP25C075SS	1/4-20 X 3/4
SPP25C100SS	1/4-20 X 1
SPP25C125SS	1/4-20 X 1-1/4
SPP25C150SS	1/4-20 X 1-1/2
SPP25C200SS	1/4-20 X 2

Sheet Metal Screw

18/8 STAINLESS STEEL



PART NO.	SIZE
SPP6A025SS	6 X 1/4
SPP6A037SS	6 X 3/8
SPP6A050SS	6 X 1/2
SPP6A062SS	6 X 5/8
SPP6A075SS	6 X 3/4
SPP6A100SS	6 X 1
SPP6A125SS	6 X 1-1/4
SPP6A150SS	6 X 1-1/2
SPP8A075SS	8 X 3/4
SPP8A100SS	8 X 1
SPP8A125SS	8 X 1-1/4

PART NO.	SIZE
SPP8A150SS	8 X 1-1/2
SPP8A200SS	8 X 2
SPP10A050SS	10 X 1/2
SPP10A062SS	10 X 5/8
SPP10A075SS	10 X 3/4
SPP10A100SS	10 X 1
SPP10A125SS	10 X 1-1/4
SPP10A150SS	10 X 1-1/2
SPP10A200SS	10 X 2
SPP12A050SS	12 X 1/2
SPP12A075SS	12 X 3/4

PART NO.	SIZE
SPP12A100SS	12 X 1
SPP12A125SS	12 X 1-1/4
SPP12A0150SS	12 X 1-1/2
SPP12A200SS	12 X 2
SPP25A050SS	14 X 1/2
SPP25A075SS	14 X 3/4
SPP25A125SS	14 X 1-1/4
SPP25A150SS	14 X 1-1/2
SPP25A200SS	14 X 2

TOOLS 1/4SP bits p.8 · SPD hand drivers p.10 · MSPK1/4-F kit p.11

Flat Spanner

MACHINE SCREW · 18/8 STAINLESS STEEL



PART NO.	SIZE	PART NO.	SIZE	PART NO.	SIZE
SPF6C037SS	6-32 X 3/8	SPF8C150SS	8-32 X 1-1/2	SPF10F100SS	10-32 X 1
SPF6C050SS	6-32 X 1/2	SPF8C200SS	8-32 X 2	SPF10F125SS	10-32 X 1-1/4
SPF6C062SS	6-32 X 5/8	SPF10C037SS	10-24 X 3/8	SPF10F150SS	10-32 X 1-1/2
SPF6C075SS	6-32 X 3/4	SPF10C050SS	10-24 X 1/2	SPF10F200SS	10-32 X 2
SPF6C100SS	6-32 X 1	SPF10C062SS	10-24 X 5/8	SPF25C050SS	1/4-20 X 1/2
SPF6C125SS	6-32 X 1-1/4	SPF10C075SS	10-24 X 3/4	SPF25C062SS	1/4-20 X 5/8
SPF6C150SS	6-32 X 1-1/2	SPF10C100SS	10-24 X 1	SPF25C075SS	1/4-20 X 3/4
SPF6C200SS	6-32 X 2	SPF10C125SS	10-24 X 1-1/4	SPF25C100SS	1/4-20 X 1
SPF8C037SS	8-32 X 3/8	SPF10C150SS	10-24 X 1-1/2	SPF25C125SS	1/4-20 X 1-1/4
SPF8C050SS	8-32 X 1/2	SPF10C200SS	10-24 X 2	SPF25C150SS	1/4-20 X 1-1/2
SPF8C062SS	8-32 X 5/8	SPF10F037SS	10-32 X 3/8	SPF25C200SS	1/4-20 X 2
SPF8C075SS	8-32 X 3/4	SPF10F050SS	10-32 X 1/2	SPF25C225SS	1/4-20 X 2-1/4
SPF8C100SS	8-32 X 1	SPF10F062SS	10-32 X 5/8	SPF25C250SS	1/4-20 X 2-1/2
SPF8C125SS	8-32 X 1-1/4	SPF10F075SS	10-32 X 3/4		

Flat Undercut Spanner

MACHINE SCREW · 18/8 STAINLESS STEEL

PART NO.	SIZE
SPF8C025USS	8-32 X 1/4
SPF8C050USS	8-32 X 1/2
SPF10C050USS	10-24 X 1/2
SPF10F050USS	10-32 X 1/2
SPF12C050USS	12-24 X 1/2
SPF12C062USS	12-24 X 5/8
SPF12C07USS	12-24 X 3/4

TOOLS 1/4SP bits p.8 · SPD hand drivers p.10 · MSPK1/4-F kit p.11

Flat & Oval Spanner

Flat Spanner

SHEET METAL SCREW · 18/8 STAINLESS STEEL



PART NO.	SIZE
SPF6A037SS	6 X 3/8
SPF6A050SS	6 X 1/2
SPF6A062SS	6 X 5/8
SPF6A075SS	6 X 3/4
SPF6A100SS	6 X 1
SPF6A125SS	6 X 1-1/4
SPF6A150SS	6 X 1-1/2
SPF8A050SS	8 X 1/2
SPF8A062SS	8 X 5/8
SPF8A075SS	8 X 3/4
SPF8A100SS	8 X 1

PART NO.	SIZE
SPF8A125SS	8 X 1-1/4
SPF8A150SS	8 X 1-1/2
SPF8A200SS	8 X 2
SPF10A050USS	10 X 1/2 (Undercut)
SPF10A062SS	10 X 5/8
SPF10A075SS	10 X 3/4
SPF10A100SS	10 X 1
SPF10A150SS	10 X 1-1/2
SPF10A200SS	10 X 2
SPF12A050SS	12 X 1/2
SPF12A075SS	12 X 3/4

PART NO.	SIZE
SPF12A100SS	12 X 1
SPF12A125SS	12 X 1-1/4
SPF12A150SS	12 X 1-1/2
SPF12A200SS	12 X 2
SPF25A075SS	14 X 3/4
SPF25A100SS	14 X 1
SPF25A125SS	14 X 1-1/4
SPF25A150SS	14 X 1-1/2
SPF25A200SS	14 X 2

Oval Spanner

MACHINE SCREW · 18/8 STAINLESS STEEL



PART NO.	SIZE
SPV6C031USS	6-32 X 5/16 (Undercut)
SPV6C037SS	6-32 X 3/8
SPV6C050SS	6-32 X 1/2
SPV6C075SS	6-32 X 3/4
SPV6C100SS	6-32 X 1
SPV8C050SS	8-32 X 1/2
SPV8C075SS	8-32 X 3/4
SPV8C100SS	8-32 X 1
SPV8C125SS	8-32 X 1-1/4
SPV8C150SS	8-32 X 1-1/2

PART NO.	SIZE
SPV8C200SS	8-32 X 2
SPV10C050SS	10-24 X 1/2
SPV10C075SS	10-24 X 3/4
SPV10C100SS	10-24 X 1
SPV10C125SS	10-24 X 1-1/4
SPV10C150SS	10-24 X 1-1/2
SPV10F050SS	10-32 X 1/2
SPV10F075SS	10-32 X 3/4
SPV10F100SS	10-32 X 1
SPV10F150SS	10-32 X 1-1/2

TOOLS 1/4SP bits p.8 · SPD hand drivers p.10 · MSPK1/4-F kit p.11

Trigroove Screws

Machine Screw

STEEL ZINC PLATED



PART NO.	SIZE	PART NO.	SIZE	PART NO.	SIZE
TR6C037SZ	6-32 X 3/8	TR8C150SZ	8-32 X 1-1/2	TR10F100SZ	10-32 X 1
TR6C050SZ	6-32 X 1/2	TR10C037SZ	10-24 X 3/8	TR10F125SZ	10-32 X 1-1/4
TR6C062SZ	6-32 X 5/8	TR10C050SZ	10-24 X 1/2	TR10F150SZ	10-32 X 1-1/2
TR6C075SZ	6-32 X 3/4	TR10C062SZ	10-24 X 5/8	TR25C050SZ	1/4-20 X 1/2
TR8C037SZ	8-32 X 3/8	TR10C100SZ	10-24 X 1	TR25C062SZ	1/4-20 X 5/8
TR8C050SZ	8-32 X 1/2	TR10C125SZ	10-24 X 1-1/4	TR25C075SZ	1/4-20 X 3/4
TR8C062SZ	8-32 X 5/8	TR10C150SZ	10-24 X 1-1/2	TR25C100SZ	1/4-20 X 1
TR8C075SZ	8-32 X 3/4	TR10F037SZ	10-32 X 3/8	TR25C150SZ	1/4-20 X 1-1/2
TR8C100SZ	8-32 X 1	TR10F050SZ	10-32 X 1/2	TR25C200SZ	1/4-20 X 2
TR8C125SZ	8-32 X 1-1/4	TR10F062SZ	10-32 X 5/8	TR25C250SZ	1/4-20 X 2-1/2

Sheet Metal Screw

STEEL ZINC PLATED



PART NO.	SIZE	PART NO.	SIZE
TR6X050SZ	6 X 1/2	TR10X150SZ	10 X 1-1/2
TR6X075SZ	6 X 3/4	TR10X200SZ	10 X 2
TR6X100SZ	6 X 1	TR12X075SZ	12 X 3/4
TR8X050SZ	8 X 1/2	TR12X100SZ	12 X 1
TR8X075SZ	8 X 3/4	TR12X125SZ	12 X 1-1/4
TR8X100SZ	8 X 1	TR12X150SZ	12 X 1-1/2
TR8X150SZ	8 X 1-1/2	TR25X075SZ	14 X 3/4
TR10X050SZ	10 X 1/2	TR25X100SZ	14 X 1
TR10X075SZ	10 X 3/4	TR25X125SZ	14 X 1-1/4
TR10X100SZ	10 X 1	TR25X150SZ	14 X 1-1/2
TR10X125SZ	10 X 1-1/4		

TOOLS TRS04–TRS10 sockets p.9 · TRIH-1 handle p.10 · TRBH20 kit p.11

Round One Way Screws

Machine Screw

STEEL ZINC PLATED



PART NO.	SIZE
1R6C050SZ	6-32 X 1/2
1R6C075SZ	6-32 X 3/4
1R6C100SZ	6-32 X 1
1R6C150SZ	6-32 X 1-1/2
1R8C050SZ	8-32 X 1/2
1R8C075SZ	8-32 X 3/4
1R8C100SZ	8-32 X 1
1R8C125SZ	8-32 X 1-1/4
1R8C150SZ	8-32 X 1-1/2
1R10C050SZ	10-24 X 1/2
1R10C075SZ	10-24 X 3/4
1R10C100SZ	10-24 X 1

PART NO.	SIZE
1R10C150SZ	10-24 X 1-1/2
1R10F050SZ	10-32 X 1/2
1R10F075SZ	10-32 X 3/4
1R10F100SZ	10-32 X 1
1R10F150SZ	10-32 X 1-1/2
1R25C050SZ	1/4-20 X 1/2
1R25C075SZ	1/4-20 X 3/4
1R25C100SZ	1/4-20 X 1
1R25C150SZ	1/4-20 X 1-1/2
1R25C200SZ	1/4-20 X 2
1R25C300SZ	1/4-20 X 3

Sheet Metal Screw

STEEL ZINC PLATED



PART NO.	SIZE
1R6A037SZ	6 X 3/8
1R6A050SZ	6 X 1/2
1R6A062SZ	6 X 5/8
1R6A075SZ	6 X 3/4
1R6A100SZ	6 X 1
1R8A037SZ	8 X 3/8
1R8A050SZ	8 X 1/2
1R8A075SZ	8 X 3/4
1R8A100SZ	8 X 1
1R8A125SZ	8 X 1-1/4
1R8A150SZ	8 X 1-1/2

PART NO.	SIZE
1R8A200SZ	8 X 2
1R10A050SZ	10 X 1/2
1R10A075SZ	10 X 3/4
1R10A100SZ	10 X 1
1R10A125SZ	10 X 1-1/4
1R10A150SZ	10 X 1-1/2
1R10A200SZ	10 X 2
1R12A050SZ	12 X 1/2
1R12A075SZ	12 X 3/4
1R12A100SZ	12 X 1
1R12A125SZ	12 X 1-1/4

PART NO.	SIZE
1R12A150SZ	12 X 1-1/2
1R12A200SZ	12 X 2
1R25A050SZ	14 X 1/2
1R25A075SZ	14 X 3/4
1R25A100SZ	14 X 1
1R25A150SZ	14 X 1-1/2
1R25A200SZ	14 X 2
1R25A250SZ	14 X 2-1/2
1R25A300SZ	14 X 3

TOOLS Installs with a flat blade driver · SSTM removal tool p.10

Security Nuts

Trigroove Nut

ZAMAK 5 ZINC ALLOY



PART NO.	SIZE	SOCKET SIZE
ZTRN10C	10-24	TRS 20
ZTRN10F	10-32	TRS 20
ZTRN14C	1/4-20	TRS 20
ZTRN31C	5/16-18	TRS 30
ZTRN37C	3/8-16	TRS 30
ZTRN50C	1/2-13	TRS 40
ZTRN62C	5/8-11	TRS 40
ZTRNM6C	6MM X 1.0	TRS 30
ZTRNM8C	8MM X 1.25	TRS 30
ZTRNM10C	10MM X 1.50	TRS 40

Break-Away Nut

ZAMAK 5 ZINC ALLOY



PART NO.	SIZE	DRIVE SIZE
ZNB10C	10-24	7/16
ZNB14C	1/4-20	9/16
ZNB31C	5/16-18	5/8
ZNB37C	3/8-16	3/4
ZNB50C	1/2-13	1
ZNB62C	5/8-11	1-1/8
ZNBM6C	M6 X 1.0	9/16
ZNBM8C	M8 X 1.25	5/8
ZNBM10C	M10 X 1.5	3/4
ZNBM12C	M12 X 1.75	1

Trigroove Nut

316 STAINLESS STEEL



PART NO.	SIZE	SOCKET SIZE
SSTRN25C	1/4-20	TRS 20
SSTRN31C	5/16-18	TRS 30
SSTRN37C	3/8-16	TRS 30
SSTRN50C	1/2-13	TRS 40

Break-Away Nut

304 STAINLESS STEEL



PART NO.	SIZE	DRIVE SIZE
SSNB25C	1/4-20	9/16
SSNB31C	5/16-18	5/8
SSNB37C	3/8-16	3/4
SSNB50C	1/2-13	1
SSNB62C	5/8-11	1-1/8

TOOLS TRS20–TRS40 sockets p.9 · TRIH-2 handle p.10 · Break-Away nuts take a standard wrench

Materials & Strength

TYPICAL PROPERTIES BY FAMILY

Mechanical Properties

MATERIAL	TENSILE PSI	HARDNESS	CORROSION
18-8 Stainless	70,000 - 90,000	Rb 80 - 95	Excellent
410 Stainless, hardened	150,000 - 180,000	Rc 38 - 45	Good
Alloy 4037, heat treated	170,000 - 180,000	Rc 38 - 43	Plating only
Steel 1018/1022, case hard.	60,000 - 80,000	Rc 45 min. case	Plating only
Case hardened, Stalgard	120,000 - 140,000	Rc 50 - 55 case	800 hr salt spray
Zamak 5 zinc alloy	47,600	91 BHN	Rust proof
304 / 316 Stainless	75,000	201 BHN max.	Excellent

Where Each Material Is Used

MATERIAL	FAMILIES
18-8 Stainless	6 Lobe, Hex Socket, all Spanner
410 Stainless	Self drill screws
Alloy 4037	Alloy zinc and black oxide caps
Steel 1018/1022	Sheet metal, Trigroove, One Way
Stalgard coated	Masonry screws
Zamak 5	Trigroove and Break-Away nuts
304 / 316 Stainless	Stainless nuts

Specifying Stainless

18-8 is the default for outdoor, coastal and wash-down work. It will not rust, but it is softer than alloy steel: hold to the torque values on the next page and do not use it to force a tight thread. Self drill screws are 410 stainless because the point has to be hard enough to cut, which trades away some corrosion resistance.

Specifying Alloy and Plated Steel

Alloy 4037 carries roughly twice the load of 18-8 at the same size and is the right call for structural joints, with zinc or black oxide for corrosion. Case hardened carbon steel is used where the screw forms its own thread. Both rely on the plating, so avoid them in standing water or salt.

Values are typical for the sizes stocked and are given for comparison only. They are not a substitute for a certified test report; ask for certs at time of order when your specification calls for them. Plated steel parts are supplied with a chromate seal unless otherwise agreed.

Installation Torque

RECOMMENDED SEATING VALUES

Machine and Cap Screws

INCH-POUNDS

THREAD SIZE	18-8 STAINLESS	ALLOY STEEL	THREAD SIZE	18-8 STAINLESS	ALLOY STEEL
4-40	5	9	1/4-20	75	132
6-32	10	17	5/16-18	132	264
8-32	20	31	3/8-16	236	456
10-24	23	38	1/2-13	517	1104
10-32	32	43			


Tapping, Sheet Metal and Self Drill

INCH-POUNDS, MAXIMUM DRIVING TORQUE


SCREW SIZE	INTO SHEET STEEL	INTO ALUMINUM OR PLASTIC
6	20	12
8	35	20
10	45	28
12	60	35
14	80	45

Dry, unlubricated values for clean threads in a full strength internal thread. Reduce by about a quarter on lubricated or freshly plated threads, and by more in soft or thin materials. Security drives engage less of the head than standard drives: with pin in 6 lobe and pin in hex the pin is the weak point, so drive to the lower of the two limits and stop. A stripped security seat cannot be re-driven. Break-Away nuts need no torque setting; run them up until the hex shears off.

6 Lobe Head Dimensions



BUTTON HEAD



FLAT HEAD


Button Head

NOMINAL SIZE	BASIC SCREW DIA.	HEAD DIA. MAX	HEAD DIA. MIN	HEAD HT. MAX	HEAD HT. MIN	DRIVE SIZE
4	0.1120	0.213	0.201	0.059	0.051	T-8
6	0.1380	0.262	0.250	0.073	0.063	T-10
8	0.1640	0.312	0.298	0.087	0.077	T-15
10	0.1900	0.361	0.347	0.101	0.091	T-25
1/4	0.2500	0.437	0.419	0.132	0.122	T-27
5/16	0.3125	0.547	0.527	0.166	0.152	T-40
3/8	0.3750	0.656	0.636	0.199	0.185	T-45
1/2	0.5000	1.000	0.970	0.265	0.245	T-55

Flat Head

NOMINAL SIZE	BASIC SCREW DIA.	THEORETICAL SHARP MAX	ABSOLUTE MIN	HEAD HT. REFERENCE	FLUSHNESS TOLERANCE	DRIVE SIZE
4	0.1120	0.255	0.218	0.083	0.011	T-10
6	0.1380	0.307	0.263	0.097	0.013	T-15
8	0.1640	0.359	0.311	0.112	0.014	T-20
10	0.1900	0.411	0.359	0.127	0.015	T-25
1/4	0.2500	0.531	0.480	0.161	0.016	T-30
5/16	0.3125	0.656	0.600	0.198	0.017	T-40
3/8	0.3750	0.781	0.720	0.234	0.018	T-45

Hex Socket Head Dimensions




Button Head

NOMINAL SIZE	BASIC SCREW DIA.	HEAD DIA. MAX	HEAD DIA. MIN	HEAD HT. MAX	HEAD HT. MIN	HEX SIZE
4	0.1120	0.213	0.201	0.059	0.051	3/32
6	0.1380	0.262	0.250	0.073	0.063	1/8
8	0.1640	0.312	0.298	0.087	0.077	5/32
10	0.1900	0.361	0.347	0.101	0.091	5/32
1/4	0.2500	0.437	0.419	0.132	0.122	5/32
5/16	0.3125	0.547	0.527	0.166	0.152	3/16
3/8	0.3750	0.656	0.636	0.199	0.185	7/32

Flat Head

NOMINAL SIZE	BASIC SCREW DIA.	THEORETICAL SHARP MAX	ABSOLUTE MIN	HEAD HT. REFERENCE	FLUSHNESS TOLERANCE	HEX SIZE
4	0.1120	0.255	0.218	0.083	0.011	3/32
6	0.1380	0.307	0.263	0.097	0.013	1/8
8	0.1640	0.359	0.311	0.112	0.014	5/32
10	0.1900	0.411	0.359	0.127	0.015	5/32
1/4	0.2500	0.531	0.480	0.161	0.016	5/32
5/16	0.3125	0.656	0.600	0.198	0.017	3/16
3/8	0.3750	0.781	0.720	0.234	0.018	7/32

Security Nut Dimensions



Trigroove

NUT SIZE	SOCKET SIZE	BOTTOM DIAM. (A)	TOP DIAM. (B)	HEIGHT RANGE (C)
10-24	TRS20	.446	.661	.260 / .270
10-32	TRS20	.446	.661	.260 / .270
1/4-20	TRS20	.446	.661	.260 / .270
5/16-18	TRS30	.542	.830	.340 / .350
3/8-16	TRS30	.542	.830	.340 / .350
1/2-13	TRS40	.662	.945	.345 / .355
6MM X 1.0	TRS20	.446	.661	.260 / .270
8MM X 1.25	TRS30	.542	.830	.340 / .350
10MM X 1.5	TRS40	.662	.945	.345 / .355

Break-Away

SHEARS OFF ABOVE THE NUT

THREAD (D)	BOTTOM DIAM. (E)	OVERALL HEIGHT (F)	NUT HEIGHT (G)	HEX (H)
10-24	0.4375	0.390	0.180	7/16"
1/4-20	0.5625	0.470	0.220	9/16"
5/16-18	0.6250	0.500	0.220	5/8"
3/8-16	0.7500	0.580	0.250	3/4"
1/2-13	1.0000	0.750	0.350	1"
5/8-11	1.1250	0.800	0.370	1-1/8"
M6 X 1.0	.5625	0.470	0.220	9/16"
M8 X 1.25	.6250	0.500	0.220	5/8"
M10 X 1.5	.7500	0.580	0.250	3/4"
M12 X 1.75	1.0000	0.750	0.350	1"

Part Number Index

HOW TO READ A SCREW & SUPPLY PART NUMBER

T6	B	10	F	125	SS
FAMILY & DRIVE	HEAD	DIAMETER	THREAD	LENGTH	FINISH

T6B10F125SS reads as 6 Lobe Security, button head, #10, 10-32 fine thread, 1-1/4 inch long, 18/8 stainless. A U before the finish means undercut. THB serves both the hex socket bit and the screw; the length and finish codes tell them apart.

FAMILY AND DRIVE

T6	6 Lobe Security screw, Torx® type
TH	Hex Socket Security screw
SP	Spanner screw
TR	Trigroove screw
1R	Round One Way screw
S..K..	Masonry screw
Z	Zamak 5 nut
SS	Stainless nut

HEAD STYLE

B	Button
F	Flat
P	Pan
V	Oval
R	Round

THREAD OR POINT

C	Coarse machine thread
F	Fine machine thread
A	Sheet metal, Type A
X	Sheet metal
SD	Self drill
U	Undercut head
K	Masonry

DIAMETER CODE

4 · 6 · 8	#4, #6, #8
10 · 12	#10, #12
25	1/4 or #14
31	5/16
37	3/8
50	1/2
62	5/8

LENGTH CODE

025 · 037	1/4, 3/8
050 · 062	1/2, 5/8
075 · 100	3/4, 1
125 · 150	1-1/4, 1-1/2
175 · 200	1-3/4, 2
250 · 300	2-1/2, 3

FINISH SUFFIX

SS	18/8 stainless, 410 on self drill
AZ	Alloy steel, zinc plated
AB	Alloy steel, black oxide
SZ	Steel, zinc plated
BZ · FZ	Masonry, button or flat head

TOOL PREFIX

TT / TTL	6 Lobe Security bit
KTT	6 Lobe Security key
HDTT	6 Lobe hand driver
SSTM	One way removal tool
THB	Hex Socket Security bit
THK	Hex Socket Security key
MHD / MSD	Magnetic hand driver
1/4SP	Spanner bit
SPD	Spanner hand driver
TRS / TRIH	Trigroove socket, handle

SCREW & SUPPLY, LLC

SECURITY FASTENER SPECIALISTS

Security fasteners. Secured by experience.

1712 CHURCH STREET
HOLBROOK, NY 11741
SCREWSUPPLY.COM

TOLL FREE (800) 223-1316
TEL (631) 567-2900 FAX (631) 567-3057
SALES@SCREWSUPPLY.COM

© 2026 SCREW & SUPPLY, LLC