Exercise 2

① Select Count(*) AS Total_employees
From employees_db;

Employees
10

② Select Sum(salary) AS total_salary
From employees_db
WHERE department = 'IT';

	Total_salary
	220 000

③ Select
AVG (Salary) AS Average_salary
FROM employee_db
WHERE department = 'HR';

Name	AvgSalary
	49500

4. Select MIN(Salary) AS lowest_salary
MAX(Salary) AS highest_salary
FROM employees_db;

lowest_salary	highest_salary
48 000	62 000

5.

```
select department, sum(Salary) AS total_Salary
FROM 'employees_db'
GROUP BY department;
```

Department	Total_Salary
IT	22 0000
Finance	119 000
HR	99 000
Marketing	105 000

6.

```
Select city, Count (*) AS employee_count
FROM 'employeedb'
GROUP BY city;
```

City	Employee Count
New York	2
Chicago	3
Los Angeles	2
San Francisco	2
Houston	1.

7.

```
Select department, AVG(Salary) AS AVG_Salary
FROM 'Employee_db'
GROUP BY department
ORDER BY AVG_Salary DESC;
```

Department	AVG_Salary
Finance	59500
IT	55000
Marketing	52500
HR	49500

8. Select department, Sum(Salary) AS total_salary
FROM 'employee_db'
GROUP BY department
HAVING SUM(Salary) > 100000;

department	total_salary
IT	220 000
Finance	119 000
Marketing	105 000

9. Select City, count(*) AS employee_count
FROM 'employee_db
GROUP BY City
HAVING COUNT(*) > 1

City	employee_count
New York	2
Chicago	3
Los Angele	2
San Francisco	2

10. Select department, AVG(Salary) AS Avg_Salary
FROM 'employee_db'
GROUP BY department
ORDER BY Avg_Salary DESC
LIMIT 1

Department	Avg_Salary
Finance	89500