



# *the magical menu*


LUNCH GENERATOR

MELINN PHIFER

## Colon Palette



## Imagery



# *Typography*

logo

*the magical menu*

————— Damion

LUNCH GENERATOR

————— Josefin Sans Light

website fonts

**HEADING**

————— Josefin Sans Bold

This is the body copy font.

————— Montserrat Regular

This is the body copy font.

This is the body copy font.

This is the body copy font.

This is the body copy font.


# *JavaScript Plan*

The goal of “The Magical Menu” is to have the website mimic a real restaurant menu but instead of a static menu, when the button is clicked, the options underneath “Appetizer”, “Main Course” and “Dessert” changes.

I will create an array for 10 different lunch options that will include an appetizer, main course and dessert for each option. Then, I will use a ‘For loop’ to randomize the 10 sets of lunch options from the array. After the lunches are randomized, I will add event listeners so that when the button “Surprise Me” is clicked - the randomized lunches will display text using innerHTML for the appetizer, mainCourse and dessert underneath the corresponding heading “Appetizer”, “Main Course” and “Dessert”.

# *the magical menu*

LUNCH GENERATOR



**APPETIZER**



**MAIN COURSE**



**DESSERT**


**SURPRISE ME!**

*Enjoy your meal!*

IF NOT, CLICK AGAIN!

# *the magical menu*

LUNCH GENERATOR



## **APPETIZER**

truffle fries



## **MAIN COURSE**

turkey sandwich



## **DESSERT**

buttercream cupcake


**SURPRISE ME!**

*Enjoy your meal!*

IF NOT, CLICK AGAIN!

# *the magical menu*

LUNCH GENERATOR



**APPETIZER**



**MAIN COURSE**



**DESSERT**


**SURPRISE ME!**

*Enjoy your meal!*

IF NOT, CLICK AGAIN!

# *the magical menu*

LUNCH GENERATOR



## **APPETIZER**

truffle fries



## **MAIN COURSE**

turkey sandwich



## **DESSERT**

buttercream cupcake

**SURPRISE ME!**

*Enjoy your meal!*

IF NOT, CLICK AGAIN!