9/4/22

Exercise 4.3 - MongoDB Shell

#### **User collection**

```
_id: ObjectId("6310968007ed4af7ce775960"),
Atlas atlas-whx0uc-shard-0 [primary] web335DB> db.users.find()
      id: ObjectId("6310968007ed4af7ce77595f"),
     firstName: 'Johann',
     lastName: 'Bach',
     employeeId: '1007',
     email: 'jbach@me.com
     dateCreated: ISODate("2022-09-01T11:24:48.464Z")
    _id: ObjectId("6310968007ed4af7ce775960"),
firstName: 'Ludwig',
lastName: 'Beethoven',
    employeeId: '1008',
email: 'lbeethoven@me.com',4af7ce775962"),
    dateCreated: ISODate("2022-09-01T11:24:48.464Z")
  },lastName: 'Brahms',
{ employeeId: '1010',
     _id: ObjectId("6310968007ed4af7ce775961"),
    firstName: 'Wolfgang',2022-09-01T11:24:48.464Z")
lastName: 'Mozart',
employeeId: '1009',
email: 'wmozart@me.com',7ed4af7ce775963"),
    dateCreated: ISODate("2022-09-01T11:24:48.464Z")
  },lastName: 'Wagner',
{ employeeId: '1011',
      _id: ObjectId("6310968007ed4af7ce775962"),
     firstName: 'Johannes',2022-09-01T11:24:48.464Z")
    lastName: 'Brahms',
employeeId: '1010',
email: 'jbrahms@me.com',7ed4af7ce775964"),
    dateCreated: ISODate("2022-09-01T11:24:48.464Z")
  },lastName: 'Debussy
Atlas atlas-whx0uc-shard-0 [primary] web335DB>
    _id: ObjectId("6310968007ed4af7ce775963"),
firstName: 'Richard',"2022-09-01T11:24:48.464Z")
lastName: 'Wagner',
employee'd: '1011',
employee'd: '1011',
     email: 'rwagner@me.com',primary] web335DB>
     dateCreated: ISODate("2022-09-01T11:24:48.464Z")
      _id: ObjectId("6310968007ed4af7ce775964"),
     firstName: 'Claude',
lastName: 'Debussy',
    employeeId: '1012',
```

# email address of jbach@me.com

## user first name Mozart

## user first name Richard

#### employeeId of 1010