PRODUCT REQUIREMENTS DOCUMENT

LifeNest

Minimum Viable Product (MVP)

A secure digital place to organise life's important information and make things easier for the people we love.

7 Nov 2026 · v0.1 Draft · [Your name]

This PRD plans a first, simplified version (MVP) of LifeNest: a private app where adults store important documents, asset details, instructions and trusted contacts, so that the right people can find this information if the user dies or can no longer manage their affairs. It follows the structure of the course PRD template. It is based on the LifeNest App Concept Document and describes a smaller app than the full concept.

Document details

Field	Answer
Product name	LifeNest (MVP)
Author(s)	[Your name], student no. [000000]
Course code and cohort	[Course code and cohort]
Facilitator / reviewer	[Facilitator name]
Link to original app idea	docs/idea.md in the repository (LifeNest App Concept Document)
GitHub repository	github.com/[your-username]/lifenest (sample link)
Version	v0.1
Status	Draft (see open questions in 13)

Change log

Version	Date	Section(s) changed	What changed	Regenerated?
v0.1	7 Nov 2026	All	First draft, written from the App Concept Document	None (nothing generated yet)

1. Product overview

1.1 Product name: LifeNest (MVP)

1.2 One-line pitch: LifeNest helps adults organise documents and instructions in one secure place so that loved ones can find them when needed. (21 words)

1.3 Problem statement: When someone dies or becomes unable to manage their affairs, their family often does not know which insurer, bank or medical aid to contact, or where the title deed and policy documents are kept. These details are scattered across emails, paper files, phones, filing cabinets and online accounts. Families lose weeks searching at an already painful time, and some policies or accounts are never found. People need one private place to record this information ahead of time, and a safe, checked way for a trusted person to receive it later.

1.4 Solution:

- Users create a secure account protected by a password and an app PIN.
- They upload important documents into clear categories and record their assets, policies, accounts and debts.
- They add up to 5 trusted contacts and choose what each person may see.

- They write practical instructions and personal messages for specific people.
- If the user dies or becomes incapacitated, a trusted contact can request access. Information is released only after an admin checks the proof and a 7-day waiting period passes without the user cancelling.

1.5 Platform: Android app, built and tested on Android first. iPhone and a web version are future features.

1.6 Vision: The most trusted way for South African families to prepare their practical affairs, so that nobody has to search for important information while grieving.

1.7 Key terms

Term	Exact meaning in this app
Vault	Everything one user stores in the app: documents, assets, instructions, messages, emergency profile and trusted contacts. One vault per user.
Owner	The user whose vault it is
Document	One uploaded file (PDF or photo) with a title and a category (BR1, BR2)
Asset	One record of something the owner has or owes: property, vehicle, policy, bank account, investment, debt or recurring payment (BR3)
Trusted contact	A person the owner invites who may receive some or all of the vault information later (BR4)
Access level	What a trusted contact may see: Emergency only, Selected sections or Full (BR5)
Instruction	Practical guidance the owner writes, such as where original documents are kept
Personal message	A private note the owner writes to one named trusted contact. Only that person can ever read it (BR5).
Emergency profile	A short page of emergency contacts and key provider details that Emergency-level contacts can see at any time
Access request	A trusted contact's formal request to receive vault information because the owner has died or is incapacitated (BR6)
Waiting period	The 7 days after an access request during which the owner can cancel it (BR7)
Release	The moment trusted contacts can see the vault at their access level (BR8)
Readiness	How many of the 8 setup checklist items the owner has completed (BR10)

2. Users, personas and roles

2.1 Primary user (owner): Adults aged 25–70 in South Africa who have responsibilities such as children, a home, a vehicle, insurance policies, investments or a small business. Tech comfort ranges from Medium to High. Most use Android phones, often on prepaid or contract mobile data.

2.2 Secondary users: Trusted contacts (family members, partners or close friends chosen by an owner) and the Admin. See 2.4 and 2.5.

2.3 Personas

Field	Persona 1	Persona 2
Name and age	Lerato Mokoena, 42	Johan van Wyk, 68
Role	Owner (and trusted contact for her mother)	Owner
Occupation / situation	HR manager in Pretoria; married, two children; owns a house and a car	Retired teacher in Gqeberha; widower; daughter Anika lives in Cape Town
Device and connectivity	Android phone, home fibre plus mobile data	Android phone, prepaid data
Tech comfort	High	Medium
Language(s)	English, Setswana	Afrikaans, English
Goal	Have every policy, document and instruction in one place so her husband and sister would know what to do	Make sure Anika can find his policies, house papers and funeral wishes without travelling to search his files
Frustrations today	When her father died, it took the family four months to find all his policies	His papers are in three filing boxes; he worries about putting private details online
How the app helps	One checklist shows what is still missing; she adds her husband and sister as trusted contacts	A simple, step-by-step setup; he controls exactly what Anika sees and when
Quote	“I never want my family to go through what we went through with my dad.”	“Anika must know where everything is, but only when the time comes.”

2.4 Roles and permissions

Role	How someone gets this role	Can do	Cannot do
Owner	Signs up, verifies their email and sets a PIN	Add, edit and delete everything in their own vault; invite, change and remove trusted contacts; cancel an access request; revoke a release; see the access history of their vault	See any other user’s vault unless they are that user’s trusted contact and the vault was released
Trusted contact	Accepts an owner’s invitation with an account using the invited email address. One account can be an owner and a trusted contact at the same time.	See the owner’s emergency profile (if allowed); submit an access request; after release, view and download the sections their access level allows; read personal messages addressed to them	Edit or delete anything in the owner’s vault; see sections outside their level; read messages addressed to someone else; see anything before release except the emergency profile
Admin	Not an app account in v1	In the Supabase dashboard: check access-request proof, mark requests verified or rejected, handle reports from users	Should not open vault documents. This is a policy rule in v1, not a technical block (see Risks in 13).

2.5 Admin: done directly in the Supabase dashboard. There are no admin screens in v1. Every admin decision on an access request is recorded in AuditLog.

3. Goals, success metrics and non-goals

#	Goal	Metric (what you count)	Target	How you will check it
G1	New users get started	% of new users who upload at least 1 document and invite at least 1 trusted contact within 7 days of signing up	50%	Document and TrustedContact tables: first created_at per owner compared with User.created_at
G2	Users build a useful record	% of owners with at least 6 of 8 readiness items done 30 days after sign-up	40%	Readiness query on the Home data (BR10)
G3	The app feels easy and safe	Average rating from a test group on two questions: “Easy to use” and “I would trust it with my documents”	4 out of 5 on both, from 10 testers	Google Form after a 15-minute test
G4	Information is never released unsafely	Number of releases without both admin verification and a finished waiting period	0	AccessRequest table: every released row has verified_at and released_at ≥ waiting_ends_at

Non-goals

- Not a will or legal service. The app does not create wills or replace an executor, attorney or estate-planning service.
- No passwords, PINs or full card or bank account numbers are stored. That is the job of a password manager and carries too much risk for an MVP (BR3).
- No automatic death or incapacity checks with Home Affairs or other services. A person (the admin) checks the proof in v1.
- No payments or subscriptions. The MVP is free to test.
- No video or voice messages. Text only, to keep storage and data use low.
- No sharing with people who are not trusted contacts. There are no public links.

4. Features, business rules and notifications

4.1 Features

ID	Feature name	What the user can do	Priority	Goal	Stories	Screens
F1	Account and app lock	Sign up, verify email, log in, reset password, set a 6-digit PIN (and optional fingerprint), unlock, log out, delete account	Must	G1, G3	US1, US2, US3	S1–S6, S18, M1

ID	Feature name	What the user can do	Priority	Goal	Stories	Screens
F2	Document vault	Upload a PDF or photo, give it a title and category, add notes; browse by category; search by title; view, download, replace or delete	Must	G1, G2	US4, US5	S8–S10, M2
F3	Assets and accounts	Record properties, vehicles, policies, bank accounts, investments, debts and recurring payments; add provider contacts; link documents	Must	G2	US6	S11, S12, M2
F4	Trusted contacts	Invite up to 5 people by email, set each person's access level and sections; accept an invitation; remove a contact; see access history	Must	G1, G4	US7, US8	S2, S13, S14, M4
F5	Instructions and messages	Write practical instructions for each section; write personal messages to one named trusted contact	Should	G2	US9	S15, S16
F6	Emergency profile	Keep emergency contacts and key provider details on one page; choose whether Emergency-level contacts can see it now	Should	G2	US10	S17, S20
F7	Access request and release	A trusted contact requests access with proof; the owner is told and can cancel; the admin verifies; information is released after the waiting period; the owner can revoke	Must	G4	US11, US12, US13	S19–S21, M3, M4
F8	Home dashboard and reminders	See readiness (8 checklist items), alerts and a review reminder every 6 months	Should	G1, G2	US14	S7

4.2 MVP: An owner can securely store documents and asset details, invite trusted contacts with access levels, and a trusted contact can request access that is released only after the admin checks proof and a 7-day waiting period passes without the owner cancelling.

4.3 Future features:

- iPhone app and web version
- Push notifications
- Automatic identity checks through a verification service
- Owner can choose the waiting period (3, 7 or 14 days)
- End-to-end encryption so that even the admin cannot read vault files
- Video and voice messages
- Afrikaans, isiZulu and other languages
- Executor and attorney access with their own role

4.4 Business rules

ID	Rule	Used by
BR1	**Document file.** PDF, JPG, PNG or HEIC, up to 10 MB. Photos are resized so the longest side is 2,000 px and compressed to under 1 MB, and their metadata (including GPS location) is removed. PDFs are stored as they are. A vault holds at most 200 documents.	F2, S10
BR2	**Category.** Every document and asset has exactly one category from a fixed list: Identity, Insurance, Property, Vehicles, Banking and investments, Debts and accounts, Medical, Business, Other.	F2, F3, S8, S10, S11, S12
BR3	**Sensitive numbers.** For bank accounts and cards, only the last 4 digits can be saved; the field accepts exactly 4 digits. Policy and membership numbers may be saved in full. The app never asks for passwords or PINs of other services. If notes contain the word “password” or “PIN”, the app shows: “Don’t store passwords here. Say where they are kept instead.”	F3, S12
BR4	**Trusted contact invite.** Up to 5 per vault. Needs a name, relationship and email; phone is optional. You cannot invite your own email. The invite link works for 14 days; the owner can resend it. The person must sign up or log in with the invited email to accept.	F4, S2, S14
BR5	**Access levels.** Emergency only: can see the emergency profile at any time if the owner switched on “Share now” (S17). Selected sections: after release, sees only the categories and sections the owner ticked. Full: after release, sees everything. A personal message is only ever shown to its named recipient, after release, at any level.	F4, F5, F6, S14, S20
BR6	**Access request.** Only accepted trusted contacts with Selected or Full level can request. They must choose a reason (Death or Incapacity), upload at least one proof document (death certificate, doctor’s letter or court order) and a copy of their own ID. Only one open request per vault at a time.	F7, S19
BR7	**Waiting period.** When a request is submitted, the owner is told at once by email and in-app, and again after 3 days. The owner can cancel any time within 7 days. Release happens only when both are true: the admin has verified the proof, and 7 days have passed without cancellation.	F7, S21, M3
BR8	**Release.** When a vault is released, every accepted trusted contact gets access at their own level, not only the requester. Access is read-only. Contacts can view and download allowed documents. The owner can revoke the release at any time by logging in (M4); all contacts then lose access at once.	F7, S20, M4
BR9	**App lock.** A 6-digit PIN is set in Profile Setup. It is needed when the app opens and after 5 minutes in the background. Fingerprint can be switched on instead. After 5 wrong PINs, the user is logged out and must log in with their password and set a new PIN.	F1, S5, S6
BR10	**Readiness.** 8 items: profile complete; at least 1 Identity document; at least 1 Insurance item; at least 1 Property or Vehicles item, or “I don’t own any” ticked; at least 1 Banking and investments item; emergency profile complete; at least 1 trusted contact accepted; at least 1 instruction. Shown as “5 of 8 done”.	F8, S7
BR11	**Review reminder.** 180 days after the owner last confirmed their information, Home shows the card “Time to check your information is still up to date.” Tapping “Everything is up to date” resets the 180 days.	F8, S7

ID	Rule	Used by
BR12	**Delete.** Deleting a document or asset is immediate and permanent. If a deleted document was linked to an asset, the asset shows "Document deleted". Deleting the account deletes the whole vault and ends every trusted-contact link.	F2, F3, M1, M2
BR13	**Audit log.** Every invite, request status change, release, revoke, and every view or download by a trusted contact is recorded with who, what and when. The owner can see this history on S14.	F4, F7, S14

4.5 Notifications (in-app on S7 Home for all; email as well for the events marked below, because they are time-critical)

Trigger	Who receives it	Channel	Exact text	Tapping it opens
Owner invites a trusted contact	Invited person	Email	"Lerato Mokoena has added you as a trusted contact on LifeNest. Accept within 14 days."	S2 Sign Up (or S3 Log In) with the invite
Invite accepted	Owner	In-app	"Johan van Wyk accepted your invitation."	S14 for that contact
Access request submitted	Owner	Email and in-app	"Anika van Wyk has asked for access to your information. If you are OK, cancel this request within 7 days."	S21 Access Request Alert
Day 3 of the waiting period	Owner	Email and in-app	"Reminder: Anika van Wyk's request for access will be released in 4 days unless you cancel it."	S21
Request cancelled by owner	Requester	Email and in-app	"The account holder has cancelled this request."	S20 for that vault
Proof rejected by admin	Requester	Email and in-app	"We could not verify the documents you sent. Please upload clearer copies."	S19 for that vault
Vault released	All accepted trusted contacts	Email and in-app	"You now have access to Johan van Wyk's information."	S20 for that vault
Release revoked by owner	All trusted contacts of that vault	Email and in-app	"Johan van Wyk has closed access to their information."	S13 People
Review reminder due (BR11)	Owner	In-app	"Time to check your information is still up to date."	S7, scrolled to the checklist

No push or SMS notifications in v1. Emails other than those above are only the account emails in Section 5.

5. Accounts and sign-in

Decision	Answer
Sign-up methods	Email + password only
Who may sign up	Anyone with an email address who is 18 or older
Minimum age	18. Sign Up has the checkbox “I am 18 or older”, which must be ticked.
Email verification	Required. After sign-up the user goes to S3 Log In with the banner “Check your email and tap the link to verify your account.” Log-in is refused until the user verifies.
Password rules	At least 10 characters, including at least 1 number and 1 letter. Eye icon to show or hide.
App PIN	6 digits, set on S5 (BR9). Optional fingerprint. “Forgot PIN?” on S6 logs the user out so they can log in with their password and set a new PIN.
Forgot password	S4 Forgot Password sends a reset link. The link works for 1 hour.
Failed log-in attempts	After 5 wrong passwords: “Too many attempts. Try again in 15 minutes.”
Stay logged in	30 days, but the PIN is needed every time the app opens (BR9)
Log out	S18 More → “Log out”. No confirmation.
Delete account	S18 → “Delete account” → M1. The user must type DELETE. Immediately and permanently deletes the vault and ends all trusted-contact links (BR12).
Change email	Not in v1

6. User stories, acceptance criteria and edge cases

6.1 Stories

US1 (F1): As a new user, I want to create an account so that I can start organising my information.

- **T-US1-1:** Given I am on S2 Sign Up, when I enter an email, a password of 10+ characters with a number and a letter, tick “I am 18 or older” and “I agree to the Privacy Notice”, and tap “Sign up”, then my account is created and I go to S3 with the banner “Check your email and tap the link to verify your account.”
- **T-US1-2 (unhappy):** Given the email already has an account, when I tap “Sign up”, then I see “This email already has an account. Log in instead?” with a “Log in” link.
- **T-US1-3 (unhappy):** Given either checkbox is unticked or the password breaks the rules, then “Sign up” is greyed out. When I leave the password field, it shows a red border and “At least 10 characters, including a number and a letter.”

US2 (F1): As a user, I want to log in and reset my password so that I can get back into my account.

- **T-US2-1:** Given my email is verified, when I enter the correct email and password on S3 and tap “Log in”, then I go to S5 Profile Setup if I have no PIN yet, otherwise to S6 Unlock.

- **T-US2-2 (unhappy):** Given I have not verified my email, when I tap “Log in”, then I see “Please verify your email first.” and a “Resend email” link.
- **T-US2-3:** Given I enter my email on S4 and tap “Send link”, then I always see “If an account exists for this email, we’ve sent a reset link.” This message never reveals whether the account exists.

US3 (F1): As a user, I want my vault locked with a PIN so that nobody who picks up my phone can see my information.

- **T-US3-1:** Given I am on S5, when I enter my full name, enter the same 6-digit PIN twice and tap “Done”, then my profile is saved and I go to S7 Home.
- **T-US3-2:** Given the app was in the background for more than 5 minutes, when I return, then I see S6 Unlock and must enter my PIN or fingerprint.
- **T-US3-3 (unhappy):** Given I enter a wrong PIN 5 times, then I see “Too many wrong PINs. Please log in again.” and go to S3.

US4 (F2): As an owner, I want to upload a document into a category so that it is stored safely and easy to find.

- **T-US4-1:** Given I am on S10, when I choose a file or take a photo, type a title, choose a category and tap “Save”, then the file uploads and I go to S8 with the document under its category and the message “Saved”.
- **T-US4-2 (unhappy):** Given the file is over 10 MB or not PDF, JPG, PNG or HEIC, when I pick it, then I see “This file can’t be used. Choose a PDF or photo under 10 MB.”
- **T-US4-3 (unhappy):** Given I lose internet during upload, then I see “Upload failed. Check your connection.” with “Try again”, and my file, title and category are kept on S10.

US5 (F2): As an owner, I want to find and open my documents so that I can check or replace them.

- **T-US5-1:** Given I am on S8, when I type at least 2 characters in Search, then I see documents whose title contains those letters, in any category.
- **T-US5-2:** Given I tap a document, then S9 opens with a preview, its category, notes, date added and linked assets.
- **T-US5-3:** Given I tap “Replace file” on S9 and choose a new file, then the old file is deleted and the new one keeps the same title, category and links.

US6 (F3): As an owner, I want to record my assets and accounts so that my family knows what exists and who to contact.

- **T-US6-1:** Given I am on S12, when I choose a category and type, enter a name and provider, and tap “Save”, then the asset appears on S11 under its category.
- **T-US6-2 (unhappy):** Given I am entering a bank account or card, when I type more or fewer than 4 digits in “Last 4 digits”, then I see “Enter only the last 4 digits.” and “Save” stays greyed out (BR3).
- **T-US6-3:** Given I tap “Link a document” on S12 and pick documents, then they are listed on the asset and the asset is listed on each document’s S9.

US7 (F4): As an owner, I want to invite a trusted contact and choose what they can see so that the right person gets the right information.

- **T-US7-1:** Given I am on S14, when I enter a name, relationship and email, choose an access level (and sections, for Selected) and tap “Send invite”, then the contact shows on S13 as “Invited” and they receive the email in 4.5.
- **T-US7-2 (unhappy):** Given I already have 5 trusted contacts, then the “Add someone you trust” button on S13 is greyed out with “You can have up to 5 trusted contacts.”

- **T-US7-3 (unhappy):** Given I enter my own email, when I tap “Send invite”, then I see “You can’t add yourself.”

US8 (F4): As an invited person, I want to accept an invitation so that I can help when it is needed.

- **T-US8-1:** Given I tap the link in the invite email and have no account, then S2 opens with my email filled in and locked. After I sign up, verify and set my PIN, the vault appears under “Shared with me” on S13.
- **T-US8-2:** Given I already have an account with that email, when I log in, then I see the card “Lerato Mokoena added you as a trusted contact” with “Accept” and “Decline” on S13.
- **T-US8-3 (unhappy):** Given the invite is older than 14 days, then I see “This invitation has expired. Ask the person to send it again.”

US9 (F5): As an owner, I want to leave instructions and personal messages so that my family knows what to do and what I wanted to say.

- **T-US9-1:** Given I am on S16, when I choose “Instruction”, pick a section, write up to 2,000 characters and tap “Save”, then it shows on S15 under that section.
- **T-US9-2:** Given I choose “Personal message”, then I must pick one accepted trusted contact as the recipient before “Save” is active, and S15 shows “Only Anika will see this, and only after release.”

US10 (F6): As an owner, I want an emergency profile so that people I trust can act quickly in an emergency.

- **T-US10-1:** Given I am on S17, when I add at least 1 emergency contact and my medical aid provider and tap “Save”, then the readiness item “Emergency profile” is ticked on S7.
- **T-US10-2:** Given “Share now with Emergency contacts” is on, when a contact with Emergency level opens my vault on S20, then they see the emergency profile only (BR5).

US11 (F7): As a trusted contact, I want to request access with proof so that I can handle my loved one’s affairs.

- **T-US11-1:** Given I am on S19, when I choose a reason, upload a proof document and my ID, tick “The information I have given is true” and tap “Submit request”, then the status on S20 shows “Request received. We are checking your documents. The waiting period ends on 14 Nov 2026.”
- **T-US11-2 (unhappy):** Given another request for this vault is already open, then the “Request access” button is replaced by “Someone has already asked for access. You’ll be told when it’s decided.”
- **T-US11-3:** Given the admin verified my proof and the waiting period ended, then S20 shows the released sections for my access level and I get the “Vault released” email (4.5).

US12 (F7): As an owner, I want to cancel a request if I am fine so that my information is never released by mistake.

- **T-US12-1:** Given there is an open request, when I unlock the app, then S21 opens first, showing who asked, the reason, and the date the waiting period ends.
- **T-US12-2:** Given I tap “Cancel request – I’m OK” and confirm in M3, then the request is closed, I see “Request cancelled. Nothing was shared.” and the requester is told (4.5).

US13 (F7): As an owner who has recovered, I want to revoke a release so that my information is private again.

- **T-US13-1:** Given my vault was released, when I unlock the app, then S21 shows “Your information was released on 14 Nov 2026” with “Close access”.
- **T-US13-2:** Given I tap “Close access” and confirm in M4, then all trusted contacts lose access immediately, they are told (4.5), and the request status becomes revoked.

US14 (F8): As an owner, I want to see what is still missing so that I can finish setting up step by step.

- **T-US14-1:** Given I open S7, then I see "5 of 8 done" and the 8 checklist items with a tick or an arrow (BR10). Tapping an unticked item opens the screen where I can complete it.
- **T-US14-2:** Given 180 days have passed since I last confirmed, then the review card from BR11 shows at the top of S7.

6.2 Edge cases

Situation	What the user sees	What the app does
The owner removes a trusted contact while that person's request is open	Requester: "You are no longer a trusted contact for this person."	Cancels the request and records it in AuditLog
The admin verifies proof after the 7 days have already passed	Contacts get the "Vault released" email within 1 hour	The hourly job releases any verified request whose waiting period has ended
The owner deletes a document a released contact is viewing	"This document is no longer available."	Returns the contact to S20
I try to upload while offline	"You're offline. Changes will not be saved."	Keeps the form filled in; uploads nothing
An invited person signs up with a different email	No vault under "Shared with me"	The invite stays linked to the invited email only (BR4)
My login expires while I am writing an instruction	"Please log in again."	The text is kept on the phone until I log in again
The owner deletes their account while a request is open	Requester: "This vault no longer exists."	Deletes the vault (BR12) and closes the request

7. User flows and navigation map

Flow 1: First-time setup to first document (F1, F2, F8)

- **Starts when:** Lerato opens the app for the first time.

1. S1 Welcome: taps "Get started" → S2 Sign Up
2. S2: fills in the form, taps "Sign up" → S3 Log In with the verify-email banner
3. Taps the link in her email, returns to the app, logs in on S3 → S5 Profile Setup
4. S5: enters her name, sets a PIN, switches on fingerprint, taps "Done" → S7 Home showing "1 of 8 done"
5. Taps the checklist item "Add an ID document" → S10 with Identity already chosen
6. Takes a photo of her ID, types "My ID", taps "Save" → S8 with the message "Saved"

- **Ends when:** S7 Home shows "2 of 8 done".

Flow 2: Invite a trusted contact (F4)

- **Starts when:** Johan wants Anika to be able to help later.

1. Taps the People tab → S13, taps "Add someone you trust" → S14
2. Enters "Anika van Wyk", relationship "Daughter", her email; chooses "Full"; taps "Send invite"

3. S13 shows Anika as “Invited”
4. Anika taps the email link → S2 with her email locked; signs up, verifies, sets a PIN
5. Johan sees “Anika van Wyk accepted your invitation.” on S7

- **Ends when:** S13 shows Anika as “Accepted · Full”.

Flow 3: Access request to release (F7)

- **Starts when:** Johan has died and Anika needs his information.

1. Anika opens the People tab → S13, taps Johan under “Shared with me” → S20, taps “Request access” → S19
2. S19: chooses “Death”, uploads the death certificate and her ID, ticks the declaration, taps “Submit request”
3. Johan’s account gets the email and in-app alert; nobody cancels
4. The admin opens the request in the Supabase dashboard, checks the documents and sets the status to verified
5. After 7 days, the hourly job sets the status to released
6. Anika gets “You now have access to Johan van Wyk’s information.” and opens S20

- **Ends when:** Anika can view and download Johan’s documents, assets, instructions and the message he wrote to her.

Flow 4: Owner cancels a request (F7)

- **Starts when:** Lerato’s sister asks for access by mistake while Lerato is in hospital for a short stay.

1. Lerato gets the email, opens the app, unlocks on S6 → S21 opens first
2. Taps “Cancel request – I’m OK” → M3, taps “Yes, cancel”
3. Sees “Request cancelled. Nothing was shared.”

- **Ends when:** Her sister sees “The account holder has cancelled this request.”

Navigation map

Tabs (bottom bar, shown on every logged-in screen except S5, S6, S21, the forms S10, S12, S14, S16 and S19 so the keyboard has room, and the modals):

- S7 Home
- S8 Documents
- S11 Assets
- S13 People
- S18 More

```
flowchart TD
  S1["S1 Welcome"] -->|Get started| S2["S2 Sign Up"]
  S1 -->|Log in| S3["S3 Log In"]
  S2 -->|Sign up| S3
  S3 -->|Forgot password?| S4["S4 Forgot Password"]
  S3 -->|No PIN yet| S5["S5 Profile Setup"]
  S3 -->|Has PIN| S6["S6 Unlock"]
  S5 -->|Done| S7["S7 Home (tab)"]
  S6 -->|Open request or release| S21["S21 Access Request Alert"]
  S6 -->|Unlocked| S7
  S7 -->|Checklist item| S10["S10 Add or Edit Document"]
  S8["S8 Documents (tab)"] -->|Document| S9["S9 Document Details"]
  S8 -->|+| S10
  S9 -->|Edit| S10
  S9 -->|Delete| M2["M2 Delete Item"]
  S11["S11 Assets (tab)"] -->|Asset or +| S12["S12 Add or Edit Asset"]
```

```
S12 -->|Delete| M2
S13["S13 People (tab)"] -->|Add or contact| S14["S14 Add or Edit Trusted Contact"]
S14 -->|Remove| M4["M4 Remove Contact or Close Access"]
S13 -->|Shared with me| S20["S20 Shared Vault"]
S20 -->|Request access| S19["S19 Request Access"]
S18["S18 More (tab)"] -->|Instructions| S15["S15 Instructions and Messages"]
S15 -->|Write| S16["S16 Write Instruction or Message"]
S18 -->|Emergency profile| S17["S17 Emergency Profile"]
S18 -->|Delete account| M1["M1 Delete Account"]
S18 -->|Log out| S1
S21 -->|Cancel request| M3["M3 Cancel Request"]
S21 -->|Close access| M4
```

8. Screens

8.1 Screen inventory

Not needed: onboarding slides, because S5 Profile Setup and the S7 checklist are the onboarding. A separate settings screen is also not needed, because Change PIN, fingerprint, Privacy Notice, Log out and Delete account live on S18 More.

ID	Screen name	Type	Who can open it	Purpose	Tab bar?	Stories
S1	Welcome	Full screen	Logged out	3D vault animation (Three.js), pitch, “Get started” and “Log in”	No	US1, US2
S2	Sign Up	Full screen	Logged out	Create an account; email locked when opened from an invite	No	US1, US8
S3	Log In	Full screen	Logged out	Log in; shows the verify-email banner after sign-up	No	US2
S4	Forgot Password	Full screen	Logged out	Request a reset link	No	US2
S5	Profile Setup	Full screen	User without a PIN	Full name, phone (optional), set PIN, fingerprint switch	No	US3
S6	Unlock	Full screen	Logged-in user	Enter PIN or use fingerprint; “Forgot PIN?”	No	US3
S7	Home	Tab	User	Readiness ring (Three.js), checklist, alerts, review card	Yes	US14
S8	Documents	Tab	Owner	Documents grouped by category; search; + to add	Yes	US4, US5
S9	Document Details	Full screen	Owner	Preview, details, linked assets; replace, download, delete	Yes	US5
S10	Add or Edit Document	Full screen	Owner	Pick or take a file, title, category, notes	No	US4
S11	Assets	Tab	Owner	Assets grouped by category; + to add	Yes	US6
S12	Add or Edit Asset	Full screen	Owner	Type, name, provider, numbers (BR3), notes, linked documents	No	US6

ID	Screen name	Type	Who can open it	Purpose	Tab bar?	Stories
S13	People	Tab	User	My trusted contacts with status; “Shared with me” vaults; invite cards	Yes	US7, US8
S14	Add or Edit Trusted Contact	Full screen	Owner	Details, access level, sections, access history (BR13); remove	No	US7
S15	Instructions and Messages	Full screen	Owner	Instructions by section; personal messages by recipient	Yes	US9
S16	Write Instruction or Message	Full screen	Owner	Type, section or recipient, text	No	US9
S17	Emergency Profile	Full screen	Owner	Emergency contacts, medical aid, key providers, “Share now” switch	Yes	US10
S18	More	Tab	User	Links to S15, S17; Change PIN; Privacy Notice; Log out; Delete account	Yes	US1
S19	Request Access	Full screen	Trusted contact (Selected or Full)	Reason, proof upload, own ID, declaration	No	US11
S20	Shared Vault	Full screen	Trusted contact	Before release: status and emergency profile (if allowed). After release: read-only sections at my level and my messages	Yes	US10, US11
S21	Access Request Alert	Full screen	Owner with an open request or release	Who asked, reason, end date; cancel or close access	No	US12, US13
M1	Delete Account	Modal	User	Type DELETE to confirm permanent deletion	—	US1
M2	Delete Item	Modal	Owner	Confirm deleting a document or asset	—	US5, US6
M3	Cancel Request	Modal	Owner	Confirm “I’m OK” cancellation	—	US12
M4	Remove Contact or Close Access	Modal	Owner	Confirm removing a contact or closing a release	—	US7, US13

8.2 Screen specification: S7 Home

The full PRD has one of these for every S# and M#; this is the most important one.

- **Purpose:** Show the owner how prepared they are, what is missing, and any alert that needs action.
- **Who can open it:** Logged-in, unlocked user
- **Comes from / goes to:** S5, S6 or the Home tab → S7 → S10, S12, S14, S16, S17 (checklist items), S21 (alert card), S20 (“Shared with me” card)

Layout (top to bottom):

1. Header: “Hello, Lerato” on the left; lock icon on the right that locks the app at once (goes to S6).
2. Alert card (only if there is an open request or release on my vault): gold left border, text from 4.5, button “View” → S21.
3. Readiness ring: a slowly turning 3D ring (Three.js) that fills in 8 segments, with “5 of 8 done” in the centre. Tapping it scrolls to the checklist.
4. Review card (only when BR11 is due).
5. Checklist: 8 rows (BR10). Each row: icon, label, tick or arrow.
6. “Shared with me” card (only if I am someone’s trusted contact): “You are a trusted contact for 1 person.” → S13.
7. Tab bar (8.3), Home active.

Form fields: none

Buttons and actions:

- Lock icon → S6
- Alert “View” → S21
- Unticked checklist row → the screen that completes it, with the right category chosen
- Ticked row → the list it refers to (S8, S11, S13, S15 or S17)
- Review card “Everything is up to date” → hides the card and resets BR11; “Review now” → S8
- Pull down → refresh

States:

- **Normal:** as above.
- **Empty (new user):** ring at 1 of 8 with the text “Let’s start with one thing. Most people begin with their ID.” and a primary button “Add an ID document” → S10.
- **Loading:** grey ring outline and 4 grey placeholder rows.
- **Error:** “Something went wrong. Try again.” with a “Try again” button.
- **Offline:** last loaded checklist stays visible; banner “You’re offline. Changes will not be saved.”
- **Low-end phone:** if 3D is not supported or the phone is slow (under 30 frames per second), a flat 2D ring is shown instead.
- **Success:** after saving from another screen, toast “Saved” and the ring animates to the new count.

Sample content: Lerato: 5 of 8 done. Missing: “Add a vehicle or tick I don’t own any”, “Complete your emergency profile”, “Write your first instruction”.

8.3 Shared components

Component	Used on	What it contains	How it behaves
Tab bar	S7, S8, S9, S11, S13, S15, S17, S18, S20	5 icons with labels: Home, Documents, Assets, People, More	Active icon filled navy; gold dot on Home when there is an alert
3D scene (Three.js)	S1, S7	S1: vault door that slowly opens; S7: readiness ring	Pauses when off screen; 2D fallback on slow phones; respects “Reduce motion”
Category row	S8, S11, S20	Category icon, name, item count	Tap to expand or collapse

Component	Used on	What it contains	How it behaves
Document row	S8, S9, S20	File-type icon, title, category, date added	Tap → S9 (owner) or preview (contact)
Contact card	S13, S14	Initials circle, name, relationship, status chip (Invited, Accepted, Expired), access level	Tap → S14
Status chip	S13, S20, S21	Short coloured label	Navy: Accepted; grey: Invited; gold: Request open; green: Released; red: Rejected
Toast	S7–S17, S21	One line, dark background, white text	Disappears after 3 seconds
Offline banner	All logged-in screens	Grey bar: "You're offline. Changes will not be saved."	Save actions disabled while shown

8.4 Sample data set (used on every screen and in the seed data)

- **Lerato Mokoena** (lerato@example.com): 12 documents, 9 assets, 2 trusted contacts (husband Kagiso: Full; sister Dineo: Selected – Insurance and Property). Readiness 5 of 8.
- **Johan van Wyk** (johan@example.com): 6 documents, 5 assets, 1 trusted contact (Anika: Full, accepted), 1 personal message to Anika. Vault in the released state for the release demo.
- **Anika van Wyk** (anika@example.com): no documents of her own; trusted contact for Johan. Use her to test S20.
- **Dineo Mokoena** (dineo@example.com): invited but not accepted. Use her to test invites and the empty states.

9. Design direction

Item	Choice
Look and feel	Calm, private, dignified. Warm and plain rather than clinical or gloomy.
Primary colour	Navy #1F3A4D (buttons, links, active tab; white text on it passes 4.5:1)
Accent colour	Muted gold #B08A4A (alert borders, 3D highlights, ring fill; never for text on light backgrounds)
Background / text	Warm off-white #FAF8F4 / near-black #1E2329
Secondary text	Slate #5A6670 (passes 4.5:1 on the background)
Error / success / warning	#B3261E / #2E7D32 / #8A5A00
Dark mode	No (v1)
Font	Lora (headings), Inter (everything else)
Text sizes	Title 24px Lora semibold; section 18px Inter semibold; body 16px; small 14px
Spacing unit	4px; most gaps 8, 16 or 24px
Screen side margin	16px
Corner radius	Cards 12px; buttons 10px; inputs 8px

Item	Choice
Shadows	Very soft card shadow (0 1px 3px, 8% black)
Button height	48px
Icon set	Lucide, outline
3D elements	Three.js scenes in navy and gold with soft lighting, no textures (keeps them small). Used only on S1 and S7.
Logo	Wordmark “LifeNest” in Lora semibold, navy, with a small gold nest icon
Images	No stock photos of people. Empty states use simple line illustrations.
Reference apps	Banking apps (PIN unlock, calm layouts); Google Drive (upload flow); Headspace (gentle, reassuring tone)

Accessibility note: body text is 16px, the template default. Every 3D animation stops when the phone’s “Reduce motion” setting is on, and nothing important is shown only in 3D (the ring always has the “5 of 8 done” text).

Tone: gentle, plain and direct. Say “if you die or can no longer manage your affairs” once where it matters, rather than hiding it. Examples: “Saved” rather than “Your document has been successfully uploaded!”, and “Add someone you trust” rather than “Nominate beneficiary”.

Platform: Android first, designed at 360 × 800 px. The tab bar sits above the phone’s bottom gesture area.

10. Data model

User: one person with an account (owner, trusted contact or both).

Field	Type	Required ?	Default	Unique ?	Rules	If linked deleted
id	ID	Yes	Auto	Yes	Same as the login account ID	—
email	Email	Yes	—	Yes	Lower-case; never shown to other users except the owner who invited them	—
full_name	Text (80)	No (set on S5)	—	No	2–80 characters	—
phone	Text (15)	No	—	No	South African format	—
is_18_or_older	Yes/No	Yes	No	No	Must be Yes to sign up	—
owns_no_property_or_vehicle	Yes/No	Yes	No	No	BR10	—
last_reviewed_at	Date-time	Yes	Now	No	BR11	—
vault_status	Choice	Yes	normal	No	normal, request_open, released	—

Field	Type	Required ?	Default	Unique ?	Rules	If linked deleted
created_at	Date-time	Yes	Now	No	—	—

The PIN is never stored in the database. Only a hashed copy is kept on the phone in secure storage (Section 11).

Document: one uploaded file.

Field	Type	Required ?	Default	Unique ?	Rules	If linked deleted
id	ID	Yes	Auto	Yes	—	—
owner_id	Link to User	Yes	Current user	No	—	Delete this too
title	Text (80)	Yes	—	No	1–80 characters	—
category	Choice	Yes	—	No	BR2	—
file_path	File	Yes	—	No	Private “vault” bucket; BR1	—
file_type	Choice	Yes	—	No	pdf, jpg, png	—
size_kb	Whole number	Yes	—	No	Up to 10,240	—
notes	Long text (500)	No	—	No	BR3 warning applies	—
created_at / updated_at	Date-time	Yes	Now	No	—	—

Asset: one thing the owner has or owes.

Field	Type	Required ?	Default	Unique ?	Rules	If linked deleted
id	ID	Yes	Auto	Yes	—	—
owner_id	Link to User	Yes	Current user	No	—	Delete this too
category	Choice	Yes	—	No	BR2	—
type	Choice	Yes	—	No	property, vehicle, policy, bank_account, card, investment, debt, recurring_payment, other	—
name	Text (80)	Yes	—	No	e.g. “House in Faerie Glen”	—
provider	Text (80)	No	—	No	Bank, insurer, municipality, etc.	—

Field	Type	Required ?	Default	Unique ?	Rules	If linked deleted
provider_phone	Text (15)	No	—	No	—	—
reference_number	Text (30)	No	—	No	Policy or membership number only	—
last4	Text (4)	No	—	No	Exactly 4 digits; only for bank_account and card (BR3)	—
originals_location	Text (200)	No	—	No	Where the paper original is kept	—
notes	Long text (500)	No	—	No	BR3 warning applies	—
created_at	Date-time	Yes	Now	No	—	—

AssetDocument: asset_id → Asset (delete this too); document_id → Document (delete this too). The pair is unique.

TrustedContact: one invitation from an owner to a person.

Field	Type	Required ?	Default	Unique ?	Rules	If linked deleted
id	ID	Yes	Auto	Yes	—	—
owner_id	Link to User	Yes	Current user	No	—	Delete this too
contact_user_id	Link to User	No	—	No	Set when the invite is accepted	Delete this too
name / relationship	Text (80) / Text (40)	Yes	—	No	—	—
email	Email	Yes	—	No	Unique per owner; not the owner’s own email (BR4)	—
access_level	Choice	Yes	selected	No	emergency, selected, full (BR5)	—
allowed_sections	List of choices	No	—	No	Categories plus “instructions”; used only for selected	—
status	Choice	Yes	invited	No	invited, accepted, declined, expired	—
invite_expires_at	Date-time	Yes	Now + 14 days	No	BR4	—
created_at	Date-time	Yes	Now	No	—	—

An owner can have at most 5 TrustedContact rows that are not declined or expired.

Instruction: id; owner_id → User (delete this too); kind: Choice (instruction, message); section: Choice (a category or "general"), for instructions; recipient_id → TrustedContact (delete this too), required for messages; text: Long text (2,000); created_at; updated_at.

EmergencyProfile: owner_id → User (delete this too, unique); emergency_contacts: up to 3 × (name, relationship, phone); medical_aid_provider: Text (80); medical_aid_number: Text (30); key_notes: Long text (500); share_now: Yes/No, default No.

AccessRequest:

- id
- owner_id → User (delete this too)
- contact_id → TrustedContact (clear the field; request is cancelled)
- reason: Choice (death, incapacity)
- proof_path and requester_id_path: Files in the private "proof" bucket
- status: Choice (submitted, verified, rejected, cancelled, released, revoked), default submitted
- submitted_at; waiting_ends_at (= submitted_at + 7 days); verified_at; released_at; closed_at
- admin_note: Long text (300), optional (shown to the requester when rejected)

AuditLog: id; owner_id → User (delete this too); actor_id → User (clear the field); action: Choice (invite_sent, invite_accepted, request_submitted, request_verified, request_rejected, request_cancelled, released, revoked, viewed, downloaded); item_id: optional; created_at. Rows are never edited.

Notification: id; recipient_id → User (delete this too); type: Choice (from 4.5); link_target: Text; text: Text (200); is_read: Yes/No, default No; emailed: Yes/No; created_at.

Relationships

- One User (owner) has many Documents, Assets, Instructions, TrustedContacts and AccessRequests, and one EmergencyProfile.
- Assets and Documents link many-to-many through AssetDocument.
- One User can be the contact_user of many TrustedContact rows (trusted contact for several owners).
- One User has many Notifications and many AuditLog rows as the owner.

Status changes

Entity.field	From	To	Caused by
TrustedContact.status	invited	accepted or declined	The invited person on S13 or after sign-up
TrustedContact.status	invited	expired	Hourly job when invite_expires_at has passed
AccessRequest.status	submitted	verified or rejected	Admin, in the Supabase dashboard
AccessRequest.status	submitted or verified	cancelled	Owner on M3, or owner removes the contact or deletes the account
AccessRequest.status	verified	released	Hourly job when now ≥ waiting_ends_at
AccessRequest.status	released	revoked	Owner on M4

Entity.field	From	To	Caused by
User.vault_status	normal ↔ request_open ↔ released	—	Follows the open AccessRequest; set by database triggers
Notification.is_read	No	Yes	User opens the alert

Reference data: the category list in BR2 and the asset types above, loaded in the first migration.

Seed data:

- The 4 users in 8.4, with sample documents made from blank templates marked “SAMPLE”. Never use real ID documents or real policies.
- Johan’s vault has one released AccessRequest from Anika; Lerato’s vault has none.
- Test logins: the 4 emails in 8.4. The test-only passwords and PINs are kept in the seed script’s README, never in this document.

11. Tech stack and architecture

Layer	Choice	Why
Frontend	React Native with Expo (current SDK), Expo Router	Covered in the course; Android now, iPhone later from the same code
Styling	NativeWind	Tailwind-style classes we already know
3D graphics	Three.js, used through @react-three/fiber (native) and expo-gl	The S1 vault-door animation and the S7 readiness ring. React Three Fiber lets us write Three.js scenes as React components. Simple shapes and materials only, no 3D model files, so the app stays small.
Backend / database / log-in	Supabase: PostgreSQL + Auth	Email verification and RLS built in
File storage	Supabase Storage, private “vault” and “proof” buckets	Files are only opened through signed links that expire after 60 seconds
File handling	expo-document-picker, expo-image-picker and expo-image-manipulator	Picks PDFs and photos; resizes, compresses and strips metadata from photos before upload (BR1)
App lock	expo-local-authentication and expo-secure-store	Fingerprint unlock; the hashed PIN stays on the phone (BR9)
Screen protection	expo-screen-capture	Blocks screenshots and screen recording on S9 and S20
Emails	Resend, called from Supabase Edge Functions	Sends the time-critical emails in 4.5
Scheduled jobs	Supabase Cron, every hour	Expires invites (BR4), sends the day-3 reminder and releases verified requests whose waiting period has ended (BR7)

Layer	Choice	Why
Hosting / demo	APK built with Expo EAS; Expo Go for daily testing	Testers can install the APK
Language	TypeScript, npm, Node.js 20 LTS	Fewer type bugs
Testing	Jest for BR3, BR5, BR7, BR8; manual checklist for all T- criteria	Access and release rules are the riskiest
Version control	github.com/[your-username]/lifenest	PRD in docs/PRD.md

Third-party services: Supabase and Resend. Three.js, React Three Fiber and expo-gl are open-source libraries inside the app, not services.

How the parts connect:

- The app talks to Supabase with the Supabase JavaScript client.
- Files are prepared on the phone, then uploaded to the private buckets. Document rows save only the file paths.
- To view a file, the app asks for a signed link that expires after 60 seconds. Files are not saved on the phone unless the user taps “Download”.
- Database triggers write AuditLog and Notification rows. An Edge Function sends the emails for those notifications.
- The hourly Cron job runs the invite-expiry, reminder and release rules.
- The Three.js scenes run on the phone only and use no network data.
- RLS policies enforce who can see what, including the release rules.

Permissions (RLS)

Entity	Action	Who is allowed	Extra rule
User	Read / update	Owner only	A trusted contact may read the owner’s full_name only
Document, Asset, AssetDocument	Create / update / delete	Owner only	owner_id = current user
Document, Asset	Read	Owner; or accepted trusted contact	Contact: only when owner.vault_status = released and the category is allowed by their level (BR5)
Instruction (instruction)	Read	Owner; or accepted trusted contact after release	Full level, or “instructions” in allowed_sections
Instruction (message)	Read	Owner; or the recipient after release	recipient_id’s contact_user_id = current user
EmergencyProfile	Read	Owner; or accepted trusted contact	share_now = Yes, or vault released
TrustedContact	All actions	Owner	The invited user may read their own row and update status to accepted or declined
AccessRequest	Create	Accepted trusted contact with selected or full level	BR6: no other open request

Entity	Action	Who is allowed	Extra rule
AccessRequest	Update status	Owner (to cancelled or revoked only)	Verified and released are set only by the admin and the Cron job
AuditLog	Read	Owner	Created only by triggers; never updated or deleted by users
Storage “vault”	Upload / delete	Owner only (folder named with their user id)	Read: same rule as Document
Storage “proof”	Upload	Requester only	Read: admin only; never the owner or other contacts

Environment variables

Name	What it is	Where to get it	Public or secret?
EXPO_PUBLIC_SUPABASE_URL	Project address	Supabase dashboard → Project Settings	Public
EXPO_PUBLIC_SUPABASE_ANON_KEY	Public (anon / publishable) key	Same	Public. Safe only because RLS is on for every table and bucket.
SUPABASE_SERVICE_ROLE_KEY	Admin (service role / secret) key	Same	Secret. Used only by Edge Functions and the seed script; never in the app.
RESEND_API_KEY	Email-sending key	Resend dashboard	Secret. Stored in Edge Function secrets only.

Folder structure

- app/ : one file per S#; tabs in app/(tabs)/
- components/ : CategoryRow, DocumentRow, ContactCard, StatusChip, Toast, OfflineBanner
- components/three/ : VaultDoorScene (S1), ReadinessRing (S7), FlatRingFallback
- lib/ : Supabase client, file preparation, PIN helpers, business-rule helpers
- supabase/migrations/ : tables, triggers, RLS, reference data
- supabase/functions/ : send-email, hourly-jobs
- supabase/seed/ : seed script, sample files, README
- tests/
- docs/PRD.md
- MASTER.md

Testing plan

- All T- criteria are tested manually on a real Android phone, using the checklist in MASTER.md.
- BR3, BR5, BR7 and BR8 get Jest tests. The RLS rules are tested by logging in as each sample user and trying to read data they should not see.
- The Three.js scenes are checked on one low-end phone to confirm the 2D fallback switches on.
- Test accounts are from 8.4.

Demo script:

1. Open the app to show the S1 vault animation; log in as Lerato and show the readiness ring and checklist.
2. Upload a document and add a vehicle; show the ring move to 6 of 8.
3. Invite Dineo as a Selected contact.
4. Log in as Anika on a second phone; show Johan's released vault and his message to her.
5. Log in as Johan; tap "Close access" and show that Anika loses access at once.

12. Quality, errors, security and privacy

Area	Requirement
Speed	Home shows the checklist or grey placeholders within 3 seconds on mobile data. 3D scenes start within 1 second and run at 30+ frames per second, otherwise the 2D fallback is used.
Data usage	Photos under 1 MB; lists load titles only; files download only when opened; 3D scenes use no network data
Offline	Last loaded lists stay visible; banner "You're offline. Changes will not be saved."; uploads and edits disabled. Files are not available offline.
Devices	Android 10 or newer, 360px wide and up
Language and region	English (South Africa); dates as "14 Nov 2026"; SAST
Scale	100 test users and 1,000 documents in the first semester
Abuse limits	BR4 (5 contacts), BR6 (one open request), 5 wrong PINs (BR9), 5 wrong passwords (Section 5)

Error messages

Situation	Exact message	What happens next
No internet	"You're offline. Changes will not be saved."	Save actions disabled
Server error	"Something went wrong. Try again."	"Try again" button
Login expired	"Please log in again."	Go to S3; any typed text stays on the phone
Not allowed	"You don't have access to this."	Nothing shown or saved
Upload failed	"Upload failed. Check your connection."	"Try again" button; file and details kept
File link expired	"This link has expired. Opening it again…"	The app asks for a new signed link

Security

- Passwords are handled only by Supabase Auth. The PIN is hashed and stays on the phone.
- The service role key and Resend key are never in the app or on GitHub.
- Every rule in the permissions table is enforced by RLS, including the release rules.

- Storage buckets are private. Files open only through signed links that expire after 60 seconds.
- Photo metadata, including GPS location, is removed before upload.
- Screenshots and screen recording are blocked on S9 and S20.
- Supabase encrypts stored data at rest and all traffic uses HTTPS.
- The admin's Supabase account uses two-factor authentication, and every admin decision is written to AuditLog.
- No passwords, PINs or full bank or card numbers are stored (BR3).

POPIA

Personal information	Why	Who can see it	Where stored	How long	How to delete
Email, name, phone	Log-in and invites	User; owners who invited them; admin	Supabase (country of the chosen region)	Until account deleted	S18 → M1
Documents and assets (may include ID numbers, financial and medical-aid details)	The vault	Owner; trusted contacts after release at their level	Same	Until deleted or account deleted	M2 or M1
Instructions and messages	The vault	Owner; allowed contacts or the named recipient after release	Same	Until deleted or account deleted	S16 or M1
Emergency profile (medical aid details)	Emergencies	Owner; Emergency contacts if shared	Same	Until changed or account deleted	S17 or M1
Trusted contacts' names, emails, phones	Invites and release	Owner and that contact	Same	Until removed or account deleted	M4 or M1
Access-request proof and requester ID	Verifying a request	Admin only	Private "proof" bucket	12 months after the request closes	Deleted by the hourly job
AuditLog	Safety and accountability	Owner and admin	Same	Until account deleted	M1

- **Consent:** on S2, the checkbox "I agree to the Privacy Notice" (unticked by default), with a link to the notice. The notice is also on S18.
- **Special personal information:** medical-aid and health details are special personal information under POPIA. The Privacy Notice explains this, and the user chooses whether to store them.
- **Information about other people:** owners enter trusted contacts' details. The invite email tells each person why they were added and lets them decline.
- **Under-18 users:** not allowed in v1 (Section 5).
- **Data outside South Africa:** the Privacy Notice names the country of the Supabase region and Resend's location.

- **Legal review:** the access-request process and Privacy Notice must be checked by someone with legal knowledge before any public launch.

13. Assumptions, risks, open questions and milestones

Assumptions

- Owners will trust the app with real documents if it explains clearly who can see what. Check: G3 trust question with 10 testers.
- A person checking proof by hand is good enough for a small test group. Check: time each check during testing; target under 10 minutes.
- A 7-day waiting period is acceptable to families. Check: ask 5 testers who have handled a family member's affairs.

Risks

Risk	Likelihood	Impact	Plan
Information is released while the owner is alive and well (false or mistaken request)	Low	High	Admin checks proof; 7-day waiting period with two emails to the owner; owner can revoke at any time; every step in AuditLog
The admin can technically open vault files through the Supabase dashboard	Low	High	One named admin with two-factor login; written policy; AuditLog of admin decisions; end-to-end encryption as a future feature
Users store passwords or full card numbers in notes	Medium	High	BR3 field limits and warning text; clear guidance on S12
Supabase free storage fills up	Medium	Medium	1,000 documents at up to 1 MB each is about 1 GB, plus PDFs. Check the free plan's storage limit in the Supabase dashboard before launch. If it is lower, cap documents per tester or the test group; check usage weekly.
3D scenes are slow or drain the battery on older phones	Medium	Low	2D fallback below 30 frames per second; scenes pause off screen; only on S1 and S7
The owner's email is no longer used, so they miss the request alert	Medium	High	In-app alert as well; owner can add a phone number; SMS alerts as a future feature

Open questions

#	Question	Who decides	Needed by
Q1	Is a doctor's letter enough proof of incapacity, or must it be a court order (curatorship)?	Facilitator, after asking someone with legal knowledge	M1
Q2	Should the waiting period be fixed at 7 days in v1, or chosen by the owner?	Author and facilitator	M1

#	Question	Who decides	Needed by
Q3	Should released contacts keep access forever, or should it end after 12 months?	Author	M2

Milestones

Milestone	What is finished	Where to find it	Target date
M0: Idea submitted	docs/idea.md (App Concept Document)	GitHub	Done (7 Nov 2026)
M1: PRD approved	This document, v1.0, open questions answered	docs/PRD.md	20 Nov 2026
M2: Design ready	Style guide, 3D scene sketches and 25 designs (S1–S21, M1–M4)	Design file link	30 Nov 2026
M3: MASTER.md ready	Generated and checked	MASTER.md	4 Dec 2026
M4: MVP built	F1–F4 and F7 working on Android, with the Three.js scenes	APK link	22 Jan 2027
M5: Tested and demoed	All T- tests passed; demo given	Test checklist in MASTER.md	5 Feb 2027

15. Checklist sign-off

Section 14 (the AI prompts) and Section 16 (the glossary) are the same in every PRD, so they are not repeated here.

All boxes in Section 15 of the template must be ticked before submission. The traceability check:

Feature	Stories	Screens	Rules
F1 Account and app lock	US1, US2, US3	S1–S6, S18, M1	BR9
F2 Document vault	US4, US5	S8–S10, M2	BR1, BR2, BR12
F3 Assets and accounts	US6	S11, S12, M2	BR2, BR3, BR12
F4 Trusted contacts	US7, US8	S2, S13, S14, M4	BR4, BR5, BR13
F5 Instructions and messages	US9	S15, S16	BR5
F6 Emergency profile	US10	S17, S20	BR5
F7 Access request and release	US11, US12, US13	S19–S21, M3, M4	BR6, BR7, BR8, BR13
F8 Home dashboard and reminders	US14	S7	BR10, BR11

Peer review

Reviewer	Date	Their summary
[Classmate name]	[Date]	[Their one-sentence summary of the app]