Vectors I - HW1 (Introduction to Ratio Theorem)

Questions

Compiled by Maximus Pung Jun

Original practice questions. Total: 50 marks. Give exact answers unless otherwise stated.

Question 1 **[5 marks]**

The vectors $\mathbf{a}$ and $\mathbf{b}$ are given by $\mathbf{a}=2\mathbf{i}-\mathbf{j}+3\mathbf{k}$ and $\mathbf{b}=-\mathbf{i}+4\mathbf{j}$.

(a) Write $\mathbf{a}$ and $\mathbf{b}$ as column vectors and find $\mathbf{a}+2\mathbf{b}$. [2]

(b) Find $\mathbf{c}$ such that $2\mathbf{a}-3\mathbf{b}+\mathbf{c}=\mathbf{0}$. [2]

(c) Points P and Q have position vectors $\mathbf{a}+2\mathbf{b}$ and $\mathbf{c}$ respectively. Find $\overrightarrow{PQ}$. [1]

Question 2 **[6 marks]**

The points A and B have coordinates $(1,-2,2)$ and $(3,1,-4)$ respectively.

(a) Find a unit vector that is parallel to AB. [2]

(b) Find a vector of length 21 parallel to AB. [2]

(c) A point P is such that $\overrightarrow{AP}$ has magnitude 14 and the same direction as $\overrightarrow{AB}$. Find the coordinates of P and state the order of the three points along their common straight path. [2]

Question 3 **[6 marks]**

The vectors $\mathbf{p}=\begin{pmatrix}6\\k\\-3\end{pmatrix}$ and $\mathbf{q}=\begin{pmatrix}2\\-4\\m\end{pmatrix}$ are parallel, where k and m are real constants.

(a) Find k and m. [3]

(b) State whether $\mathbf{p}$ and $\mathbf{q}$ have the same or opposite directions, and find $|\mathbf{p}|:|\mathbf{q}|$. [1]

(c) Find all vectors of magnitude $\sqrt{21}$ that are parallel to $\mathbf{p}$. [2]

Question 4 **[6 marks]**

The points A, B and C have coordinates $(1,2,-1)$, $(3,1,2)$ and $(7,-1,8)$ respectively.

(a) Show that A, B and C are collinear, and find $AB:BC$. [3]

(b) The point $R(u,-2,v)$ lies on the same straight path as A, B and C. Find u and v. [3]

Question 5 **[8 marks]**

The points A and B have coordinates $(2, -1, 3)$ and $(-4, 5, 0)$ respectively. A point M divides AB internally in the ratio $AM : MB = 2 : 1$. A point N lies on AB produced beyond B and satisfies $AN : NB = 5 : 2$.


(a) Find the position vector of M. [2]

(b) Find the position vector of N. [3]

(c) State the order of the four points A, B, M and N, and find $MB : BN$. [3]

Question 6 **[10 marks]**

Relative to the origin O, the points A and B have non-zero, non-parallel position vectors **a** and **b** respectively. The point X lies on OA with $OX : XA = 2 : 1$, and the point Y lies on OB with $OY : YB = 1 : 2$. The line segments AY and BX intersect at P.



(a) By expressing $\overrightarrow{OP}$ in two ways using the ratio theorem, find $\overrightarrow{OP}$ in terms of **a** and **b**. [6]

(b) Find $AP : PY$ and $BP : PX$. [2]


(c) The point Z divides AB internally with $AZ : ZB = 1 : 4$. Show that O, P, Z are collinear and find $OP : PZ$. [2]

Question 7 **[6 marks]**

A solid house consists of a cuboid $OBCDEFGH$ and a triangular prism roof $EFPHGQ$, as shown. The base $OBCD$ is horizontal. The vertices E, F, G and H are directly above O, B, C and D respectively.

The front-left corner O is the origin. The positive **i**, **j** and **k** directions are along OB, OD and OE respectively, and each unit represents 1 metre. It is given that $OB = 6$ m, $OD = 4$ m and $OE = 3$ m.

The ridge PQ is parallel to OD. The front gable EFP and back gable HGQ are congruent isosceles triangles, with P vertically above the midpoint of EF and Q vertically above the midpoint of HG. Each sloping roof face makes an angle α with the horizontal, where $\tan\alpha = \frac{2}{3}$; the vertical roof rise is 2 m.




All lengths are in metres. The diagram is not drawn to scale.

Find the coordinates of all the vertices of the house $(O, B, C, D, \ldots)$.

Question 8 **[3 marks]**

The diagram shows a container with a horizontal rectangular base $OABC$, where $OA = 16$ cm and $AB = 11$ cm. The top of the container $DEFG$ is also a horizontal rectangle, where $DE = 10$ cm and $EF = 5$ cm. The four sloping faces (for example $OAED$) of the container, each a trapezium, are inclined at the same angle to the horizontal, and the vertical distance between the base and the top is 6 cm.

The point O is taken as the origin $(0, 0, 0)$, and perpendicular unit vectors **i**, **j**, **k** are such that **i** is parallel to OA, **j** is parallel to OC, and **k** is vertical.



All lengths are in centimetres. The diagram is not drawn to scale.

Find the coordinates of D.

END OF HOMEWORK