Angular 2: Reactive Forms

INTRODUCTION



Deborah Kurata
CONSULTANT | SPEAKER | AUTHOR | MVP | GDE
@deborahkurata | blogs.msmvps.com/deborahk/



Module Overview



Angular Forms


Getting the Most from This Course

Demo Form and Sample Application

Course Outline



Angular Forms







Angular Forms

Templatedriven









Angular Forms

Template-driven

Easy to use

Similar to Angular 1

Two-way data binding -> Minimal component code

Automatically tracks form and input element state

Reactive

More flexible -> more complex scenarios

Immutable data model

Easier to perform an action on a value change

Reactive transformations -> DebounceTime or DistinctUntilChanged

Easily add input elements dynamically

Easier unit testing



Prerequisites

Required

- Angular modules (NgModule)
- Components
- Templates
- Binding
- Services
- Routing

Suggested

- Angular 2: Getting Started
- Angular 2: First Look

Not Required

 Prior Angular forms knowledge



Thoughts? Comments? Questions?

Table of contents Description Transcript Exercise files **Discussion** Learning Check





Blog Post

http://blogs.msmvps.com/deborahk/angular-2-reactive-forms-problem-solver/

Deborah's Developer MindScape

"Angular 2: Reactive Forms" Problem Solver

Filed under: Angular 2, JavaScript — deborahk @ 5:05 pm

Tags: Angular, angular2, AngularJS, forms

This blog post supports the sample code for the "Angular 2: Reactive Forms" course on Pluralsight, identifying common issues along with their solutions.



Checklist




Review module concepts

Code along assistance

Revisit as you build



GitHub Repository




https://github.com/DeborahK/Angular2-ReactiveForms

◦ Angular2-ReactiveForms



Demo Form





Demo



Sample Application in Action

- Reactive form
- Routing
- Data Access Service



Course Outline



Template-driven vs. Reactive Forms

Building a Reactive Form

Validation

Reacting to Changes

Dynamically Duplicate Input Elements

Reactive Form in Context

Create, Read, Update and Delete (CRUD)
Using HTTP

