

Department of Computing Sciences Plagiarism Declaration

Integrated System

ıt

		Implementation & Deployment Documen
Module code:	WRRV301	

Name	Student Number	Contribution % [Total = 100]
Mpendulo	219046379	100

hereby declare that this submission is our own, original work.

We further declare that:

We,

- 1. No part of this submission has been copied from another person/group,
- 2. We did / did not work with another person/group on this submission,
- 3. We acknowledged all consulted sources in the text and submitted a list of references, and
- 4. Parts without references are entirely our own work
- 5. That we have all equally contribute to the work or as indiciated in the contribution % above.

(Delete any of the above if not applicable)

We understand that, should this declaration be false, we may be charged with academic misconduct and/or plagiarism and that a disciplinary hearing may be brought against us.

1.	SIGNED:	0	DATE	2022/10/11
2.	SIGNED:		DATE	
3.	SIGNED:		DATE	

4.	SIGNED:	 DATE	



EaglesHousemate Manager

Team Members

219046379, Mpendulo Mthembu

Implementation & Deployment Document


Document Date: 11/10/2022

TABLE OF CONTENTS

1	FUNC	TIONAL	REQUIREMENTS	3
	1.1	Use Ca	ase Model	3
	1.2	Use Ca	ase Glossary and Implementation Responsibilities	4
2	USE (SASE NA	ARRATIVES & UI DESIGNS	5
	2.1	Team l	UI Guidelines	5
	2.2	Naviga	ation & Control	5
	2.3	Team I 2.3.1	Design for Login / Logout	
		2.3.2	Dashboard / Landing Page / Main Page	7
	2.4	UI Des 2.4.1	signs & Use Case Narratives for the Implemented Use Cases Designed by Mpendulo Mthembu	
		2.4.2	Designed by Mpendulo Mthembu	13
		2.4.3	Designed by Mpendulo Mthembu	15
		2.4.4	Designed by Mpendulo Mthembu	18
		2.4.5	Designed by Mpendulo Mthembu	20
		2.4.6	Designed by Mpendulo Mthembu	24
3	DATA	REQUIF	REMENTS	29
	3.1	Implem	nentation Ready Class Diagram	29
	3.2	Implem	nented database structure	30
	3.3	Test Da	ata	32
4	TECH	NICAL R	REQUIREMENTS	34
	4.1	System	n Environment	34
	4.2	Start-u	p Instructions	34
	4.3	Logins	& Passwords	34

1 FUNCTIONAL REQUIREMENTS

1.1 Use Case Model



1.2 Use Case Glossary and Implementation Responsibilities

Team Member Re	sponsible: Mpendulo Mthembu
Use Case Id	Use Case Name
A0200	Maintain Housemates
A0300	Maintain Profile
B0200	Manage Chores
B0300	Assign Chores
Reports / Views /	Queries
A0700	View Housemates
B0800	View Resources

2 Use Case Narratives & UI Designs

2.1 Team UI Guidelines

The design of the system is minimalistic and does not use unnecessary UI objects or colors but includes those elements that are necessary for the user to perform their operations. The system has a dashboard which allows users to access all other functions of the system unless otherwise restricted. Functions such as to maintain profile or to assign chores are accessed by selecting the respective link on the dashboard which triggers a window to pop up which allows the user to perform that function.

Dashboard

The dashboard is the first page that the user sees after having registered/logged-in when opening the system and is where all links to other functions of the system are. The user can only select those links to which they have access to. For instance, only a housemate leader can add and/or remove other housemates therefore the Maintain Housemates page is restricted to leader housemates.

2.2 Navigation & Control

Navigation & control

The system uses tabs which separates, and groups related functions without the user having to leave a particular page. The system also uses list controls and check boxes for functions that require the use of information that already exist for easy retrieval and access.

Support for User Efficiency

The system's simplicity minimizes clustering thus ensuring efficient use of the system, use of UI objects that optimizes user's recognition rather than recall reduces users' time spent on any part of the system.

Recognition rather than recall

The system uses list controls and similar UI objects so that the user selects from required data which saves the user the time and effort of remembering detail required to perform database queries. Tooltips and default values are also used in appropriate UI objects.

Aesthetic Design


The user interface uses minimalistic UI objects and colors and makes effective use of spaces around UI objects which optimizes the user's use of the system.

Error prevention / recovery

Confirmation dialog boxes are used to make sure a user performed what they intend to do. The user of UI objects as list controls or similar so that the user selects required detail to reduce input-based mistakes. The system highlights risky operations to the user for instance by using a red border on the remove/delete button of housemates/chores etc.


2.3 Team Design for

2.3.1 Login / Logout



2.3.2 Dashboard / Landing Page / Main Page


Initial UI design




2.4 UI Designs & Use Case Narratives for the Implemented Use Cases

2.4.1 Designed by Mpendulo Mthembu

Use Case ID	Use Case Name	
A0100	Maintain Housemates	5
Primary Business Acto	ors	Other participating Actors
Housemate (Leader)		
Description	A house leader can a	dd/edit/remove a housemate from a particular house.
Pre-Conditions	A connection must all housemate must be a	ready have been made to a particular house. The a house leader.
Triggers	A housemate selects	to maintain housemates.
Post-Conditions	A housemate would t	hen be added/edited/removed.
Basic Flow of Events	Add: 1.1 The hou 1.2 The add 1.3 The hou 1.4 The hou	housemates page is displayed usemate selects the add tab d housemate tab is displayed usemate enters the housemate details. usemate selects to add the housemate riate system feedback is displayed.
Alternate Flow of events	1.4 The housemate s 1.5 Appropriate syste Remove: 1.1 The housemate s 1.2 The remove hous 1.3 The housemate s	elects a housemate from the table. elects to edit housemate. m feedback is displayed. elects the remove tab emate tab is displayed. elects a housemate from the table. elects to remove housemate.
Initial UI design		









2.4.2 Designed by Mpendulo Mthembu


		Use Case Name	
A0300		Maintain Profile	
Primary Busi	iness Act	ors	Other participating Actors
Housemate (N	Non-Lead	er)	Housemate (Leader)
Description		A housemate can upo	date/delete their own profile.
Pre-Conditio	ns	A profile must already	y exist
Triggers		A housemate selects	to maintain their profile.
Post-Condition	ons	A housemate updates	s/deletes their profile.
Basic Flow o Events	ÞΓ	Update: 1.1 The housemate s 1.2 The edit profile ta 1.3 A housemate cha 1.4 A housemate the	
Alternate Flo events	ow of	1.4 A confirmation dia	e tab is displayed. n selects to delete their profile. alog is displayed.
nitial UI desi	ign	1.5 Appropriate syste	em feedback is displayed.
nitial UI desi	ign	1.5 Appropriate syste	em feedback is displayed.
Maintain Profile		1.5 Appropriate syste	
Maintain Profile		T.3 Appropriate system	
Maintain Profile Maintain Profile Details Firstname: Lastname: Phone Number: Password:			




2.4.3 Designed by Mpendulo Mthembu

Use Case ID	Use Case Name	
B0200	Manage Chores	
Primary Business Actor	rs	Other participating Actors
Housemate (Non-Leader)	Housemate (Leader)
	A housemate can add having been complete	d/update/remove their chores, such as marking the chore as ed in case of editing.
Description		can assign the chore to themselves (self-assign) as they g" chore which can be later assigned.
	A housemate leader	can edit chores assigned to other housemates.
Pre-Conditions	A connection must al	ready have been made to a particular house.
Triggers	A housemate selects	to manage chores.
Post-Conditions	A chore is then added	d/updated/removed.
Basic Flow of Events	Add: 1.1 The hou 1.2 The add 1.3 A house 1.4 A house	chores page is displayed. usemate selects the add tab. d chore tab is displayed. emate enters the relevant detail. emate then selects to add a chore. riate system feedback is displayed.
Alternate Flow of events	1.2 The edit chore tal 1.3 The housemate supdate. 1.4 A housemate cha 1.5 A housemate sele 1.6 Appropriate syste Remove: 1.1 The housemate s 1.2 The remove chore 1.3 The housemate s 1.4 The housemate s 1.5 A confirmation dia	elects a chore from the table for which they would like to anges relevant detail. ects to update a chore. em feedback is displayed. elects the remove tab. e tab is displayed. elects the housemate from the table. chooses to remove a chore.
Initial UI design	The second control of	
initial of acoign		








2.4.4 Designed by Mpendulo Mthembu

Use Case ID	Use Case Name	
B0300	Assign Chores	
Primary Business Actor	rs	Other participating Actors
Housemate (Leader)		
Description	A house leader can a	assign chores to a particular housemate.
Pre-Conditions		ready have been made to a particular house. The housemate der. A chore must already exist and unassigned to another
Triggers	A housemate selects	to assign house chores.
Post-Conditions	Chore is then assigned to a particular housemate.	
Basic Flow of Events	The house to assign to The house	chores page is displayed. mate selects chore(s) and a housemate from the lists o a housemate. mate selects to assign chore(s). e system feedback is displayed.
Alternate Flow of events		
Initial UI design		



2.4.5 Designed by Mpendulo Mthembu

	Use Case Name	
A0700	View Housemates	
Primary Business Actors	5	Other participating Actors
Housemate (Leader)		Housemate (Non-Leader)
Description		iew housemates and has the option to view related detail resources bought using B0700 and B0800 respectively.
Pre-Conditions	A connection must a	already have been made to a particular house.
Triggers	A housemate select	ts to view housemates.
Post-Conditions	A table of houseman	tes and the option to view related details is displayed.
Basic Flow of Events	1. A view ho	ousemates page is displayed.
Alternate Flow of events	View housemate ch 1.1.1 House 1.1.2 A view View housemate res 1.2.1 Ho	emate selects to view that housemate's chore v housemate chores page is displayed.
Initial UI design		
HousemateID		
*	Firstname Lastname	Phone Number

Final UI

Housemate ID	Username	First Name	Last Name	Phone Number	Password	Leader
1	bill	Bill	Bob	0894748632	1234	1
2	junior	Junior	Bob	0838263872	2345	0
1	benn	Benn	Stealer	0897987897	3456	0

Chore ID	Area Name	Description	Completed	Date Completed
9	Roof	Roof chore	0	

Resource Name	Is Finished	Housemate ID
mop	0	1
sunlight	0	1
	V	


2.4.6 Designed by Mpendulo Mthembu


Use Case ID	Use Case Name						
B0800	View Resources						
Primary Business Actor	'S	Other participating Actors					
Housemate (Leader)		Housemate (Non-Leader)					
Description	as chores associate	ew resource and has the option to view related details such d with that resource and housemate who bought that 00 and A0700 respectively.					
Pre-Conditions	A connection must a	lready have been made to a particular house.					
Triggers	A housemate selects	s to view resources.					
Post-Conditions	A table of resources	and the option to view related detail is displayed.					
Basic Flow of Events	1. A view res	sources page is displayed.					
Alternate Flow of events	View resource's cho	mate selects to view that chores that use that					

1.1.2 A view resource chores page is displayed.

View resource's housemate:

- 1.2.1 Housemate selects to view housemate who bought that resource.
- 1.2.2 A view resource housemate page is displayed.






Chore ID	Area Name	Description	Completed	Date Completed
3	Kitchen	Kitchen chore	0	
7	Backyard	backyard chore	0	

Housemate ID	Username	First Name	Last Name	Phone Number	Password	Leader
)	junior	Junior	Bob	0838263872	2345	0

3 DATA REQUIREMENTS

3.1 Implementation Ready Class Diagram



3.2 Implemented database structure

We have used MS SQL to create our database in. The name of the database for our project is HMS4

 ■ ■ dbo.Chore ☐ ■ Columns choreID (PK, int, not null) description (varchar(255), not null) isCompleted (bit, not null) dateCompleted (date, null) areaName (varchar(30), not null) ■ ■ dbo.House houseName (PK, varchar(30), not null) ■ houseCode (char(4), not null) ■ ■ dbo.Housemate housemateID (PK, int, not null) ■ username (varchar(30), not null) ☐ firstName (varchar(30), not null) ■ lastName (varchar(30), not null) □ phoneNumber (char(10), not null) isLeader (bit, not null) password (varchar(30), not null) houseName (FK, varchar(30), null) ■ ■ dbo.Swap housemateID (PK, FK, int, not null) choreID (PK, FK, int, not null)

otherChore (FK, int, null)



- □ Columns
 - choreID (PK, FK, int, not null)
 - resourceName (PK, FK, varchar(30), not null)
 - nousemateID (PK, FK, int, not null)

- <u>-</u> 1/

3.3 Test Data

				Chore						
	1	2	3	4	5	6	7	8	9	10
choreID	3	5	7	9	14	15	16	17	18	19
description	A chore for the kitchen	A chore for the veranda	A chore for the backyard	A chor e for the left side of the roof.	A chore for the stairs	A chor e for the right side of the roof.	A chor e for the lawn.	A chore for the dinning room.	A chor e for the drive way.	A chor e for the main bed room
isCompleted	0	0	0	0	0	0	0	0	0	0
dateComplete d	NULL	NULL	NULL	NUL L	NUL L	NUL L	NUL L	NULL	NUL L	NUL L
areaName	Kitche n	Verand a	Backyar d	Left roof	Stair s	Right roof	Lawn	Dinnin g room	Drive way	Mad bed room

				Но	usemat	е				
	1	2	3	4	5	6	7	8	9	10
housem	1	2	4	5	6	7	10	11	12	13
ateID										
userna	bill	junior	benn	zach	harry	eve	joe	ava	mad	max
me										
firstNa	Bill	Junior	Benn	Zach	Harry	Eve	Joe	Ava	Mad	Max
me										
lastNam	Bob	Bob	Stealer	Russel	Garner	Black	Parkin	Hardin	Reynol	Ryan
е							son	g	ds	
phoneN	08947	08382	08979	08979	07738	07274	06394	06228	07828	08738
umber	48632	63872	87897	87498	23848	73822	93234	38483	37473	28732
isLeade	1	0	0	0	0	0	0	0	0	0
r										
passwo	1234	2345	3456	78973	dhjds	eoiuwe	iowe79	987ewt	iyiigy*	98432
rd				4		8	8	yug	&	
houseN	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL
ame										

	Resource											
	1	2	3	4	5	6	7	8	9	10		
resourceName	Bags	Bags	Bags	Bin	Bin	Broom	Broom	Broom	Broom	Broom		
isFinished	0	0	0	0	0	0	0	0	0	0		
housemateID	4	6	10	7	13	1	4	10	11	12		

	Swap											
	1	2	3	4	5	6	7	8	9	10		
housemateID	1	2	2	4	5	6	7	10	11	12		
choreID	3	7	14	9	18	5	16	15	17	19		
otherChore	NULL											

Usage										
	1	2	3	4	5	6	7	8	9	10

choreID	3	9	9	14	15	15	16	17	19	19
resourceName	Broom	Bags	Broom	Brush	Bags	Broom	Brush	Bags	Broom	Bin
housemateID	1	4	4	2	10	10	7	11	12	12

4 TECHNICAL REQUIREMENTS

4.1 System Environment

The system runs on Windows 10. The WRR.bat file used to run the system uses the JAVA_HOME environment variable therefore the operating system should have java installed and the JAVA_HOME environment variable set. e.g., "C:\Program Files\Java\jdk-17.0.1" excluding the bin folder.

4.2 Start-up Instructions

The system can be run by double clicking the *WRR.bat* file which is located at *WRR\out\artifacts\WRR_jar* within the project. The system can also be run from IntelliJ by importing the solution file.

4.3 Logins & Passwords

	housemateID	username	firstName	lastName	phoneNumber	isLeader	password	houseName
1	1 ADMIN	bill	Bill	Bob	0894748632	1	1234	NULL
2	2	junior	Junior	Bob	0838263872	0	2345	NULL
3	4	benn	Benn	Stealer	0897987897	0	3456	NULL
4	5	zach	Zachary	Russell	0897987498	0	789734	NULL
5	6	harry	Harry	Garner	0773823848	0	dhjds	NULL
6	7	eve	Eve	Black	0727473822	0	eoiuwe8	NULL
7	10	joe	Joe	Parkinson	0639493234	0	iowe798	NULL
8	11	ava	Ava	Harding	0622838483	0	987ewtyug	NULL
9	12	mad	Maddison	Reynolds	0782837473	0	iyiigy*&	NULL
10	13	max	Max	Ryan	0873828732	0	98432	NULL