

Τὸ χρονικὸ ἀνagέρσεως τοῦ Ἱεροῦ Ναοῦ Ἀρχιτεκτονικὴ Μελέτη

Ἡ εὐλάβεια καὶ ἡ τιμὴ τῶν Πατρῶν πρὸς τὸν ἑνδοξον πολιοῦχον τῶν Πατρῶν, τοὺς ὠδήγησαν εἰς τὴν ἀπόφασιν νὰ ἀνεγείρουν Ναὸν ἀντάξιον τοῦ Πρωτοκλήτου τῶν Ἀποστόλων. Πρὸς τοῦτο προεκηρύχθη διεθνὴς διαγωνισμὸς τὸ ἔτος 1902 διὰ τὴν ἐκπόνησιν Ἀρχιτεκτονικῆς μελέτης μὲ θέμα τὴν ἀνέγερσιν τοῦ Ἱεροῦ Ναοῦ τοῦ Ἁγίου Ἀποστόλου Ἀνδρέου.

Ὑπεβλήθησαν 32 μελέται ἀπὸ Ἑλλήνας καὶ ξένους ἀρχιτέκτονας ἐκ τῶν ὁποίων ἐθεωρήθησαν μόνον 8 ἱκαναί, νὰ ὑποστοῦν τὴν κρίσιν τῆς Ἀκαδημίας Καλῶν Τεχνῶν τοῦ Βερολίνου. Τὸ πρῶτο βραβεῖον ἔλαβεν ἡ μελέτη τοῦ Αἰμιλίου Ρομπέρ. Τὴν 27ην Νοεμβρίου 1904 ἡ Ἐπιτροπὴ Ἀνεγέρσεως τοῦ Ἱεροῦ Ναοῦ ἐπεκύρωσε τὸ ἀποτέλεσμα. Ἐν συνεχείᾳ ἐγένοντο ἐπεμβάσεις εἰς τὴν μελέτην καὶ κατηργήθησαν (δυστυχῶς) οἱ χῶροι τοῦ ὑπογείου, διὰ οἰκονομικοὺς λόγους.

Πρὸ τῆς θεμελιώσεως τοῦ Ναοῦ, ἤρχισαν ἀντιδράσεις καὶ ὑπῆρξε σφοδρὰ κριτικὴ, κατὰ τοῦ εὐφραντάστου καὶ ἀληθῶς ἐπιβλητικοῦ αὐτοῦ σχεδίου, διότι ἐθεωρήθη καὶ δικαίως, ὅτι δὲν ἀνταπεκρίνετο εἰς τὴν Ὁρθόδοξον ἐκκλησιαστικὴν παράδοσιν.

Ἦτο εὐνόητον, ὅτι ὁ ἐκπονήσας τὸ σχέδιον Γάλλος μηχανικὸς, νὰ εἶχεν ἐπηρεασθῇ ἀπὸ τὴν Δυτικὴν παράδοσιν.

Τὸ ἔτος 1907 διενεργήθη ὁ πρῶτος μειοδοτικὸς διαγωνισμὸς διὰ τὴν θεμελίωσιν τοῦ Ἱεροῦ Ναοῦ, ἀφοῦ προηγήθη ἡ ἔγκρισις τῆς τροποποιημένης μελέτης τοῦ Ἀρχιτέκτονος Ρομπέρ, ἀπὸ τὰς ὑπηρεσίας τοῦ Ἑλληνικοῦ Δημοσίου.

Τὴν 1ην Ἰουνίου τοῦ ἔτους 1908 κατετέθη ὁ θεμέλιος λίθος ἀπὸ τὸν τότε Βασιλέα Γεώργιο Α΄, προεξάρχοντος, τῆς Ἐκκλησιαστικῆς λαμπρᾶς τελετῆς, τοῦ μακαριστοῦ Μητροπολίτου Πατρῶν, Ἀντωνίου Παράσχη (1906-1944). Ἡ δημοπρασία ὅμως τῆς 20ης Ἀπριλίου 1914 ἐματαιώθη, ἀφοῦ οἱ ἐκλογές τῆς 9ης Φεβρουαρίου 1914 ἀνέτρεψαν τὸν Δήμαρχο Δημ. Βότση, ὁ ὁποῖος εἶχε προκηρύξει τὸ ἔργον.

Τὰς προετοιμασίας διὰ τὴν ἀνασύνταξιν τῶν οἰκονομικῶν μελετῶν τοῦ Ναοῦ, προέλαβαν ὁ Α' Παγκόσμιος Πόλεμος, ἡ Μικρασιατικὴ καταστροφή, ἡ οἰκονομικὴ ὑφesis καὶ ἄλλα ζητήματα. Μετὰ ταῦτα ἡ πρώτη συνεδρίασις διὰ τὴν συνέχισιν τῶν ἐργασιῶν ἀνεγέρσεως τοῦ Ἱεροῦ Ναοῦ, ἐπραγματοποιήθη τὴν 4ην Φεβρουαρίου 1926 μὲ ἀπογοητευτικὰς προοπτικάς. Ὁ Ἀναστάσιος Μεταξᾶς, ὁ μηχανικὸς τοῦ ἔργου, ὑπὸ τὴν πίεσιν τῶν μεγάλων οἰκονομικῶν δυσκολιῶν, ἔθεσε ζητήματα οἰκονομίας ὑλικῶν (λαξευτοὶ λίθοι κλπ) καὶ ἐπρότεινε τὴν κατασκευὴν χυτῶν τοιχείων ἀπὸ ὀπλισμένον σκυρόδεμα.

Ἐπίσης ἔθεσε θέμα ἐπανεξετάσεως τῆς μελέτης θεμελιώσεως τοῦ Ἱεροῦ Ναοῦ. Ὁ σεισμὸς τῆς Κορίνθου τὸν Ἀπρίλιον τοῦ 1928 καὶ τὰ νέα δεδομένα κατασκευῆς κτηρίων ἔδωσαν ὠθησιν, ὥστε νὰ τροποποιηθῇ ἡ μελέτη θεμελιώσεως καὶ ἀνοικοδομήσεως τοῦ Ἱεροῦ Ναοῦ μὲ νέα ὑλικά.

Άνοικοδόμησις

Τό έτος 1932 άπεφασίστη ή καθαίρεσις τών ύπαρχουσών κατασκευών και ή άνοικοδόμησις του Ναού με όπλισμένον σκυρόδεμα (δυστυχώς). Τήν άνοιξιν του 1933 ολοκληρώθησαν αί μελέται και τó φθινόπωρον του 1936 με έργολάβον τόν Κωστόπουλον, ολοκληρώθη τó κεντρικόν τμήμα έως τó δακτύλιον τής βάσεως του τρούλου. Τó 1937 πέθανεν ό έπιβλέπων μηχανικός Αναστάσιος Μεταξάς και ό Ναός παρέμεινε χωρίς εξέλιξιν, διά 20 έτη.

Τότε ή ύπηρεσία Αναστηλώσεως του Υπουργείου Παιδείας, υπό τήν διεύθυνσιν του καθηγητού του Πολυτεχνείου Αναστασίου Ορλάνδου, έπρότεινε τήν μετατροπήν του σχήματος τών τρούλων «έπί τó όρθοδοξώτερον». Με τήν άποψιν αύτή συνεμορφώθη και ή Έπιτροπή Ανεγέρσεως του Ναού.

Τó 1938 ή Έπιτροπή Ανεγέρσεως άνέθεσεν εις τόν Αρχιτέκτονα Ζάχον τήν ανασύνταξιν τής μελέτης. Αργότερα όμως, έτυφλώθη ό Ζάχος και έν συνεχεία εξέσπασε ό Β΄ Παγκόσμιος πόλεμος.

Τό έτος 1948 τó Υπουργείον προεκήρυξε άρχιτεκτονικόν διαγωνισμόν εις τόν όποιον έβραβεύθη ή μελέτη του Γεωργίου Νομικού. Υπό τó βάρος τής γενικής άποδοκιμασίας τών ένεργειών και τών άποφάσεων του Υπουργείου, άπό τήν τοπικήν κοινωνίαν, τήν 21ην Οκτωβρίου 1950, τó Υπουργείον επέτρεψε τήν συνέχισιν τής έφαρμογής τής λύσεως Ρομπέρ, με κάποιες πάντως τροποποιήσεις.

Έγκαίνια

Ο Ναός έγκαινιάσθη λαμπρώς τήν 26ην Σεπτεμβρίου 1974 (10 έτη μετά τήν έπανακομιδήν τής Τιμίας Κάρας του Αποστόλου Ανδρέου (26.9.1964) και 66 έτη μετά τήν άρχικήν θεμελίωσίν του). Τά Έγκαίνια έπραγματοποιήθησαν υπό του άοιδίμου Μητροπολίτου πρ. Πατρών κυρού Νικοδήμου, προεξάρχοντος του μακαριστου Αρχιεπισκόπου Αθηνών και πάσης Ελλάδος κυρού Σεραφείμ και συλλειτουργούντων 30 Αρχιερέων, καθώς και Έκπροσώπων τών Πατριαρχείων ως αναφέρεται και εις τήν έντοιχισμένην αναμνηστικήν μαρμαρίνην πλάκα άνωθεν του άριστερου έπιτροπικού. Τά Έγκαίνια συνετέλεσαν εις τήν έπιτάχυνσιν τών εργασιών του Ναού. Συνεπληρώθη ό έσωτερικός διάκοσμος και άγιογραφήθη ή κόγχη του Ίερού ως και ό τρούλος και τά τύμπανα κάτωθεν του τρούλου, υπό του άγιογράφου μακαριστου Ιωάννου Καρούσου.

Άλλα στοιχεία διά τόν Ίερόν Ναόν.

Η συνολική έπιφάνεια του Ναού είναι 1900 m² και του γυναικωνίτου 700 m². Η Χωρητικότητα του Ναού ύπολογίζεται εις 6500 άτομα. Τó μήκος του Ναού με τά πρόπυλα άνέρχεται στα 59,80μ. και τó πλάτος του 51,80 μ. ό Κεντρικός τρούλος του Ναού έχει ύψος 40,5 μ. και ή άπόληξη του έξωτερικού σταυρου βρίσκεται στα 45μ. Ο κεντρικός τρούλος περιστοιχίζεται άπό 12 άλλους χαμηλότερους τρούλους-κωδωνοστάσια οί όποιοι συμβολίζουν τόν Ίησουν Χριστόν με τούς 12 Αποστόλους Του. Ο άρχικός σχεδιασμός προέβλεπε τήν επικάλυψη όλων τών τρούλων με φύλλα χαλκού λόγω τής άνθεκτικότητος του χαλκού εις τήν διάβρωση άπό τó πλησίον θαλάσσιον περιβάλλον.

Ο ΙΕΡΟΣ ΝΑΟΣ ΤΟΥ ΠΡΩΤΟΚΛΗΤΟΥ

ΕΠΙ ΑΡΧΙΕΡΑΤΕΙΑΣ ΜΗΤΡΟΠΟΛΙΤΟΥ ΧΡΥΣΟΣΤΟΜΟΥ.

Τὸν Φεβρουάριον τοῦ ἔτους 2005 ἐχειροτονήθη Μητροπολίτης Πατρῶν, ὁ Ἀρχιεγγραμματεὺς τῆς Ἱερᾶς Συνόδου, Ἀρχιμ. Χρυσόστομος Σκλήφας, ὁ ὁποῖος ἐνεθρονίσθη τὴν 2αν Ἀπριλίου τοῦ ἰδίου ἔτους εἰς τὸν μεγαλοπρεπῆ Ἱερόν Ναόν τοῦ Ἀποστόλου Ἀνδρέου, παρουσίᾳ τοῦ μακαριστοῦ Ἀρχιεπισκόπου Ἀθηνῶν καὶ Πάσης Ἑλλάδος κυροῦ Χριστοδούλου, πληθύος Ἱεραρχῶν ἐκ τῆς Ἐκκλησίας τῆς Ἑλλάδος καὶ τῶν ἄλλων Ὁρθοδόξων Ἐκκλησιῶν, τῆς Πολιτειακῆς καὶ Πολιτικῆς Ἡγεσίας, τοῦ συνόλου τοῦ Ἱεροῦ Κλήρου καὶ τῶν Μοναστικῶν Ἀδελφοτήτων τῆς Ἀποστολικῆς Μητροπόλεως Πατρῶν, Κληρικῶν καὶ Μοναχῶν, ἐξ ἀπάσης τῆς Ἑλλάδος καὶ Ἁγίου Ὁρους καὶ χιλιάδων εὐσεβῶν χριστιανῶν. Ὁ Σεβασμιώτατος ἀμέσως ἡσχολήθη μὲ τὸν Ἱερόν Ναόν τοῦ Ἀποστόλου Ἀνδρέου, κατήργησε τὸ τέλος τῆς ΔΕΗ διὰ τὸν Ναόν, λόγω τῶν πολλῶν ἀντιδράσεων τῶν Πατρίων καὶ γενικώτερον (τὸ τέλος εἶχεν ὀρισθῇ ὑπὸ τοῦ Μακαριστοῦ Μητροπολίτου Θεοκλήτου, τὸ ἔτος 1955) καὶ ἐπελήφθη ἄμεσα τῶν ἐργασιῶν περατώσεως τοῦ Ἱεροῦ Ναοῦ. **Ἐξεπονήθη** εἰδικὴ μελέτη καὶ διορθώθηκαν πολλά καὶ μεγάλα προβλήματα εἰς τὰ θεμέλια τοῦ Ἱεροῦ Ναοῦ. **Ἐγένετο στεγανοποίησις τῆς στέγης**, τῶν τρούλων καὶ ὀλων τῶν ἄλλων ἐπιφανειῶν. **Ἐτοποθέτησαν** ὑδρορροαί. **Ἀνεκαινίσθησαν** ἅπασαι αἱ ἐξωτερικαὶ ἐπιφάνειαι τοῦ Ναοῦ. **Διορθώθηκαν** οἱ φθορᾶς εἰς τοὺς μαρμαρίνους κίονας καὶ εἰς ἀπάσας τὰς ὑπὸ μαρμάρων ἐπιφανείας. **Ἐπερατώθη** ἡ ἀγιογράφησις τοῦ Ναοῦ (ἦτο ἀναγιογράφητος ἐπιφάνεια $\frac{3}{4}$ τοῦ Ἱεροῦ Ναοῦ). **Ἐδημιουργήθησαν** α) Μουσεῖον τοῦ Ἱεροῦ Ναοῦ, β) Βιβλιοθήκη μὲ χιλιάδες τόμους (ἐδωρήθη εἰς τὸν Ναόν ἡ βιβλιοθήκη τοῦ Μητροπολίτου Χρυσοστόμου μὲ ἑκατοντάδες τόμους) καὶ γ) Ἀρχονταρίκιον. **Ἐπίσης κατεσκευάσθη ἀνελκυστήρ**, διὰ τὴν ἀνοδὸν εἰς τὰς ἄνω ἐπιφανείας τοῦ Ἱεροῦ Ναοῦ. **Ἐτοποθετήθη** ὁ Σταυρός τοῦ Ἁγίου Ἀνδρέου εἰς πολύτιμον ἀργυροχρυσοποιίκιλον θήκην μὲ πολυτίμους λίθους καὶ μετεφέρθη ἐκ τῆς θέσεως ὅπου εὕρισκετο ἐντοιχισμένος (ὀπισθεν τοῦ προσκυνηταρίου τῆς Ἀγίας Κάρας), εἰς τὸ βόρειον κλίτος, τὸ ὁποῖον ἀφιερῶθη εἰς τὸν Σταυρόν τοῦ ἱερωτάτου Ἀποστόλου. **Ἐτοποθετήθησαν** νέα σκαλιστὰ καθίσματα εἰς ἅπαντα τὸν Ἱερόν Ναόν. **Ἀνεκαινίσθη** ἐκ βάθρων ὁ Παλαιὸς Ἱερός Ναός τοῦ Ἀποστόλου Ἀνδρέου.

Ἐπίσης, **ἐδημιουργήθησαν** χῶροι ὑγιεινῆς στὸν Ἱερό Ναὸ καὶ ἀνεκαινίσθη ὁ κλιματισμὸς καὶ οἱ μικροφωνικὲς ἐγκαταστάσεις.

Ἀξιοποιήθη ὁ χῶρος ἔναντι τοῦ Ἱεροῦ Ναοῦ καί λειτουργεῖ
πνευματικόν κέντρον καί ἐκθετήριον ἐκκλησιαστικῶν εἰδῶν.

The Chronology of the Construction of the Cathedral Church of Saint Andrew Architectural Study

The piety and honor of the people of Patras towards the glorious patron saint of the city, led them to the decision to erect a Cathedral worthy of the First-Called Apostle Andrew. An international competition was announced in 1902 for the preparation of an architectural design for the construction of the Cathedral Church of Saint Andrew.

Thirty-two studies were submitted by Greek and foreign architects, of which only eight were deemed suitable to undergo the judgment of the Academy of Fine Arts of Berlin. The first prize was awarded to the design by Emile Robert. On November 27, 1904, the Committee for the Construction of the Cathedral confirmed the result. Subsequently, modifications were made to the design, and the underground spaces were unfortunately removed for economic reasons.

Before the foundation of the Cathedral, reactions began, and there was fierce criticism of the imaginative and truly imposing design, as it was rightly considered that it did not correspond to the Orthodox ecclesiastical tradition. It was evident that the designer, a French engineer, had been influenced by the Western tradition.

In 1907, the first tender for the foundation of the Sacred Cathedral was held after the approval of the modified design by architect Robert by the Greek Government. On June 1, 1908, the cornerstone was laid by King George I, presiding over the ecclesiastical ceremony, presided over by the late Metropolitan of Patras, Antonios Paraschis (1906-1944). However, the tender of April 20, 1914 was canceled, after elections of February 9, 1914 ousted Mayor Dim. Votsi, who had announced the project.

The preparations for the revision of the economic studies of the Cathedral were interrupted by World War I, the Asia Minor Catastrophe, the economic depression, and other issues. Afterward, the first meeting for the continuation of the construction took place on February 4, 1926, with disappointing prospects. The engineer of the project, Anastasios Metaxas, under the pressure of major financial difficulties, raised concerns about the economy of materials (carved stones, etc.) and proposed the construction of cast concrete walls. He also raised the issue of re-examining the foundation design of the Cathedral. The earthquake of Corinth in April 1928 and the new building materials led to the modification of the foundation and rebuilding design using new materials.

Reconstruction

In 1932, it was decided to demolish the existing structure and rebuild the Cathedral using reinforced concrete (unfortunately). In the spring of 1933, the studies were completed, and in the fall of 1936, under contractor Kostopoulos, the central section was completed up to the ring of the dome's base. In 1937, the supervising engineer Anastasios Metaxas passed away, and the construction of the Cathedral was halted for 20 years.

At that time, the Reconstruction Service of the Ministry of Education, under the direction of Professor Anastasios Orlandos of the Polytechni University, suggested modifying the shape of the domes to a more "orthodox" design." The Church's

Construction Committee conformed to this opinion. In 1938, the Committee assigned architect Zachos with the redesign of the plans. However, Zachos later went blind, and the outbreak of World War II delayed the project further.

In 1948, the Ministry announced an architectural competition, and the design by Georgios Nomikos was awarded. Under the weight of the general disapproval of the Ministry's actions and decisions from the local community, on October 21, 1950, the Ministry allowed the continuation of Robert's solution with some modifications.

Inauguration

The Cathedral was inaugurated with great splendour on September 26, 1974 (10 years after the return of the Holy Kara of Saint Andrew on September 26, 1964, and 66 years after its initial foundation). The inauguration ceremony was led by the late Metropolitan of Patras Nikodimos with the late Archbishop of Athens and All of Greece Seraphim and 30 bishops, along with representatives of the Patriarchates, as mentioned on the commemorative marble plaque above the left side altar. The inauguration contributed to accelerating the works of the Cathedral. The interior decoration was completed, and the apse, the dome, and the drums beneath the dome were painted by the late iconographer Ioannis Karousos.

Other Details about the Cathedral

The total area of the Cathedral is 1900 m², and the area of the women's gallery is 700 m². The capacity of the Church is estimated at 6,500 people. The length of the Church, including the portico, reaches 59.80 meters, and its width is 51.80 meters. The central dome of the Church has a height of 40.5 meters, and the end of the outer cross reaches a height of 45 meters. The central dome is surrounded by 12 lower domes-bell towers, which symbolize Jesus Christ with His 12 Apostles. The original design called for all the domes to be covered with copper sheets due to the durability of copper against corrosion from the nearby sea environment.

THE CATHEDRAL OF THE FIRST-CALLED APOSTLE ANDREW During the Episcopate of Metropolitan Chrysostomos

In **February 2005**, the Archimandrite **Chrysostomos Sklifias**, Chief Secretary of the Holy Synod, was ordained **Metropolitan of Patras**. He was **enthroned on April 2 of the same year** in the magnificent Cathedral of the **Apostle Andrew**, in the presence of the late **Archbishop of Athens and All Greece, Christodoulos**, many hierarchs from the **Church of Greece** and other **Orthodox Churches**, representatives of the **State and political authorities**, the entire **clergy** and **monastic communities** of the Apostolic Metropolis of Patras, as well as clergy, monks from all over Greece and from **Mount Athos**, and thousands of faithful Christians. His Eminence immediately turned his attention to the Cathedral of the Apostle Andrew. He **abolished the electricity fee (DEI surcharge)** imposed on the church (a measure established in **1955** by the late Metropolitan Theoklitos) and he **personally undertook the completion works** of the Cathedral. A **special technical study** was carried out, and many serious **structural problems** at the foundations of the Cathedral were corrected. The roof, the domes, and all other surfaces were waterproofed. Gutters were installed. **All the exterior surfaces**

of the Cathedral were renovated. The **marble columns** and **marble-covered areas** were repaired. The **iconography of the church** was **completed** (three-quarters of the Cathedral had previously remained without frescoes).

Furthermore, three new facilities were created: a) a **Museum** of the Cathedral, b) a **Library** containing thousands of volumes (including the personal library of Metropolitan Chrysostomos, donated to the church) and c) an **Archontariki** (guest and reception hall). An **elevator** was also installed to access the upper levels of the church.

The **Cross of Saint Andrew** was placed in a **precious silver-and-gold reliquary** adorned with jewels and transferred from its former position where it was embedded (behind the shrine of the Holy Head) to the **northern aisle**, which was dedicated to the **Cross of the Holy Apostle**. **New carved wooden seats** were installed throughout the church, and the **Old Church of Saint Andrew** was **completely renovated**.

In addition, sanitary facilities were created in the Cathedral and the air conditioning and microphone systems.

The area opposite the Cathedral was utilized and now functions as a spiritual center and exhibition hall for ecclesiastical items.