

Hull-White model and calibration

perfect fit of the term structure

M. Lobewein, N. Weber, M. Pommer

18. Oktober 2021

Inhaltsverzeichnis

Inhaltsverzeichnis

Introduction


- Since the Hull-White model is inhomogenous we can exactly fit the term structure
- In order to achieve the perfect fit we construct a trinomial tree in three consecutive steps

Inhaltsverzeichnis

Trinomial tree according to Hull and White step one

Options, Futures and other Derivatives by Hull and White


Figure 30.8 Tree for R^* in Hull–White model (first stage).



Trinomial tree according to Hull and White step two

Options, Futures and other Derivatives by Hull and White

Figure 31.9 Tree for R in Hull-White model (the second stage).



Inhaltsverzeichnis

Inhaltsverzeichnis

Trinomial tree according to Hull and White step one

- During the first step the branching probabilities for going up, down and remaining constant are calculated
- The difference $R^*(t + \Delta t) - R^*$ is normally distributed with mean $-aR^*\Delta t$ and variance $\sigma^2\Delta t$
- We have to equate the theoretical mean and variance with the one in the model

$$p_u\Delta R - p_d\Delta R = -aj\Delta R\Delta t$$

$$p_u\Delta R^2 + p_d\Delta R^2 = \sigma^2\Delta t + a^2j^2\Delta R^2\Delta t^2$$

$$p_u + p_m + p_d = 1$$

Trinomial tree according to Hull and White step one

This leads to the following probabilities:

$$p_u = \frac{1}{6} + \frac{1}{2}(a^2 j^2 \Delta t^2 - aj \Delta t)$$

$$p_m = \frac{2}{3} + a^2 j^2 \Delta t^2$$

$$p_d = \frac{1}{6} + \frac{1}{2}(a^2 j^2 \Delta t^2 + aj \Delta t)$$

Trinomial tree according to Hull and White step two

We have to shift the nodes in order to fit the term structure

- We define $Q_{i,j}$ as the present value of a security that pays off 1 EUR at node (i,j)
- We initialize $Q_{0,0} = 1$
- We calculate α_0 such that the right price of the given zero coupon bond at time Δt is perfectly met
- Next we calculate the prices $Q_{1,j}$ for all nodes j as the multiplication of the respective probabilities and the zero coupon bonds according to α_0
- We can iteratively calculate all α_i and $Q_{i,j}$ to exactly fit the termstructure with the following formula

$$\alpha_m = \frac{\ln \sum_{j=-n_m}^{n_m} Q_{m,j} e^{-j\Delta R\Delta t} - \ln P_{m+1}}{\Delta t}$$

$$Q_{m+1,j} = \sum_k Q_{m,k} q(k,j) \exp[-(\alpha_m + k\Delta R)\Delta t]$$

Inhaltsverzeichnis

Trinomial tree according to Hull and White step two

We demonstrate how well the term structure is fit and how arbitrary cashflow and options on cashflows can be values!

Have fun:)