

DB 테이블

| 고객회원 (customer)

- customer_idx : INT PK AUTO_INCREMENT NOT NULL
 - customer_id : VARCHAR(255) NOT NULL , UNIQUE
 - customer_name : VARCHAR(255) NOT NULL
 - customer_passwd : VARCHAR(255) NOT NULL
 - customer_addr : VARCHAR(255)
 - customer_phone : VARCHAR(255)
 - customer_e_mail : VARCHAR(255)
 - customer_point: INT
 - cancel_waiting_num : INT NOTNULL UNIQUE
-

| 취소 대기 회원(cancel_wating_mem)

- cancel_idx : INT PK AUTO INCREMENT
 - customer_idx : int NOTNULL FK customer(customer_idx)
 - store_idx: FK popup_store(store_idx) int
-

| 팝업 스토어

- store_idx : INT PK NOT NULL auto
- store_name : VARCHAR(255) NOT NULL ,
- store_addr : VARCHAR(255) NOT NULL
- store_content : TEXT
- store_Date : DATETIME NOT NULL
- category : VARCHAR(255) NOT NULL

- **company_idx : int FK 테이블 company(company_idx)**
- rating : INT //별점
- store_image : TEXT
- total_people: INT NOT NULL

기업 회원

- company_idx: INT PK AUTO_INCREMENT
- company_id : VARCHAR(255) NOT NULL, UNIQUE
- company_name : VARCHAR(255) NOT NULL
- company_e_mail : VARCHAR(255) NOT NULL
- passwd : VARCHAR(255) NOT NULL

팝업 굿즈

- product_idx : INT PK NOT NULL AUTO_INCREMENT
- product_name : VARCHAR(255) NOT NULL, unique
- product_price : INT NOT NULL UNIQUE
- product_content : TEXT 설명
- product_image : TEXT
- product_amount : INT NOT NULL
- store_idx : int ⇒ FK popup_store(store_idx),
NOT NULL
- product_status : INT NOT NULL(0,1,2)

게시글

- post_idx : INT PK NOT NULL AUTO_increment
- post_title : VARCHAR(255) NOT NULL
- customer_idx: int NOT NULL ⇒FK customer(customer_id)
- post_content : TEXT NOT NULL

결제

- pay_idx INT PK NOT NULL AUTO_INCREMENT
- customer_idx :int FK customer NOT NULL
- pay_datetime : datetime NOTNULL
- pay_total : INT
- popup_customer_goods_idx INT

스토어 찜목록

- wish_idx: INT PK NOT NULL AUTO_INCREMENT
- store_idx : INT NOT NULL FK popup_store(store_idx)

리뷰

- review_idx INT PK NOT NULL AUTO_INCREMENT
- review_title : VARCHAR(255) NOT NULL
- review_content : TEXT
- rating: INT NOT NULL
- review_datetime : datetime
- popup_customer_idx : INT

댓글

- comment_idx : INT PK NOT NULL AUTO_INCREMENT
- customer_idx : int FK customer(customer_idx) NOT NULL
- post_idx : INT NOTNULL FK posts(post_idx)
- comment_content : TEXT NOT NULL

장바구니

- cart_idx: INT PK NOT NULL AUTO_INCREMENT
- product_idx: INT NOT NULL FK Popup goods (product_idx)
- amount : INT NOT NULL

popup_customer(예약 성공 고객) : popup-goods (n:n)

- popup_customer_idx PK INT AUTO INCREMENT
- customer_idx FK INT customer 테이블의 customer_idx
- store_idx FK popup_store 테이블의 store_idx
- reservation_date datetime

popup_customer_goods(현장수령굿즈) : payment (1:1)

- popup_customer_goods_idx int PK INT AUTO INCREMENT
- popup_customer_idx INT NOTNULL FK popup_customer 테이블의 popup_customer_idx
- product_idx INT NOTNULL FK popup_goods테이블의 product_idx

wish_popup(찜한 팝업) : customer(1:1)

- wish_popup_idx int PK INT AUTO INCREMENT
- wish_idx int NOTNULL FK wishlist 테이블의 wish_idx
- store_idx int NOTNULL FK popup_store 테이블의 store_idx
- customer_idx INT KF customer(customer_idx)

cart_goods(담아논 굿즈) : customer (1:1)

- cart_goods_idx PK INT AUTO INCREMENT

- product_idx INT NOTNULL FK popup_goods 테이블의 product_idx
 - cart_idx INT NOTNULL FK cart 테이블의 cart_idx
 - customer_idx INT
-

관계

- 1:n

customer - comment

customer - post

customer - review

customer - payment

customer - cart (보류: customer cart 연결하는게 아니라 cart랑 goods 를 연결하면 다 대다가 생성 → 거기서 나온 테이블을 customer_idx 를 통해 연결함)

customer - wishlist(보류: 상동)

customer - reservation(예약내역)

customer - cancel wating mem

popup_store : review

popup_store : *popup_goods*

post : comment

company : popup_store

payment : reservation

popup_goods : payment

reservation : popup_store

- n:n

cart - popup_goods → cart_goods : customer(1:1)

popup_store : wish_list → wish_popup : customer (1:1)

customer : popup_store → popup_customer : popup_goods(n:n) →

popup_customer_goods : payment(1:1)

- 1:1

review : popup_customer

popup_customer(예약 성공 고객) : popup_goods (n:n)

- popup_customer_idx PK INT AUTO INCREMENT
- customer_idx FK INT customer 테이블의 customer_idx
- store_idx FK popup_store 테이블의 store_idx
- reservation_date datetime

popup_customer_goods(현장수령굿즈) : payment (1:1)

- popup_customer_goods_idx int PK INT AUTO INCREMENT
- popup_customer_idx INT NOTNULL FK popup_customer 테이블의 popup_customer_idx
- product_idx INT NOTNULL FK popup_goods테이블의 product_idx
-

wish_popup(찜한 팝업) : customer(1:1)

- wish_popup_idx int PK INT AUTO INCREMENT
- wish_idx int NOTNULL FK wishlist 테이블의 wish_idx
- store_idx int NOTNULL FK popup_store 테이블의 store_idx

cart_goods(담아논 굿즈) : customer (1:1)

- cart_goods_idx PK INT AUTO INCREMENT
- product_idx INT NOTNULL FK popup_goods 테이블의 product_idx
- cart_idx INT NOTNULL FK cart 테이블의 cart_idx

cart

wishlist - 제거 → customer_idx , wish_popup → customer_idx 추가

review - customer_id , store_name 제거 → review에 popup_customer_idx 추가

payment 에서 pay_product_idx 삭제 → popup_customer_goods_idx 추가

cart_goods에 customer_idx 추가

cart 에서 customer idx 제거

review 에 store_idx 추가 popup-store store_review 제거

customer store id , cancel wait num
