

Dr. James Public
Model Job
Model Company
P.O. Box 1297
MODEL CITY
12345
IRELAND

Patient	XXX, XX (*DD.MM.YYYY)
Sex	Male
Patient-ID	#
Sample receipt	xxx
Material	EDTA blood
Report date	xxx
Report-ID	R9999999999

HLA-Typing Report – XXX, XX (*DD.MM.YYYY)

Order HLA class I and II

Dear Dr. Public,

Thank you for your request for HLA typing.

Results

HLA-Locus	Allele 1	Allele 2
A	A*24:02	A*24:02
B	B*27:05	B*39:06
C	C*02:02	C*07:02
DPA1	DPA1*01:03	DPA1*01:03
DPB1	DPB1*02:01	DPB1*04:01
DQA1	DQA1*03:01	DQA1*04:01
DQB1	DQB1*03:02	DQB1*04:02
DRB1	DRB1*04:04	DRB1*08:01
DRB345	DRB4*01:03	

Zygosity: The same allele for a given locus indicates homozygosity while different alleles indicate heterozygosity for a given HLA locus.

This report was issued electronically and is therefore valid without signature.



Additional Information

Methods **DNA isolation:** The isolation of DNA was performed at CeGaT using standard protocols.

Sequencing: The coding and flanking intronic regions were enriched using in solution hybridization technology and were sequenced using the Illumina NovaSeq X Plus system.

Computational Analysis: Illumina bcl2fastq2 was used to demultiplex sequencing reads. Adapter removal was performed with Skewer. Typing of HLA class I/II was performed using sequencing data from patient's normal tissue using OptiType (Szolek et al., 2014, PMID: 25143287).

The procedure described above was developed and validated in-house (Laboratory developed test; LDT).

Communication, dissemination and usage of this report for scientific purposes is only permitted in accordance with the German Genetic Diagnostics Legislation.

