

Configuration settings reference

Red Headed Stepchild of Zen Cart® Google Product Search Feeder II

Reimagined Release v1.0.13

Every admin setting, configuration key, default, choice, and instruction

Prepared from the project documentation | August 24, 2026

This reference covers every setting shown under Configuration > Red Headed Stepchild of Zen Cart® Google Product Search Feeder II in Reimagined Release v1.0.13.

1. Status and security

Setting	Configuration key	Default or choices	Instructions
Upstream version	GPSF_VERSION	Read only	Displays the installed Google Product Search Feeder II foundation version.
Reimagined release	RHS_GPSF_VERSION	Read only	Displays the installed Red Headed Stepchild Reimagined Release version.
Enable feed generation	GPSF_ENABLED	false; true or false	Set to true to permit feed generation through the admin launcher or secured generator URL. When false, generation stops before creating a feed file.
Security key	GPSF_ACCESS_KEY	Blank	Required secret used in admin and cron generator URLs. Use a long random value containing at least 32 letters and numbers. Keep it private and replace it if exposed.

2. Server resources and large stores

Setting	Configuration key	Default or choices	Instructions
Maximum execution time	GPSF_MAX_EXECUTION_TIME	300 seconds	Maximum generator runtime in seconds. Leave blank to use the server default. Some hosts prevent PHP from overriding this limit.
Memory limit	GPSF_MEMORY_LIMIT	Blank	Generator memory limit, such as 256 or 256M. Leave blank to use the server default. Some hosts prevent PHP from overriding this limit.
Maximum products per feed	GPSF_MAX_PRODUCTS	0	Maximum number of eligible products processed in one run. Use 0 for all eligible products. Combine this with the starting offset to divide a large catalog into separate runs.
Starting offset for partial feed	GPSF_START_PRODUCTS	0	Number of eligible query rows to skip before processing. This is a result offset, not a products_id. Use 0 to start with the first eligible product.

3. Feed file and output

Setting	Configuration key	Default or choices	Instructions
Output directory	GPSF_DIRECTORY	feed/google/	Directory relative to the Zen Cart catalog root. Include the trailing slash. The directory must already exist and be writable by PHP.
Feed file prefix	GPSF_OUTPUT_FILENAME	domain	Beginning of the generated filename without a path or extension. domain produces names such as domain_products_en.xml or domain_products_en.txt.
Feed output format	GPSF_OUTPUT_FORMAT	xml; XML or TXT	Choose traditional RSS/XML or UTF-8 tab-delimited TXT. Only the selected format is generated. TXT columns are dynamic, so completely empty attributes are omitted.
Compress feed file	GPSF_COMPRESS	false; true or false	Set to true to create a gzip-compressed feed when PHP zlib/gzip functions are available. The normal uncompressed file remains available.
Feed currency	GPSF_CURRENCY	USD	Select the Zen Cart currency used for exported prices.
Advanced XML sanitization	GPSF_XML_SANITIZATION	false; true or false	Applies additional cleanup when invalid characters prevent XML validation. Correct the store character set first. This has no effect on TXT feeds.

4. Product selection and exclusions

Setting	Configuration key	Default or choices	Instructions
Skip duplicate product titles	GPSF_SKIP_DUPLICATE_TITLES	true; true or false	When true, only the first eligible product is exported when multiple products have the same title. Google US requires unique titles. Review debugging output when distinct products share a name.
Included category IDs	GPSF_POS_CATEGORIES	Blank	Comma-separated categories_id values. When supplied, only products in these categories are eligible. Exclusions still take precedence. Leave blank for all categories.
Excluded category IDs	GPSF_NEG_CATEGORIES	Blank	Comma-separated categories_id values. Matching products are excluded even when they also match the included-category list.
Included manufacturer IDs	GPSF_POS_MANUFACTURERS	Blank	Comma-separated manufacturers_id values. When supplied, only products from these manufacturers are eligible. Exclusions still take precedence.
Excluded manufacturer IDs	GPSF_NEG_MANUFACTURERS	Blank	Comma-separated manufacturers_id values. Matching products are excluded even when they also match the included-manufacturer list.

5. Core product data

Setting	Configuration key	Default or choices	Instructions
Expiration date base	GPSF_EXPIRATION_BASE	now; now or product	Choose now to calculate from the feed-generation date or product to calculate from the latest product-added, modified, or available date. Used with the expiration adjustment.
Expiration date adjustment	GPSF_EXPIRATION_DAYS	Blank	Number of days added to the selected expiration-date base. Leave blank to omit expiration_date and allow Google to manage expiration.
Offer ID source	GPSF_OFFER_ID	id; id or model	Choose id to export products_id or model to export products_model as g:id. Products without models are skipped when model is selected. Changing this after Google has matched offers can create new offer IDs.
Consider minimum order quantity	GPSF_INCLUDE_MIN_QUANTITY	false; true or false	When true, Product Qty Minimum is considered when determining availability. Leave false when availability should depend only on normal stock status and quantity.
Include out-of-stock products	GPSF_INCLUDE_OUT_OF_STOCK	true; true or false	When true, eligible out-of-stock products are exported with the appropriate availability. Set false to omit them.
Default product condition	GPSF_CONDITION	new; new, used, or refurbished	Condition exported when a product does not have a more specific value.
Product type source	GPSF_PRODUCT_TYPE	top; default, top, bottom, or full	Choose the top-level category, product bottom category, complete category path, or default to use the store-defined Default Product Type.
Default product type	GPSF_DEFAULT_PRODUCT_TYPE	Blank	Store-defined product_type value used only when Product Type Source is default. This is not the Google product category.
Use product meta title	GPSF_META_TITLE	false; true or false	When true, a non-empty product meta title becomes the feed title. Otherwise the normal Zen Cart product name is used.
Include cPath in product links	GPSF_USE_CPATH	false; true or false	Set true to include the product category path in exported URLs. Leave false for shorter canonical product links.
Encode ampersands in feed links	GPSF_CONVERT_AMPERSANDS	false; true or false	Set true to convert URL ampersands to %26. Leave false unless the receiving system specifically requires this conversion.

6. Google product category

Setting	Configuration key	Default or choices	Instructions
Default Google product category	GPSF_DEFAULT_PRODUCT_CATEGORY	Blank	Store-wide fallback used when no product-specific Google category is available. Enter a valid Google taxonomy ID or category path, or leave blank.
Use product category column	GPSF_USE_PRODUCT_CATEGORY_COLUMN	false; true or false	When true, the feeder reads the Google category from the configured products-table column. An empty product value falls back to the default Google category.
Product category column	GPSF_PRODUCT_CATEGORY_COLUMN	products_google_product_category	Back up the database first. Click Install standard column to create products_google_product_category, or enter another existing products-table column. Installing the standard column also adds Google Product Category to the admin product editor. A user-supplied column is used but not managed by the plugin.

Category precedence is:

1. A value supplied by product attributes or a feeder extension.
2. A non-empty value from the configured products-table column.
3. The store-wide default Google product category.

7. Weight and shipping weight

Setting	Configuration key	Default or choices	Instructions
Export product weight	GPSF_WEIGHT	true; true or false	Exports product_weight when the catalog product has a positive weight. This does not control shipping_weight, which is generated separately.
Weight units	GPSF_UNITS	lb; lb or kg	Unit applied to product_weight and shipping_weight. All catalog and default weight values must use this unit.
Default shipping weight	GPSF_DEFAULT_SHIPPING_WEIGHT	0	Base used for shipping_weight when a product has no positive catalog weight. Use 0 to omit shipping_weight for weightless products.
Shipping weight increase percentage	GPSF_SHIPPING_WEIGHT_INCREASE	3	Percentage added to the positive catalog or default base weight. For example, 3 adds 3%. Use 0 for no increase.

The calculation is:

```
shipping_weight = base_weight * (1 + percentage / 100)
```

These settings affect only the feed. They do not change Zen Cart shipping calculations.

8. Optional Google product fields

Setting	Configuration key	Installed column	Instructions
Material	GPSF_PRODUCT_FIELD_MATERIAL	products_material	Back up the database first. Installs the column and adds Material to the admin product editor. Populated values export as material. Existing data is not overwritten.
Age group	GPSF_PRODUCT_FIELD_AGE_GROUP	products_age_group	Back up the database first. Adds an admin selector for newborn, infant, toddler, kids, or adult. Populated values export as age_group.
Color	GPSF_PRODUCT_FIELD_COLOR	products_color	Back up the database first. Installs the column and adds Color to the admin product editor. Populated values export as color.
Gender	GPSF_PRODUCT_FIELD_GENDER	products_gender	Back up the database first. Adds an admin selector for male, female, or unisex. Populated values export as gender.

Only non-empty values are exported. Values supplied by product attributes or feeder extensions take precedence.

9. Custom product fields

Setting	Configuration key	Default	Instructions
Custom product field 1	GPSF_CUSTOM_PRODUCT_FIELD_1	Blank	Back up the database first. Enter a lowercase database/feed column name with no spaces, such as vehicle_type, then click Install.
Custom product field 2	GPSF_CUSTOM_PRODUCT_FIELD_2	Blank	Enter another valid lowercase column name or leave blank.
Custom product field 3	GPSF_CUSTOM_PRODUCT_FIELD_3	Blank	Enter another valid lowercase column name or leave blank.
Custom product field 4	GPSF_CUSTOM_PRODUCT_FIELD_4	Blank	Enter another valid lowercase column name or leave blank.
Custom product field 5	GPSF_CUSTOM_PRODUCT_FIELD_5	Blank	Enter another valid lowercase column name or leave blank.

Custom-field names:

- Must begin with a lowercase letter.
- Must not begin with xml.
- May contain lowercase letters, numbers, and underscores.
- Cannot contain spaces.
- Cannot exceed 64 characters.
- Should match an attribute accepted by the feed destination.
- May use custom_label_0 through custom_label_4 for Google campaign labels.

Clearing and saving a slot disables its admin input and feed export. It does not remove the database column or delete its stored data. Uninstalling the feeder also preserves these columns.

10. Tax

Setting	Configuration key	Default or choices	Instructions
Export US tax	GPSF_TAX_DISPLAY	false; true or false	Set true to export US product-tax data. Leave false when tax is configured in Merchant Center or should not be exported.
Tax country	GPSF_TAX_COUNTRY	US	Two-letter country code used for feed tax data. The built-in tax export supports the United States.
Tax region	GPSF_TAX_REGION	Blank	US state abbreviation, ZIP code, or ZIP prefix with *, such as GA, 31569, or 315*. Separate multiple regions with commas. Leave blank for all US regions.
Tax shipping charges	GPSF_TAX_SHIPPING	n; y or n	Choose y when shipping charges are taxable under the exported rule or n when they are not.

11. Shipping

Setting	Configuration key	Default or choices	Instructions
Shipping data source	GPSF_SHIPPING_METHOD	none; flat rate, per item, per weight unit, table rate, zones, or none	Choose none to omit feed shipping or select a supported Zen Cart method to calculate and export shipping.
Shipping zone ID	GPSF_RATE_ZONE	Blank	Used only with the zones shipping method or a compatible zone-based extension. Leave blank for other methods.
Shipping rate applies to country	GPSF_SHIPPING_COUNTRY	USA	Used only with a calculated Zen Cart shipping method. Select the delivery country where the exported rate applies. The selector displays the country name and Zen Cart three-letter code; the feed exports the required two-letter code. This does not define the shipping origin or alter the calculation.
Shipping rate applies to region	GPSF_SHIPPING_REGION	Blank	Optional state, province, territory, or prefecture where the calculated rate applies. Enter an ISO 3166-2 subdivision code without the country prefix, such as GA. Do not enter a postal code. Leave blank when the rate applies throughout the country.
Shipping service name	GPSF_SHIPPING_SERVICE	Blank	Optional customer-facing service name, such as Ground.
Shipping label source	GPSF_SHIPPING_LABEL	products; products or categories	Choose products to export products_id or categories to export categories_id as shipping_label for matching product-specific Merchant Center rules.

Use none when shipping is configured entirely in Google Merchant Center.

12. Images

Setting	Configuration key	Default or choices	Instructions
Alternate image base URL	GPSF_ALTERNATE_IMAGE_URL	Blank	Absolute base URL for images hosted elsewhere. Include the trailing slash. The stored product-image path is appended to it.
Use Image Handler	GPSF_IMAGE_HANDLER	false; true or false	Set true to resize feed images through Image Handler when installed. This can increase server load and feed runtime.
Include additional images	GPSF_INCLUDE_ADDITIONAL_IMAGES	false; true or false	Set true to export available additional product images. More images increase feed-generation time and file size.

13. Debugging

Setting	Configuration key	Default or choices	Instructions
Enable skipped-product diagnostics	GPSF_DEBUG	false; true or false	Set true to report why products were skipped. Use while testing or troubleshooting and review the results before disabling it.
Maximum skipped products	GPSF_DEBUG_MAX_SKIPPED	1000	When debugging is enabled, generation stops after this many skipped products. Leave blank to continue regardless of the skipped count.