

```

import cairosvg
from PIL import Image, ImageDraw, ImageFont
import io

SIZE = 1080
cx, cy = SIZE // 2, SIZE // 2
PAD = 52

# — Python logo (python-logo-only.svg) —————
PYTHON_SVG = """<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<svg version="1.0" id="svg2"
  width="83.371017pt" height="101.00108pt"
  xmlns:xlink="http://www.w3.org/1999/xlink"
  xmlns="http://www.w3.org/2000/svg">
<defs>
  <linearGradient id="linearGradient4671">
    <stop style="stop-color:#ffd43b;stop-opacity:1;" offset="0" />
    <stop style="stop-color:#ffe873;stop-opacity:1" offset="1" />
  </linearGradient>
  <linearGradient id="linearGradient4689">
    <stop style="stop-color:#5a9fd4;stop-opacity:1;" offset="0" />
    <stop style="stop-color:#306998;stop-opacity:1;" offset="1" />
  </linearGradient>
  <linearGradient x1="224.23996" y1="144.75717" x2="-65.308502" y2="144.75717"
    id="linearGradient2987" xlink:href="#linearGradient4671"
    gradientUnits="userSpaceOnUse" gradientTransform="translate(100.2702,99.61
  <linearGradient x1="172.94208" y1="77.475983" x2="26.670298" y2="76.313133"
    id="linearGradient2990" xlink:href="#linearGradient4689"
    gradientUnits="userSpaceOnUse" gradientTransform="translate(100.2702,99.61
</defs>
<path style="fill:url(#linearGradient2990);fill-opacity:1"
  d="M 54.918785,9.1927421e-4 C 50.335132,0.02221727 45.957846,0.41313697 42.1
<path style="fill:url(#linearGradient2987);fill-opacity:1"
  d="m 85.637535,28.657169 v 11.90625 c 0,9.230755 -7.825895,16.999999 -16.75,
</svg>"""

# — Standard colors —————
PY_BLUE    = (55, 118, 171)
YELLOW     = (255, 212, 59)
# Swap ACCENT_COL to change the post theme color
ACCENT_COL = PY_BLUE # e.g. (255,140,60) for orange, (180,120,255) for purple

# — Fonts —————
def F(name, size):

```

```

    try:
        return ImageFont.truetype(f"/usr/share/fonts/truetype/dejavu/{name}.ttf",
    except:
        return ImageFont.load_default()

fuser = F("DejaVuSans-Bold", 38)

# — Helper functions —————
def glow_text(draw, x, y, text, font, fill, glow_col, spread=5):
    for dx in range(-spread, spread+1, 2):
        for dy in range(-spread, spread+1, 2):
            if dx or dy:
                draw.text((x+dx, y+dy), text, font=font, fill=glow_col)
    draw.text((x, y), text, font=font, fill=fill)

def centered_glow(draw, y, text, font, fill, glow_col, spread=5):
    bb = draw.textbbox((0,0), text, font=font)
    x = (SIZE - (bb[2]-bb[0])) // 2
    glow_text(draw, x, y, text, font, fill, glow_col, spread)

def centered(draw, y, text, font, fill):
    bb = draw.textbbox((0,0), text, font=font)
    x = (SIZE - (bb[2]-bb[0])) // 2
    draw.text((x, y), text, font=font, fill=fill)

def code_line(draw, x, y, segments, font):
    lx = x
    for text, col in segments:
        draw.text((lx, y), text, font=font, fill=col)
        bb = draw.textbbox((0,0), text, font=font)
        lx += bb[2] - bb[0]

# — Canvas —————
canvas = Image.new("RGB", (SIZE, SIZE), (10, 12, 22))
d = ImageDraw.Draw(canvas)

# Dark gradient background top to bottom
for y in range(SIZE):
    t = y / SIZE
    d.line([(0,y), (SIZE,y)], fill=(int(10+t*10), int(12+t*8), int(22+t*22)))

# Dot grid
for gx in range(0, SIZE, 54):
    for gy in range(0, SIZE, 54):
        d.ellipse([gx-1,gy-1,gx+1,gy+1], fill=(55,110,190))

# — Top accent bar (left third = accent, rest = PY_BLUE) —————

```

```

d.rectangle([0, 0, SIZE, 9], fill=PY_BLUE)
d.rectangle([0, 0, SIZE//3, 9], fill=ACCENT_COL)

# — Bottom accent bar (right third = accent, rest = PY_BLUE) —————
d.rectangle([0, SIZE-9, SIZE, SIZE], fill=PY_BLUE)
d.rectangle([SIZE*2//3, SIZE-9, SIZE, SIZE], fill=ACCENT_COL)

# — Python logo top right —————
lsz = 110
svg_bytes = cairosvg.svg2png(bytestring=PYTHON_SVG.encode(), output_width=lsz, ou
logo = Image.open(io.BytesIO(svg_bytes)).convert("RGBA")
ca = canvas.convert("RGBA")
ca.paste(logo, (SIZE - lsz - 48, 22), logo)
canvas = ca.convert("RGB")
d = ImageDraw.Draw(canvas)

# — Vignette (dark edges, bright center) —————
vig = Image.new("RGBA", (SIZE, SIZE), (0,0,0,0))
vd = ImageDraw.Draw(vig)
for r in range(SIZE//2, SIZE//3, -1):
    t = (r - SIZE//3) / (SIZE//6)
    a = int(min(1,t) * 80)
    vd.ellipse([cx-r, cy-r, cx+r, cy+r], fill=(0,0,0,a))

# — @code_with_michael username —————
# Move this y value to position the username on the page
username_y = SIZE - 120
ub = d.textbbox((0,0), "@code_with_michael", font=fuser)
ux = (SIZE - (ub[2]-ub[0])) // 2
for dx in range(-3,4):
    for dy in range(-3,4):
        if dx or dy:
            d.text((ux+dx, username_y+dy), "@code_with_michael", font=fuser, fill
d.text((ux, username_y), "@code_with_michael", font=fuser, fill=(100,175,255))

# — Composite vignette and save —————
final = canvas.convert("RGBA")
final = Image.alpha_composite(final, vig)
final = final.convert("RGB")

final.save("/mnt/user-data/outputs/base_template.png", "PNG", quality=95)
print("Saved base_template.png")

# =====
# HOW TO USE THIS TEMPLATE
# =====
# 1. Copy this file and rename it for your new post (e.g. functions_post.py)

```

```

# 2. Change ACCENT_COL to your lesson color:
#     Blue    = (55, 118, 171)    -- Variables
#     Green   = (39, 120, 80)     -- Integers
#     Orange  = (255, 140, 60)    -- Floats
#     Purple  = (140, 82, 220)    -- Booleans
#     Teal    = (0, 185, 185)     -- Type Checking
#     Pink    = (200, 60, 130)    -- f-Strings
#     Sky     = (40, 180, 220)    -- Lists
#     Amber   = (230, 120, 40)    -- if/elif/else
#     Lime    = (80, 200, 100)    -- Loops
#     Gold    = (255, 200, 40)    -- Challenges
# 3. Add a lesson pill below the top bar:
#     d.rounded_rectangle([PAD,26,PAD+pw,64], radius=19, fill=ACCENT_COL)
#     d.text((PAD+18,30), "BEGINNER * LESSON X", font=ftiny, fill=(255,255,25
# 4. Add your hero title with glow_text() starting around y=80
# 5. Add your content blocks (definition box, code block, cards, pills)
# 6. Set username_y to just below your last content block
# =====

```