

# GIN: Open platform and services for efficient research data management, collaboration and data publication


Achilleas Koutsou, Michael Sonntag, Jiří Vaněk, Thomas Wachtler

German Neuroinformatics Node, Department of Biology II Ludwig-Maximilians-Universität München, Martinsried, Germany





## GIN ... G-Node Infrastructure










## GIN datahosting



Powered by: Registered with: 1930 | Recommended by: PLOS

- Free to use
- Unlimited\* storage
- Collaborative repos/datasets
- Public or private
- Web or git/ssh uploads & downloads
- Rendering for supported files
  - Structured formats: odML, JSON, YAML, Markdown
  - Media and documents: Images, Videos, PDF
- Indexing and search for text and documents
- Neuroscientific service recommended by













# **GIN** dataset publication



Home

Data

#### Dataset

## A three-dimensional, population-based average of the C57BL/6 mouse brain from DAPI-stained coronal slices

Frederik Filip Stæger<sup>1</sup>, Kristian Mortensen<sup>1</sup>, Louis Kaufmann<sup>1</sup>, Hajime Hirase<sup>1</sup>, Björn Sigurdsson<sup>1</sup>, Maiken Nedergaard<sup>2</sup>

<sup>1</sup>Center for Translational Neuromedicine, Faculty of Health and Medical Sciences, University of Copenhagen, 2200 Copenhagen, Denmark <sup>2</sup>Center for Translational Neuromedicine, Faculty of Health and Medical Sciences, University of Copenhagen, 2200 Copenhagen, Denmark and Center for Translational Neuromedicine, University of Rochester Medical Center, Rochester, NY 14642, USA.

10.12751/g-node.1545d5

**® BROWSE REPOSITORY** 

**™** BROWSE ARCHIVE

DOWNLOAD DATASET ARCHIVE (ZIP 105 GiB)

Published 06 Feb. 2020 | License Creative Commons CCO 1.0 Public Domain Dedication

#### Description

The full data set and pipeline for constructing the three-dimensional, population-based average of the C57BL/6 mouse brain form DAPI-stained coronal slices. This repository also contains a python implementation of automatic coronal brain slice segmentation. The data set constitutes of all the raw slice images (.tif) in full resolution, the pre-processed version (.nii), the individually reconstructed brain volumes, and the final population-based average.

#### Keywords

| Neuroscience | Mouse brain template | C57BL/6 brain template | DAPI | Population-based average | Automatic segementation |

#### References

A three-dimensional, population-based average of the C57BL/6 mouse brain from DAPI-stained coronal slices

#### Citation

This dataset can be cited as:

Stæger F, Mortensen K, Kaufmann L, Hirase H, Sigurdsson B, Nedergaard M, (2020) A three-dimensional, population-based average of the C57BL/6 mouse brain from DAPI-stained coronal slices. G-Node. doi:10.12751/g-node.1545d5



### Dataset publishing (DOI)


- Publish datasets or code hosted on GIN
- Persistent identifier for referencing
- Permanent archive of your data and/or code







## **GIN Validation service**



File validation service (beta)

- Automatic validation of NIX, odML, and BIDS files in GIN repositories
- Can be easily extended to support more formats



