

Endpunktverzeichnis der Public API

Erzeugt von `scripts/api-inventar.py`. Nicht von Hand bearbeiten — Änderungen gehen beim nächsten Lauf verloren. Nach einer neuen Route: `python3 scripts/api-inventar.py`

Aufstellung aller Endpunkte des Backends danach, was ein API-Schlüssel erreicht und was einen echten Login verlangt. Die Architektur dahinter steht in `PUBLIC_API.md`, die offenen Punkte in `PUBLIC_API_LUECKEN.md`.

	Anzahl
Endpunkte insgesamt	658
über die Public API erreichbar	317
nur mit echtem Login	341
davon Bereiche, die gesperrt bleiben sollen	73
freigegeben, aber zusätzlich nur für Administratoren	103
freigegeben und mit einer Modulrechtsprüfung	45
freigegeben und von einem MCP-Werkzeug benutzt	31

Marken: `MCP` — ein Werkzeug des MCP-Servers ruft diesen Endpunkt auf. `ADMIN` — verlangt zusätzlich zur Modulfreigabe die Rolle `ADMIN`. `Modulrecht` — prüft, ob der Benutzer hinter dem Schlüssel das Modul haben darf.

Freigegeben

317 Endpunkte in 25 Modulen. Ein Schlüssel mit dem genannten Scope kommt hier durch — sofern die Marken in der letzten Spalte nichts Weiteres verlangen.

Abteilungen

Scope `departments:read` bzw. `departments:write` · 8 Endpunkte

Methode	Pfad	
GET	<code>/api/departments</code>	—
POST	<code>/api/departments</code>	ADMIN
DELETE	<code>/api/departments/:id</code>	ADMIN
GET	<code>/api/departments/:id</code>	—
PUT	<code>/api/departments/:id</code>	ADMIN
GET	<code>/api/departments/:id/available-employees</code>	ADMIN

Methode	Pfad	
POST	/api/departments/:id/employees	ADMIN
DELETE	/api/departments/:id/employees/:employeeId	ADMIN

Abwesenheiten

Scope `absences:read` bzw. `absences:write` · 9 Endpunkte

Methode	Pfad	
GET	/api/absences	ADMIN
POST	/api/absences	—
DELETE	/api/absences/:id	ADMIN
PUT	/api/absences/:id/approve	ADMIN
PUT	/api/absences/:id/reject	ADMIN
POST	/api/absences/manual	ADMIN
GET	/api/absences/my-requests	—
DELETE	/api/absences/my-requests/:id	—
PUT	/api/absences/my-requests/:id	—

Artikel & Artikelgruppen

Scope `articles:read` bzw. `articles:write` · 10 Endpunkte

Methode	Pfad	
GET	/api/article-groups	—
POST	/api/article-groups	ADMIN
DELETE	/api/article-groups/:id	ADMIN
GET	/api/article-groups/:id	—
PUT	/api/article-groups/:id	ADMIN
GET	/api/articles	—
POST	/api/articles	ADMIN
DELETE	/api/articles/:id	ADMIN
GET	/api/articles/:id	—
PUT	/api/articles/:id	ADMIN

Aufträge

Scope **orders:read** bzw. **orders:write** · 12 Endpunkte

Methode	Pfad	
GET	/api/orders	—
POST	/api/orders	—
DELETE	/api/orders/:id	—
GET	/api/orders/:id	—
PUT	/api/orders/:id	—
POST	/api/orders/:id/approve	—
POST	/api/orders/:id/cancel	—
POST	/api/orders/:id/deliveries	—
POST	/api/orders/:id/mark-ordered	—
POST	/api/orders/:id/reject	—
POST	/api/orders/:id/request-approval	—
GET	/api/orders/statistics	—

Auswertungen

Scope **reports:read** bzw. **reports:write** · 14 Endpunkte

Methode	Pfad	
GET	/api/reports/absence-analytics	ADMIN
GET	/api/reports/all-users-summary	ADMIN
GET	/api/reports/attendance-by-month	ADMIN
GET	/api/reports/my-pdf	—
GET	/api/reports/my-summary	—
GET	/api/reports/overtime-report	ADMIN
GET	/api/reports/project-summary/:projectId	ADMIN
GET	/api/reports/project-time-by-user	ADMIN
GET	/api/reports/time-bookings	ADMIN
GET	/api/reports/time-bookings-pdf	ADMIN
GET	/api/reports/user-pdf/:userId	ADMIN
GET	/api/reports/user-summary/:userId	ADMIN
GET	/api/reports/user-time-bookings-pdf/:userId	ADMIN

Method	Pfad	
GET	/api/reports/user-time-bookings/:userId	ADMIN

Checklisten

Scope `checklists:read` bzw. `checklists:write` · 22 Endpunkte

Method	Pfad	
DELETE	/api/checklists/attachments/:attachmentId	Modulrecht
GET	/api/checklists/attachments/:attachmentId/download	Modulrecht
GET	/api/checklists/instances	Modulrecht
POST	/api/checklists/instances	Modulrecht
DELETE	/api/checklists/instances/:id	Modulrecht
GET	/api/checklists/instances/:id	Modulrecht
PUT	/api/checklists/instances/:id	Modulrecht
GET	/api/checklists/instances/assigned	Modulrecht
GET	/api/checklists/instances/my	Modulrecht
GET	/api/checklists/items/:itemId/attachments	Modulrecht
POST	/api/checklists/items/:itemId/attachments	Modulrecht
POST	/api/checklists/items/complete	Modulrecht
GET	/api/checklists/statistics	Modulrecht
GET	/api/checklists/templates	Modulrecht
POST	/api/checklists/templates	Modulrecht
DELETE	/api/checklists/templates/:id	Modulrecht
GET	/api/checklists/templates/:id	Modulrecht
PUT	/api/checklists/templates/:id	Modulrecht
POST	/api/checklists/templates/:templateId/reorder	Modulrecht
POST	/api/checklists/templates/items	Modulrecht
DELETE	/api/checklists/templates/items/:id	Modulrecht
PUT	/api/checklists/templates/items/:id	Modulrecht

Geräte

Scope `devices:read` bzw. `devices:write` · 23 Endpunkte

Method	Path	
GET	/api/devices	MCP, ADMIN
POST	/api/devices	ADMIN
DELETE	/api/devices/:id	ADMIN
GET	/api/devices/:id	MCP, ADMIN
PUT	/api/devices/:id	ADMIN
POST	/api/devices/:id/action1/sync	ADMIN
POST	/api/devices/:id/assign	ADMIN
POST	/api/devices/:id/return	ADMIN
GET	/api/devices/:id/software	MCP, ADMIN
POST	/api/devices/:id/software	ADMIN
DELETE	/api/devices/:id/software/:softwareId	ADMIN
PUT	/api/devices/:id/software/:softwareId	ADMIN
GET	/api/devices/:id/updates	ADMIN
POST	/api/devices/:id/updates/deploy	ADMIN
GET	/api/devices/:id/vulnerabilities	MCP, ADMIN
POST	/api/devices/action1/sync	ADMIN
GET	/api/devices/action1/sync/status	ADMIN
GET	/api/devices/action1/test	ADMIN
GET	/api/devices/export/json	ADMIN
POST	/api/devices/import/json	ADMIN
GET	/api/devices/software/report	MCP, ADMIN
GET	/api/devices/software/report/installations	ADMIN
GET	/api/devices/user/:userId	MCP

Intranet-Dokumente

Scope `intranet:read` bzw. `intranet:write` · 44 Endpunkte

Method	Path	
GET	/api/document-nodes/:nodeId/attachments	—
POST	/api/document-nodes/:nodeId/attachments	—
DELETE	/api/document-nodes/attachments/:attachmentId	—

Method	Pfad	
PATCH	/api/document-nodes/attachments/:attachmentId	—
PUT	/api/document-nodes/attachments/:attachmentId	—
GET	/api/document-nodes/attachments/:attachmentId/download	—
GET	/api/document-nodes/attachments/:attachmentId/pdf	—
GET	/api/document-nodes/attachments/:attachmentId/thumbnail	—
GET	/api/document-nodes/attachments/:attachmentId/versions	—
GET	/api/document-nodes/attachments/:attachmentId/versions/:versionId/download	—
GET	/api/document-nodes/search	—
GET	/api/document-nodes/search/suggestions	—
POST	/api/intranet	MCP
DELETE	/api/intranet/:id	—
GET	/api/intranet/:id	MCP
PUT	/api/intranet/:id	—
POST	/api/intranet/:id/approve	MCP
GET	/api/intranet/:id/breadcrumb	—
GET	/api/intranet/:id/content	—
GET	/api/intranet/:id/export-pdf	—
POST	/api/intranet/:id/move	—
GET	/api/intranet/:id/permissions	—
PUT	/api/intranet/:id/permissions	—
POST	/api/intranet/:id/publish	MCP
POST	/api/intranet/:id/reject	MCP
POST	/api/intranet/:id/restore/:versionId	—
POST	/api/intranet/:id/return-to-draft	MCP
POST	/api/intranet/:id/submit	MCP
GET	/api/intranet/:id/versions	—
GET	/api/intranet/:id/versions/:versionId	—
GET	/api/intranet/:nodeId/attachments	—
POST	/api/intranet/:nodeId/attachments	MCP

Method	Path	
DELETE	/api/intranet/attachments/:attachmentId	—
PUT	/api/intranet/attachments/:attachmentId	—
GET	/api/intranet/attachments/:attachmentId/download	MCP
PATCH	/api/intranet/attachments/:attachmentId/metadata	—
GET	/api/intranet/attachments/:attachmentId/versions	—
GET	/api/intranet/attachments/versions/:versionId/download	—
POST	/api/intranet/drop-file	—
POST	/api/intranet/import/zip	—
GET	/api/intranet/pending-approvals	MCP
GET	/api/intranet/search	MCP
GET	/api/intranet/search/suggestions	—
GET	/api/intranet/tree	MCP

Kontakte

Scope `contacts:read` bzw. `contacts:write` · 10 Endpunkte

Method	Path	
GET	/api/contacts	MCP
POST	/api/contacts	MCP, Modulrecht
DELETE	/api/contacts/:id	Modulrecht
GET	/api/contacts/:id	MCP
PUT	/api/contacts/:id	Modulrecht
GET	/api/contacts/groups	MCP
POST	/api/contacts/groups	ADMIN
DELETE	/api/contacts/groups/:id	ADMIN
PUT	/api/contacts/groups/:id	ADMIN
POST	/api/contacts/sync-employees	ADMIN

Kostenstellen

Scope `cost_centers:read` bzw. `cost_centers:write` · 6 Endpunkte

Methode	Pfad	
GET	/api/cost-centers	—
POST	/api/cost-centers	ADMIN
DELETE	/api/cost-centers/:id	ADMIN
GET	/api/cost-centers/:id	—
PUT	/api/cost-centers/:id	ADMIN
GET	/api/cost-centers/:id/stats	—

Kunden

Scope `customers:read` bzw. `customers:write` · 5 Endpunkte

Methode	Pfad	
GET	/api/customers	—
POST	/api/customers	ADMIN
DELETE	/api/customers/:id	ADMIN
GET	/api/customers/:id	—
PUT	/api/customers/:id	ADMIN

Lager

Scope `inventory:read` bzw. `inventory:write` · 6 Endpunkte

Methode	Pfad	
GET	/api/inventory	—
POST	/api/inventory	—
DELETE	/api/inventory/:id	—
GET	/api/inventory/:id	—
GET	/api/inventory/low-stock	—
POST	/api/inventory/movement	—

Lieferanten

Scope `suppliers:read` bzw. `suppliers:write` · 7 Endpunkte

Methode	Pfad	
GET	/api/suppliers	—
POST	/api/suppliers	ADMIN

Methode	Pfad	
DELETE	/api/suppliers/:id	ADMIN
GET	/api/suppliers/:id	—
PUT	/api/suppliers/:id	ADMIN
GET	/api/suppliers/export/json	ADMIN
POST	/api/suppliers/import/json	ADMIN

Mahnwesen

Scope `reminders:read` bzw. `reminders:write` · 13 Endpunkte

Methode	Pfad	
GET	/api/reminders	—
POST	/api/reminders	—
DELETE	/api/reminders/:id	—
GET	/api/reminders/:id	—
PUT	/api/reminders/:id	—
POST	/api/reminders/:id/mark-paid	—
GET	/api/reminders/:id/pdf	—
POST	/api/reminders/:id/send	—
GET	/api/reminders/invoice/:invoiceId	—
GET	/api/reminders/overdue-invoices	—
PUT	/api/reminders/settings/:id	—
GET	/api/reminders/settings/current	—
GET	/api/reminders/stats	—

News

Scope `news:read` bzw. `news:write` · 15 Endpunkte

Methode	Pfad	
POST	/api/news/:id/read	—
GET	/api/news/dashboard	—
POST	/api/news/items	ADMIN
DELETE	/api/news/items/:id	ADMIN

Method	Pfad	
GET	/api/news/items/:id	ADMIN
PUT	/api/news/items/:id	ADMIN
PATCH	/api/news/items/:id/toggle-pin	ADMIN
POST	/api/news/refresh-feeds	ADMIN
GET	/api/news/sources	ADMIN
POST	/api/news/sources	ADMIN
DELETE	/api/news/sources/:id	ADMIN
GET	/api/news/sources/:id	ADMIN
PUT	/api/news/sources/:id	ADMIN
PATCH	/api/news/sources/:id/toggle-visibility	ADMIN
GET	/api/news/sources/:sourceId/items	ADMIN

Projektberichte

Scope `project_reports:read` bzw. `project_reports:write` · 2 Endpunkte

Method	Pfad	
GET	/api/project-reports/overview	Modulrecht
GET	/api/project-reports/time-tracking	Modulrecht

Projektbudgets

Scope `project_budget:read` bzw. `project_budget:write` · 12 Endpunkte

Method	Pfad	
GET	/api/project-budgets	—
POST	/api/project-budgets	—
DELETE	/api/project-budgets/:id	—
GET	/api/project-budgets/:id	—
PUT	/api/project-budgets/:id	—
POST	/api/project-budgets/:id/items	—
POST	/api/project-budgets/:id/recalculate	—
POST	/api/project-budgets/:id/sync-time-entries	—
GET	/api/project-budgets/:id/time-entries	—

Method	Pfad	
DELETE	/api/project-budgets/items/:itemId	—
PUT	/api/project-budgets/items/:itemId	—
GET	/api/project-budgets/project/:projectId	—

Projekte & Aufgaben

Scope **projects:read** bzw. **projects:write** · 18 Endpunkte

Method	Pfad	
POST	/api/project-tasks	Modulrecht
DELETE	/api/project-tasks/:id	Modulrecht
GET	/api/project-tasks/:id	Modulrecht
PUT	/api/project-tasks/:id	Modulrecht
GET	/api/project-tasks/:id/dependencies	Modulrecht
GET	/api/project-tasks/:id/dependents	Modulrecht
GET	/api/project-tasks/project/:projectId	Modulrecht
DELETE	/api/project-time-allocations/:allocationId	—
GET	/api/project-time-allocations/stats	—
GET	/api/project-time-allocations/time-entry/:timeEntryId	—
POST	/api/project-time-allocations/time-entry/:timeEntryId	—
GET	/api/projects	—
POST	/api/projects	ADMIN
DELETE	/api/projects/:id	ADMIN
PUT	/api/projects/:id	ADMIN
POST	/api/projects/:id/assign	ADMIN
DELETE	/api/projects/:id/unassign/:userId	ADMIN
GET	/api/projects/my-projects	—

Rechnungen & Vorlagen

Scope **invoices:read** bzw. **invoices:write** · 14 Endpunkte

Method	Pfad	
GET	/api/invoice-templates	—

Methode	Pfad	
POST	/api/invoice-templates	—
DELETE	/api/invoice-templates/:id	—
GET	/api/invoice-templates/:id	—
PUT	/api/invoice-templates/:id	—
PUT	/api/invoice-templates/:id/set-default	—
GET	/api/invoice-templates/default	—
GET	/api/invoices	—
POST	/api/invoices	—
DELETE	/api/invoices/:id	—
GET	/api/invoices/:id	—
PUT	/api/invoices/:id	—
GET	/api/invoices/:id/pdf	—
GET	/api/invoices/next-number	—

Reisekosten

Scope `travel_expenses:read` bzw. `travel_expenses:write` · 7 Endpunkte

Methode	Pfad	
GET	/api/travel-expenses	—
POST	/api/travel-expenses	—
DELETE	/api/travel-expenses/:id	—
GET	/api/travel-expenses/:id	—
PUT	/api/travel-expenses/:id	—
POST	/api/travel-expenses/:id/approve	ADMIN
POST	/api/travel-expenses/:id/reject	ADMIN

Rundgangsberichte

Scope `berichte:read` bzw. `berichte:write` · 11 Endpunkte

Methode	Pfad	
GET	/api/berichte	MCP, Modulrecht
POST	/api/berichte	Modulrecht

Methode	Pfad	
DELETE	/api/berichte/:id	Modulrecht
GET	/api/berichte/:id	MCP, Modulrecht
PUT	/api/berichte/:id	Modulrecht
GET	/api/berichte/:id/export.html	Modulrecht
GET	/api/berichte/:id/export.pdf	MCP, Modulrecht
POST	/api/berichte/:id/photos	Modulrecht
DELETE	/api/berichte/:id/photos/:photoId	Modulrecht
GET	/api/berichte/:id/photos/:photoId	Modulrecht
GET	/api/berichte/projects	MCP, Modulrecht

Standorte

Scope `locations:read` bzw. `locations:write` · 6 Endpunkte

Methode	Pfad	
GET	/api/locations	ADMIN
POST	/api/locations	ADMIN
DELETE	/api/locations/:id	ADMIN
GET	/api/locations/:id	ADMIN
PUT	/api/locations/:id	ADMIN
GET	/api/locations/active	—

Vorfälle

Scope `incidents:read` bzw. `incidents:write` · 16 Endpunkte

Methode	Pfad	
GET	/api/incidents	MCP
POST	/api/incidents	MCP
DELETE	/api/incidents/:id	—
GET	/api/incidents/:id	MCP
PUT	/api/incidents/:id	—
GET	/api/incidents/:id/comments	—
POST	/api/incidents/:id/comments	—

Method	Path	
GET	/api/incidents/:id/pdf	MCP
GET	/api/incidents/:incidentId/attachments	—
POST	/api/incidents/:incidentId/attachments	—
DELETE	/api/incidents/attachments/:attachmentId	—
GET	/api/incidents/attachments/:attachmentId/download	—
GET	/api/incidents/export/csv	—
GET	/api/incidents/export/pdf	—
PUT	/api/incidents/reorder	—
GET	/api/incidents/statistics	MCP

Zeiterfassung

Scope `time_tracking:read` bzw. `time_tracking:write` · 16 Endpunkte

Method	Path	
DELETE	/api/time/:id	ADMIN
PUT	/api/time/:id	ADMIN
PUT	/api/time/:id/allocations	ADMIN
POST	/api/time/clock-in	—
POST	/api/time/clock-out	—
GET	/api/time/current	—
POST	/api/time/end-pause	—
GET	/api/time/logged-in-users	—
POST	/api/time/manual-entry	ADMIN
GET	/api/time/my-entries	—
DELETE	/api/time/my-entries/:id	—
PUT	/api/time/my-entries/:id	—
POST	/api/time/my-manual-entry	—
POST	/api/time/start-pause	—
GET	/api/time/user/:userId	ADMIN
GET	/api/time/user/:userId/soll-ist	ADMIN

Zeitmodelle

Scope **zeitmodelle:read** bzw. **zeitmodelle:write** · 11 Endpunkte

Methode	Pfad	
GET	/api/zeitmodelle	—
POST	/api/zeitmodelle	ADMIN
DELETE	/api/zeitmodelle/:id	ADMIN
GET	/api/zeitmodelle/:id	—
PUT	/api/zeitmodelle/:id	ADMIN
GET	/api/zeitmodelle/abrechnung/:mitarbeiterId	—
POST	/api/zeitmodelle/assign	ADMIN
DELETE	/api/zeitmodelle/assign/:id	ADMIN
GET	/api/zeitmodelle/mitarbeiter/:mitarbeiterId	—
GET	/api/zeitmodelle/stats/overview	ADMIN
GET	/api/zeitmodelle/stundensatz/:mitarbeiterId	—

Nicht freigegeben

341 Endpunkte in 25 Bereichen. Mit **gesperrt halten** sind die Bereiche gekennzeichnet, die auch künftig nicht in die Freigabeliste gehören. Der Rest ist schlicht noch nicht freigegeben; dafür genügt jeweils ein Eintrag in **apiScope.ts**.

API-Schlüssel — **gesperrt halten**

/api/api-keys · 8 Endpunkte

Methode	Pfad
GET	/api/api-keys
POST	/api/api-keys
DELETE	/api/api-keys/:id
PUT	/api/api-keys/:id
POST	/api/api-keys/:id/revoke
GET	/api/api-keys/client
GET	/api/api-keys/client/download
GET	/api/api-keys/scopes

Anmeldung — **gesperrt halten**

/api/auth · 5 Endpunkte

Methode	Pfad
POST	/api/auth/login
POST	/api/auth/register
POST	/api/auth/request-password-reset
POST	/api/auth/reset-password
POST	/api/auth/verify-reset-token

Benutzer — **gesperrt halten**

/api/users · 14 Endpunkte

Methode	Pfad
GET	/api/users
DELETE	/api/users/:id
GET	/api/users/:id
PUT	/api/users/:id
DELETE	/api/users/:id/avatar
POST	/api/users/:id/avatar
POST	/api/users/:id/one-time-password
GET	/api/users/:id/subordinates
POST	/api/users/change-password
GET	/api/users/export
POST	/api/users/import
GET	/api/users/list
GET	/api/users/me
GET	/api/users/org-chart

Benutzergruppen — **gesperrt halten**

/api/user-groups · 10 Endpunkte

Methode	Pfad
GET	/api/user-groups
POST	/api/user-groups
DELETE	/api/user-groups/:id

Method	Pfad
GET	/api/user-groups/:id
PUT	/api/user-groups/:id
GET	/api/user-groups/:id/users
POST	/api/user-groups/:id/users
DELETE	/api/user-groups/:id/users/:userId
GET	/api/user-groups/users/:userId/groups
PUT	/api/user-groups/users/:userId/groups

Bewerber

/api/applicants · 17 Endpunkte

Method	Pfad
DELETE	/api/applicants/:applicantId/documents/:documentId
GET	/api/applicants/:id
GET	/api/applicants/:id/documents
POST	/api/applicants/:id/documents
GET	/api/applicants/:id/interviews
GET	/api/applicants/:id/notes
POST	/api/applicants/:id/notes
PATCH	/api/applicants/:id/status
POST	/api/applicants/:id/verify-manual
GET	/api/applicants/admin/applicants
GET	/api/applicants/admin/documents/:documentId/download
POST	/api/applicants/interviews
PATCH	/api/applicants/interviews/:interviewId
POST	/api/applicants/login
DELETE	/api/applicants/notes/:noteId
POST	/api/applicants/register
GET	/api/applicants/verify/:token

Compliance

/api/compliance · 11 Endpunkte

Methode	Pfad
GET	/api/compliance/cantons
GET	/api/compliance/holidays
POST	/api/compliance/holidays
DELETE	/api/compliance/holidays/:id
POST	/api/compliance/holidays/sync
GET	/api/compliance/overtime
GET	/api/compliance/settings
PUT	/api/compliance/settings
GET	/api/compliance/violations
PATCH	/api/compliance/violations/:id/resolve
GET	/api/compliance/violations/stats

Dashboard-Layout

/api/dashboard-layout · 3 Endpunkte

Methode	Pfad
DELETE	/api/dashboard-layout/my-layout
GET	/api/dashboard-layout/my-layout
PUT	/api/dashboard-layout/my-layout

Datensicherung — **gesperrt halten**

/api/backup · 7 Endpunkte

Methode	Pfad
DELETE	/api/backup/:filename
POST	/api/backup/create
GET	/api/backup/download/:filename
GET	/api/backup/export
GET	/api/backup/list
POST	/api/backup/restore/:filename
POST	/api/backup/upload

E-Learning

/api/elearning · 66 Endpunkte

Method	Pfad
GET	/api/elearning/analytics/admin
GET	/api/elearning/analytics/compliance
GET	/api/elearning/analytics/my
GET	/api/elearning/analytics/user/:userId
POST	/api/elearning/answers
POST	/api/elearning/answers
DELETE	/api/elearning/answers/:id
DELETE	/api/elearning/answers/:id
PUT	/api/elearning/answers/:id
PUT	/api/elearning/answers/:id
GET	/api/elearning/assignments
POST	/api/elearning/assignments
DELETE	/api/elearning/assignments/:id
PUT	/api/elearning/assignments/:id
GET	/api/elearning/assignments/my
GET	/api/elearning/categories
POST	/api/elearning/categories
PUT	/api/elearning/categories/:id
GET	/api/elearning/certificates
GET	/api/elearning/certificates/:enrollmentId
GET	/api/elearning/certificates/:enrollmentId/download
POST	/api/elearning/certificates/:enrollmentId/generate
GET	/api/elearning/courses
POST	/api/elearning/courses
GET	/api/elearning/courses/:courseId/assignments
DELETE	/api/elearning/courses/:id
GET	/api/elearning/courses/:id
PUT	/api/elearning/courses/:id
GET	/api/elearning/courses/:id/analytics

Method	Pfad
GET	/api/elearning/courses/:id/export
POST	/api/elearning/courses/import
POST	/api/elearning/enrollments
GET	/api/elearning/enrollments/:id
PUT	/api/elearning/enrollments/:id
GET	/api/elearning/enrollments/my
GET	/api/elearning/enrollments/user/:userId
POST	/api/elearning/lesson-progress
GET	/api/elearning/lesson-progress/:enrollmentId/:lessonId
POST	/api/elearning/lessons
DELETE	/api/elearning/lessons/:id
PUT	/api/elearning/lessons/:id
POST	/api/elearning/lessons/:id/complete
POST	/api/elearning/lessons/:id/complete
POST	/api/elearning/lessons/:id/progress
POST	/api/elearning/lessons/:id/progress
GET	/api/elearning/lessons/:lessonId/quiz
POST	/api/elearning/questions
POST	/api/elearning/questions
DELETE	/api/elearning/questions/:id
DELETE	/api/elearning/questions/:id
PUT	/api/elearning/questions/:id
PUT	/api/elearning/questions/:id
GET	/api/elearning/quiz-attempts
POST	/api/elearning/quiz-attempts
GET	/api/elearning/quiz-attempts/:id
POST	/api/elearning/quiz-attempts/:id/submit
POST	/api/elearning/quizzes
POST	/api/elearning/quizzes
DELETE	/api/elearning/quizzes/:id

Methode	Pfad
GET	/api/elearning/quizzes/:id
PUT	/api/elearning/quizzes/:id
PUT	/api/elearning/quizzes/:id
DELETE	/api/elearning/upload/:type/:filename
POST	/api/elearning/upload/content-image
POST	/api/elearning/upload/pdf
POST	/api/elearning/upload/thumbnail

EHS

/api/ehs · 5 Endpunkte

Methode	Pfad
POST	/api/ehs/calculate-kpis
GET	/api/ehs/dashboard
POST	/api/ehs/monthly-data
GET	/api/ehs/pdf-report
GET	/api/ehs/statistics

EHS-Aufgaben

/api/ehs-todos · 12 Endpunkte

Methode	Pfad
GET	/api/ehs-todos
POST	/api/ehs-todos
DELETE	/api/ehs-todos/:id
GET	/api/ehs-todos/:id
PUT	/api/ehs-todos/:id
PATCH	/api/ehs-todos/:id/progress
PATCH	/api/ehs-todos/:id/status
GET	/api/ehs-todos/incident/:incidentId
GET	/api/ehs-todos/my/assigned
GET	/api/ehs-todos/my/created

Methode	Pfad
GET	/api/ehs-todos/project/:projectId
GET	/api/ehs-todos/stats/overview

Funktionen

/api/job-functions · 15 Endpunkte

Methode	Pfad
GET	/api/job-functions
POST	/api/job-functions
DELETE	/api/job-functions/:id
GET	/api/job-functions/:id
PUT	/api/job-functions/:id
GET	/api/job-functions/:id/documents
POST	/api/job-functions/:id/documents
DELETE	/api/job-functions/:id/documents/:documentId
POST	/api/job-functions/assign
GET	/api/job-functions/categories
GET	/api/job-functions/category/:category
GET	/api/job-functions/department/:department
GET	/api/job-functions/departments
GET	/api/job-functions/matrix
DELETE	/api/job-functions/user/:userId

Geräteunterweisung

/api/equipment-training · 19 Endpunkte

Methode	Pfad
GET	/api/equipment-training/equipment
POST	/api/equipment-training/equipment
GET	/api/equipment-training/equipment/:id
PUT	/api/equipment-training/equipment/:id
POST	/api/equipment-training/equipment/assign

Methode	Pfad
POST	/api/equipment-training/equipment/assignments/:assignmentId/protocol
PATCH	/api/equipment-training/equipment/assignments/:assignmentId/return
GET	/api/equipment-training/equipment/employee/:employeeId
POST	/api/equipment-training/training/assign
GET	/api/equipment-training/training/catalog
POST	/api/equipment-training/training/catalog
GET	/api/equipment-training/training/catalog/:id
PUT	/api/equipment-training/training/catalog/:id
PATCH	/api/equipment-training/training/completions/:completionId
GET	/api/equipment-training/training/employee/:employeeId
GET	/api/equipment-training/training/sessions
POST	/api/equipment-training/training/sessions
GET	/api/equipment-training/training/sessions/:id
PUT	/api/equipment-training/training/sessions/:id

Kalender

/api/calendar · 6 Endpunkte

Methode	Pfad
GET	/api/calendar
POST	/api/calendar
DELETE	/api/calendar/:id
GET	/api/calendar/:id
PUT	/api/calendar/:id
POST	/api/calendar/:id/respond

Lohnbuchhaltung — gesperrt halten

/api/payroll · 12 Endpunkte

Methode	Pfad
POST	/api/payroll/entries
GET	/api/payroll/my-entries

Methode	Pfad
GET	/api/payroll/periods
POST	/api/payroll/periods
DELETE	/api/payroll/periods/:id
GET	/api/payroll/periods/:id
PUT	/api/payroll/periods/:id
POST	/api/payroll/periods/:id/calculate
POST	/api/payroll/periods/:id/recalculate
POST	/api/payroll/salary-config
GET	/api/payroll/salary-config/:userId
GET	/api/payroll/user/:userId/entries

Massnahmen

/api/actions · 15 Endpunkte

Methode	Pfad
GET	/api/actions
POST	/api/actions
DELETE	/api/actions/:actionKey
GET	/api/actions/:actionKey
PUT	/api/actions/:actionKey
POST	/api/actions/:actionKey/trigger
GET	/api/actions/:actionKey/triggers
GET	/api/actions/logs
POST	/api/actions/seed
GET	/api/actions/statistics
POST	/api/actions/triggers
DELETE	/api/actions/triggers/:id
PUT	/api/actions/triggers/:id
PATCH	/api/actions/triggers/:id/toggle
GET	/api/actions/workflows/:workflowId/triggers

Medien

/api/media · 8 Endpunkte

Methode	Pfad
GET	/api/media
POST	/api/media
DELETE	/api/media/:id
GET	/api/media/:id
PUT	/api/media/:id
GET	/api/media/:id/download
GET	/api/media/statistics
GET	/api/media/tags/:tag

Module — **gesperrt halten**

/api/modules · 12 Endpunkte

Methode	Pfad
GET	/api/modules
POST	/api/modules
DELETE	/api/modules/:id
GET	/api/modules/:id
PUT	/api/modules/:id
POST	/api/modules/:moduleId/access
GET	/api/modules/:moduleId/groups
DELETE	/api/modules/access/:accessId
PUT	/api/modules/access/:accessId
GET	/api/modules/group/:groupId/access
GET	/api/modules/user/:userId
GET	/api/modules/user/me

Nachrichten

/api/messages · 8 Endpunkte

Methode	Pfad
GET	/api/messages

Method	Pfad
POST	/api/messages
DELETE	/api/messages/:id
GET	/api/messages/:id
PATCH	/api/messages/:id/move
PATCH	/api/messages/:id/read
GET	/api/messages/recipients
GET	/api/messages/unread-count

Onboarding

/api/onboarding · 47 Endpunkte

Method	Pfad
GET	/api/onboarding/applicants
DELETE	/api/onboarding/applicants/:applicantId/documents/:documentId
DELETE	/api/onboarding/applicants/:id
GET	/api/onboarding/applicants/:id
GET	/api/onboarding/applicants/:id/documents
POST	/api/onboarding/applicants/:id/documents
GET	/api/onboarding/applicants/:id/interviews
GET	/api/onboarding/applicants/:id/notes
POST	/api/onboarding/applicants/:id/notes
POST	/api/onboarding/applicants/:id/reset
PATCH	/api/onboarding/applicants/:id/status
POST	/api/onboarding/applicants/:id/verify-manual
GET	/api/onboarding/applicants/documents/:documentId/download
POST	/api/onboarding/applicants/login
POST	/api/onboarding/applicants/register
GET	/api/onboarding/applicants/verify/:token
GET	/api/onboarding/dashboard
PATCH	/api/onboarding/documents/:documentId/status
GET	/api/onboarding/employees

Method	Pfad
GET	/api/onboarding/employees/:id
PUT	/api/onboarding/employees/:id
PATCH	/api/onboarding/employees/:id/complete-onboarding
GET	/api/onboarding/employees/:id/documents
POST	/api/onboarding/employees/:id/documents
GET	/api/onboarding/employees/:id/probation-reviews
POST	/api/onboarding/employees/:id/probation-reviews/generate
GET	/api/onboarding/employees/:id/progress
GET	/api/onboarding/employees/:id/tasks
POST	/api/onboarding/hire
POST	/api/onboarding/interviews
PATCH	/api/onboarding/interviews/:interviewId
GET	/api/onboarding/jobs
POST	/api/onboarding/jobs
DELETE	/api/onboarding/jobs/:jobId
GET	/api/onboarding/jobs/:jobId
PUT	/api/onboarding/jobs/:jobId
GET	/api/onboarding/jobs/public
GET	/api/onboarding/jobs/public/:jobId
DELETE	/api/onboarding/notes/:noteId
POST	/api/onboarding/probation-reviews
DELETE	/api/onboarding/probation-reviews/:reviewId
PATCH	/api/onboarding/probation-reviews/:reviewId
POST	/api/onboarding/start
POST	/api/onboarding/tasks
PATCH	/api/onboarding/tasks/:taskId/assign
PATCH	/api/onboarding/tasks/:taskId/status
GET	/api/onboarding/tasks/overdue

Stories

/api/stories · 5 Endpunkte

Methode	Pfad
POST	/api/stories
DELETE	/api/stories/:id
GET	/api/stories/:id
PUT	/api/stories/:id
GET	/api/stories/project/:projectId

Systemeinstellungen — **gesperrt halten**

/api/system-settings · 5 Endpunkte

Methode	Pfad
GET	/api/system-settings
PUT	/api/system-settings
GET	/api/system-settings/public
POST	/api/system-settings/test-email
POST	/api/system-settings/upload-logo

Uploads

/api/uploads · 3 Endpunkte

Methode	Pfad
POST	/api/uploads
DELETE	/api/uploads/:filename
POST	/api/uploads/logo

Werkzeuge

/api/werkzeuge · 8 Endpunkte

Methode	Pfad
GET	/api/werkzeuge
POST	/api/werkzeuge
DELETE	/api/werkzeuge/:id
GET	/api/werkzeuge/:id

Method	Pfad
PUT	/api/werkzeuge/:id
POST	/api/werkzeuge/:id/assign
POST	/api/werkzeuge/:id/return
GET	/api/werkzeuge/user/:userId

Workflows

/api/workflows · 20 Endpunkte

Method	Pfad
GET	/api/workflows
POST	/api/workflows
DELETE	/api/workflows/:id
GET	/api/workflows/:id
PUT	/api/workflows/:id
POST	/api/workflows/:id/test
POST	/api/workflows/:workflowId/steps
GET	/api/workflows/entities/:entityType/:entityId/instances
POST	/api/workflows/instances/steps/:instanceStepId/acknowledge
POST	/api/workflows/instances/steps/:instanceStepId/approve
POST	/api/workflows/instances/steps/:instanceStepId/reject
GET	/api/workflows/invoices/:invoiceId/check-approval
GET	/api/workflows/invoices/:invoiceId/instances
GET	/api/workflows/my-approvals
GET	/api/workflows/my-message-dialogs
DELETE	/api/workflows/steps/:id
PUT	/api/workflows/steps/:id
POST	/api/workflows/template-links
DELETE	/api/workflows/template-links/:templateId/:workflowId
GET	/api/workflows/templates/:templateId