



CaliforniaChoice®
Your Health. Your Choice.®

Companion Guide

834 Benefit Enrollment and Maintenance

Initial Release: November 18, 2010

Updated: December 9, 2021

101119 * HIPAA *****

X12 version 5010

Table of Contents

INTRODUCTION	4
CONTACT INFORMATION	5
REVISION HISTORY	6
CALIFORNIA CHOICE 834 SPECIFICATIONS	7
<i>Transaction Set 834 – Benefit Enrollment and Maintenance EDI Map</i>	<i>9</i>
ISA Segment - Interchange Control Header	9
GS Segment - Functional Group Header	10
ST Segment - Transaction Set Header	10
BGN Segment - Beginning Segment	10
REF Segment – Reference Identification	11
DTP Segment - Date or Time or Period	11
DTP Segment - Date or Time or Period	11
DTP Segment - Date or Time or Period (This segment is optional, included if requested)	12
QTY Segment – Transaction Set Control Totals (This segment is optional, included if requested)	12
QTY Segment – Transaction Set Control Totals (This segment is optional, included if requested)	12
<i>Begin Loop Id = 1000</i>	<i>12</i>
Begin Loop Id = 1000A (Sponsor Name)	12
N1 Segment - Name Information	12
Begin Loop Id = 1000B (Payer Name)	12
N1 Segment - Name Information	12
Begin Loop Id = 1000C (TPA/Broker Name) Pass 1	13
N1 Segment - Name Information	13
N1 Segment - Name Information	13
Begin Loop Id = 1100C (TPA/Broker Account Information) Pass 2	13
ACT Segment - Account Information (This segment is optional, included if requested)	13
<i>Begin Loop Id = 2000 (Member Level Detail)</i>	<i>14</i>
INS Segment – Insured Benefit	14
REF Segment - Reference Identification	15
REF Segment - Reference Identification	15
REF Segment - Reference Identification	15
REF Segment - Reference Identification	16
REF Segment - Reference Identification (This segment is optional, included if requested)	16
REF Segment - Reference Identification	16
DTP Segment - Date or Time or Period	16
DTP Segment - Date or Time or Period	16
DTP Segment - Date or Time or Period (This segment is optional, included if requested)	16
DTP Segment - Date or Time or Period	17
DTP Segment - Date or Time or Period	17
DTP Segment - Date or Time or Period	17
<i>Begin Loop Id = 2100 (Member Level Detail)</i>	<i>17</i>
Begin Loop Id = 2100A (Member Name)	17
NM1 Segment -- Individual or Organization Name	17
PER Segment - Administrative Communication Contact	18
N3 Segment -- Address Information	18
N4 Segment -- Geographic Location	18
DMG Segment -- Demographic Information	18
LUI Segment – Language Use	18
Begin Loop Id = 2100B (Incorrect Member Name)	19
NM1 Segment -- Individual or Organization Name	19
DMG Segment -- Demographic Information	19
Begin Loop Id = 2100C (Member Mailing Address)	19
NM1 Segment -- Individual or Organization Name	19
N3 Segment -- Address Information	20
N4 Segment -- Geographic Location	20

Begin Loop Id = 2100D (Employer Address)	20
NM1 Segment -- Individual or Organization Name	20
PER Segment - Administrative Communication Contact (This segment is optional, included if requested)	20
N3 Segment -- Address Information	20
N4 Segment -- Geographic Location	21
<i>Begin Loop Id = 2300 (Health Coverage)</i>	<i>21</i>
HD Segment -- Health Coverage	21
DTP Segment - Date or Time or Period	21
DTP Segment - Date or Time or Period	22
DTP Segment - Date or Time or Period	22
DTP Segment - Date or Time or Period (This segment is optional, included if requested)	22
REF Segment - Reference Identification	22
REF Segment - Reference Identification (This segment is included for Medical Carriers only)	22
Begin Loop Id = 2310 (Provider Information)	23
LX Segment -- Assigned Number - only applicable for daily file	23
NM1 Segment -- Individual or Organization Name - only applicable for daily file	23
Begin Loop Id = 2320 (Coordination of Benefits)	23
COB Segment -- Coordination of Benefits	23
Begin Loop Id = 2330 (COB -- Related Entity)	23
NM1 Segment -- Coordination of Benefits Related Entity	23
SE Segment - Transaction Set Trailer	24
GE Segment - Functional Group Trailer	24
IEA Segment - Interchange Control Trailer	24

Introduction

The purpose of this document is to guide and assist the trading partners of *CaliforniaChoice* in receiving Benefit Enrollment and Maintenance transactions via EDI. The implementation of the 834 Transaction Set (version 5010) as described herein is believed to be within the rules and regulations set forth by HIPAA information.

The nature of this document is technical; as such it should be used by EDI technical or support staff responsible for developing programs to receive EDI transmissions from *CaliforniaChoice*.

Contact Information

Administration

Adam Roye
Vice President of Planning & Program Management
721 S. Parker Road
Suite 300
Orange, CA 92868
Phone: (714) 567-7608
Email: aroye@choiceadmin.com

EDI Technical

EDI Team
721 S. Parker Road
Suite 300
Orange, CA 92868
Phone: (714) 567-3705

EDI Support

Email: edi.support@calchoice.com

Revision History

Revision	Date	Description
1.0	11/18/10	Creation date for California <i>Choice</i> EDI Companion Guide – Version 5010
1.1	04/11/14	update contact information, remove 997 acknowledgment section, and change references from 997 to 999
1.2	08/04/14	Added Employee Benefit Plan Code Table
1.3	11/19/14	Added Employer address in loop 2100D and Rating Info in loop 2300 in a new REF section.
1.4	02/12/15	Added Rating area to Rating Info string
1.5	07/07/17	Added Original Effective Date of continuous consecutive coverage for a carrier
1.6	06/18/18	Updated Contact Information, added missing headers, fixed various spelling and formatting issues
1.7	03/25/21	Updated the LUI02 Language Codes
1.8	06/18/21	Added Adoption Placement Date
1.9	10/20/21	Added PER segment for the Employer's Phone Number
1.10	10/26/21	Added REF*38 segment for the Master Policy Number Added QTY*ET segment for the Employee Total at renewal
1.11	11/12/21	Added Broker's SSN to the Broker segment (N103 & N104) Added ACT segment for Broker Account Information
1.12	12/09/21	Added DTP*091 for the Group Term Date Added ACT04 for the Wait Period Added REF03 for the Domestic Partner flag

California Choice 834 Specifications

834

Benefit Enrollment and Maintenance

Functional Group = BE

This Draft Standard for Trial Use contains the format and establishes the data contents of the Benefit Enrollment and Maintenance Transaction Set (834) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can be used to establish communication between the sponsor of the insurance product and the payer. Such transaction(s) may or may not take place through a third party administrator (TPA).

For the purpose of this standard, the sponsor is the party or entity that ultimately pays for the coverage, benefit or product. A sponsor can be an employer, union, government agency, association, or insurance agency. The payer refers to an entity that pays claims, administers the insurance product or benefit, or both. A payer can be an insurance company, health maintenance organization (HMO), preferred provider organization (PPO), government agency (Medicare, Medicaid, Champus, etc.), or an entity that may be contracted by one of these former groups. For the purpose of the 834 transaction set, a third party administrator (TPA) can be contracted by a sponsor to handle data gathering from those covered by the sponsor if the sponsor does not elect to perform this function itself.

Table 1 - Header:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Max Use</u>	<u>Notes</u>	<u>Usage</u>	<u>Loop Repeat</u>
0100	ST	Transaction Set Header	1		Required	
0200	BGN	Beginning Segment	1		Required	
0300	REF	Master Policy Number	1		Situational	
0400	DTP	File Effective Dates	>1		Situational	
0600	QTY	Transaction Set Control Totals	3			
LOOP ID – 1000A Sponsor Name						1
0700	N1	Name – Group	1		Required	
LOOP ID – 1000B Payer Name						1
0700	N1	Name – Carrier	1			
LOOP ID – 1000C TPA						1
0700	N1	Name – “California Choice”	1			
LOOP ID – 1000C Broker Name						
0700	N1	Broker Name	1			
LOOP ID – 1100C Broker Account Information						
1200	ACT	Broker Account Information	1			

Table 2 - Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Max Use</u>	<u>Notes</u>	<u>Usage</u>	<u>Loop Repeat</u>
LOOP ID – 2000 Member Level Detail						>1
0100	INS	Insured Benefit	1			
0200	REF	Subscriber Number	1			
0200	REF	Member Policy Number	1			
0200	REF	Member Identification Number	13			
0250	DTP	Member Level Dates	24			
LOOP ID – 2100A Member Name						1
0300	NM1	Member Name	1			
0400	PER	Member Communications Numbers	1			
0500	N3	Member Residence Street Address	1			
0600	N4	Member Residence City, State, Zip Code	1			
0800	DMG	Member Demographics	1			
1500	LUI	Member Language	>1			
LOOP ID – 2100B Incorrect Member Name						1
0300	NM1	Incorrect Member Name	1			
0800	DMG	Incorrect Member Demographics	1			
LOOP ID – 2100C Member Mailing Address						1
0300	NM1	Member Mailing Address	1			
0500	N3	Member Mail Street Address	1			
0600	N4	Member Mail City, State, Zip Code	1			
LOOP ID – 2100D Employer Address						1
0300	NM1	Employer Address	1			
0500	N3	Employer Street Address	1			
0600	N4	Employer Street City, State, Zip Code	1			
LOOP ID – 2300 Health Coverage						99
2600	HD	Health Coverage	1			
2700	DTP	Health Coverage Dates	6			
2900	REF	Wait Period	1			
LOOP ID – 2310 Provider Information						30
3100	LX	Provider Information	1			
3200	NM1	Provider Name	1			
LOOP ID – 2320 Coordination of Benefits						5
4000	COB	Coordination of Benefits	1			
LOOP ID – 2330 COORDINATION OF BENEFITS RELATED ENTITY						3
4100	NM1	Other Insurance Company Name				

Table 3 - Trailer:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Max Use</u>	<u>Notes</u>	<u>Usage</u>	<u>Loop Repeat</u>
6900	SE	Transaction Set Trailer	1		Required	

Transaction Set 834 – Benefit Enrollment and Maintenance EDI Map

ASC X12 834 Transaction Set - Benefit Enrollment and Maintenance (Version 5010)

Data Element Separator – 2A = “*” Segment Terminator – 7E = “~” Component Element separator – 3E = “>”

ISA Segment - Interchange Control Header

The ISA segment marks the beginning of the transmission and provides sender and receiver identifiers.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
ISA01	I01	Authorization Information Qualifier	00 = No Authorization Sent	ID	02/02
ISA02	I02	Authorization Information	No Authorization Required (filled with spaces (hex '20'))	AN	10/10
ISA03	I03	Security Information Qualifier	00 = No Security Information	ID	02/02
ISA04	I04	Security Information	None Required (filled with spaces (hex '20'))	AN	10/10
ISA05	I05	Interchange ID Qualifier	30 = U.S. Federal Tax ID Number	ID	02/02
ISA06	I06	Interchange Sender ID	“330115986 “	AN	15/15
ISA07	I05	Code Identifying Receiver	01 = Duns (Dun & Bradstreet) 14 = Duns Plus Suffix 20 = Health Industry Number (HIN) 27 = Carrier Identification Number as assigned by Health Care Financing Administration (HCFA) 28 = Fiscal Intermediary Identification Number as assigned by Health Care Financing Administration (HCFA) 29 = Medicare Provider and Supplier Identification Number as assigned by Health Care Financing Administration (HCFA) 30 = U.S. Federal Tax ID Number 33 = National Association of Insurance Commissioners Company Code (NAIC) ZZ = Mutually Defined	ID	02/02
ISA08	I07	Interchange Receiver ID	Use number appropriate for code used in ISA07	AN	15/15
ISA09	I08	Interchange Date	YYMMDD format	DT	06/06
ISA10	I09	Interchange Time	HHMM format	TM	04/04
ISA11	I10	Interchange Control Standard Identification	U = U.S. EDI Community of ASC X12	ID	01/01
ISA12	I11	Interchange Control Version Number	00501 = Version 4 Release 1	ID	05/05
ISA13	I12	Interchange Control Number	Sequential Number (must be identical to the value in the associated Interchange Control trailer, IEA02)	N0	09/09
ISA14	I13	Acknowledgment Requested	0 = No TA1 Acknowledgement Requested	ID	01/01

ISA15	I14	Usage Indicator	T = Test, P = Production	ID	01/01
ISA16	I15	Component Element Separator	">"	ID	01/01

GS Segment - Functional Group Header

The GS Segment identifies the beginning of a functional group of transactions and provides control information.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
GS01	479	Functional Identifier Code	BE = Benefit Enrollment and Maintenance (834)	ID	02/02
GS02	142	Application Sender's Code	CC = CaliforniaChoice	AN	02/15
GS03	124	Application Receiver's Code	Carrier Code:	AN	02/15
GS04	29	Date	CCYYMMDD (date of transmission)	DT	08/08
GS05	30	Time	HHMM (time of transmission, 24 hour format)	TM	04/04
GS06	28	Group Control Number	Sequential Number (assigned by California Choice; must be identical to value in the associated functional group trailer, GE02)	N0	01/09
GS07	455	Responsible Agency Code	X = Accredited Standards Committee X12	ID	01/01
GS08	480	Version/Release/Industry Identifier Code	005010X220A1	ID	01/12

ST Segment - Transaction Set Header

The ST Segment indicates the start of a transaction and assigns a control number

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
ST01	143	Transaction Code of document	834 = Benefit Enrollment and Maintenance	ID	03/03
ST02	329	Transaction Control Number	Sequential Number (must be identical to the value in the associated Transaction Set trailer, SE02)	AN	04/09
ST03	1705	Implementation Convention Reference	Reference assigned to identify Implementation Convention. This field contains the same value as GS08.	AN	01/35

BGN Segment - Beginning Segment

The BGN Segment indicates the beginning of the Benefit Enrollment and Maintenance data

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
BGN01	353	Transaction Set Purpose Code	00 = Original 15 = Re-Submission 22 = Information Copy	ID	02/02
BGN02	127	Reference Identification	History ID (assigned by California Choice)	AN	01/30
BGN03	373	Date	CCYYMMDD (date of record creation by California Choice)	DT	08/08

BGN04	337	Time	HHMM (time of record creation by California Choice, in 24 hour format)	TM	04/08
BGN05	623	Time Code	PT = Pacific Time	ID	02/02
BGN06	127	Reference Identification	Not Used	AN	01/30
BGN07	640	Transaction Type Code	Not Used	ID	02/02
BGN08	306	Action Code	Group level action code: 2 = Change (update) Used to identify a transaction of additions, terminations, and changes to the current enrollment * (daily file) 4 = Verify Used to identify a full enrollment transaction to verify that systems are synchronized. * (full file)	ID	01/02

REF Segment – Reference Identification

The REF segment is used to specify identifying numbers

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
REF01	128	Reference Identification Qualifier	38 = Code for Master Policy Number	ID	03/03
REF02	127	Reference Identification	Master Policy Number	AN	01/30
REF03	352	Description	DP = Domestic Partner Allowed NA = Domestic Partner Not Allowed	AN	01/80

DTP Segment - Date or Time or Period

The DTP segment is used to specify any or all of a date, a time, or a time period.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
DTP01	374	Date/Time Qualifier	382 = Enrollment Date [group's first date ever with California Choice]	ID	03/03
DTP02	1250	Date Time Period Format Qualifier	D8 = CCYYMMDD	ID	02/03
DTP03	1251	Date Time Period	Group Enrollment Date	AN	01/35

DTP Segment - Date or Time or Period

The DTP segment is used to specify any or all of a date, a time, or a time period.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
DTP01	374	Date/Time Qualifier	007 = Effective	ID	03/03
DTP02	1250	Date Time Period Format Qualifier	D8 = CCYYMMDD	ID	02/03
DTP03	1251	Date Time Period	Effective date of group policy for the current plan	AN	01/35

DTP Segment - Date or Time or Period (This segment is optional, included if requested)

The DTP segment is used to specify any or all of a date, a time, or a time period.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
DTP01	374	Date/Time Qualifier	091 = Group Term	ID	03/03
DTP02	1250	Date Time Period Format Qualifier	D8 = CCYYMMDD	ID	02/03
DTP03	1251	Date Time Period	Group Term Date	AN	01/35

QTY Segment – Transaction Set Control Totals (This segment is optional, included if requested)

The QTY segment is used to record the total number of subscribers and dependents in the transaction set.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
QTY01	673	Quantity Qualifier	TO = Total	ID	02/02
QTY02	380	Quantity	Numeric value of group's initial eligible employee count	R	01/15

QTY Segment – Transaction Set Control Totals (This segment is optional, included if requested)

The QTY segment is used to record the total number of subscribers and dependents in the transaction set.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
QTY01	673	Quantity Qualifier	ET = Employee Total	ID	02/02
QTY02	380	Quantity	Numeric value of group's employee count at renewal	R	01/15

Begin Loop Id = 1000

Begin Loop Id = 1000A (Sponsor Name)

N1 Segment - Name Information

The N1 Segment is used to identify a party by type of organization, name, and code.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
N101	98	Entity Identifier Code	P5 = Plan Sponsor	ID	02/03
N102	93	Name	Employer Name (this element will only be sent with a group add)	AN	01/60
N103	66	Identification Code Qualifier	FI = Federal Taxpayer's Id Number	ID	01/02
N104	67	Identification Code	Federal Taxpayer's Id Number	AN	02/80

End Loop Id = 1000A (Sponsor Name)

Begin Loop Id = 1000B (Payer Name)

N1 Segment - Name Information

The N1 Segment is used to identify a party by type of organization, name, and code.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
N101	98	Entity Identifier Code	IN = Insurer	ID	02/03
N102	93	Name	Carrier Name	AN	01/60
N103	66	Identification Code Qualifier	FI = Federal Taxpayer's Id Number	ID	01/02
N104	67	Identification Code	Federal Taxpayer's Id Number	AN	02/80

End Loop Id = 1000B (Payer Name)

Begin Loop Id = 1000C (TPA/Broker Name) Pass 1

N1 Segment - Name Information

The N1 Segment is used to identify a party by type of organization, name, and code.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
N101	98	Entity Identifier Code	TV = Third Party Administrator (TPA)	ID	02/03
N102	93	Name	"CALIFORNIA CHOICE"	AN	01/60
N103	66	Identification Code Qualifier	FI = Federal Taxpayer's Id Number	ID	01/02
N104	67	Identification Code	Federal Taxpayer's Id Number	AN	02/80

End Loop Id = 1000C (TPA/Broker Name) Pass 1

BEGIN LOOP ID = 1000C (TPA/BROKER NAME) PASS 2

N1 Segment - Name Information

The N1 Segment is used to identify a party by type of organization, name, and code.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
N101	98	Entity Identifier Code	BO = Broker	ID	02/03
N102	93	Name	Broker Name	AN	01/60
N103	66	Identification Code Qualifier	FI = Federal Taxpayer's Id Number 94 = Broker's SSN	ID	01/02
N104	67	Identification Code	Broker's Federal Taxpayer's Id Number or SSN <i>Note: Element will contain Taxpayer's ID if available, otherwise it will contain the Broker's SSN if available</i>	AN	02/80

End Loop Id = 1000C (TPA/Broker Name) Pass 2

Begin Loop Id = 1100C (TPA/Broker Account Information) Pass 2

ACT Segment - Account Information (This segment is optional, included if requested)

The ACT Segment is used to identify account information.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
ACT01	508	Entity Identifier Code	Broker License Number	ID	02/03

ACT02	93	Name	Not used	AN	01/60
ACT03	66	Identification Code Qualifier	ZZ (included when ACT04 has a value)	ID	01/02
ACT04	67	Identification Code	Dental Wait Period (days) (optional)	AN	02/80
ACT05	569	Account Number Qualifier	Not used	ID	1/3
ACT06	508	Account Number	Broker Zip Code	AN	01/35
ACT07	352	Description	Not used	AN	1/80
ACT08	107	Payment Method Type Code	Not used	ID	1/2
ACT09	1216	Benefit Status Code	Not used	ID	1/1

End Loop Id = 1100C (TPA/Broker Name) Pass 2

End Loop Id = 1000

Begin Loop Id = 2000 (Member Level Detail)

INS Segment – Insured Benefit

The INS Segment is used to specify account information. The INS Loop will be repeated as many times as necessary, one loop for each member. This loop will not be included if there is no data for employees (for example, if there is only a change in the group information).

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
INS01	1073	Insured Benefit	Y = Subscriber N = Dependent	ID	01/01
INS02	1069	Individual Relationship Code	18 = Self 01 = Spouse 53 = Life (Domestic) Partner 09 = Adopted child 19 = Child	ID	02/02
INS03	875	Maintenance Type Code	001 = Change 021 = Addition 024 = Cancellation or Termination 025 = Reinstatement 026 = Correction 030 = Audit or Compare	ID	03/03
INS04	1203	Maintenance Reason Code	03 = Death 05 = Adoption 07 = Termination of Benefits 08 = Termination of Employment 09 = COBRA 14 = Voluntary Withdrawal 20 = Active 22 = Plan Change 25 = Change in Identifying Data Elements etc 28 = Initial Enrollment 29 = Benefit Selection 33 = Personal Data 41 = Re-Enrollment 43 = Change of Location AI = No Reason Given XN = Transfer Only (for audit/compare)	ID	02/03

INS05	1216	Benefit Status Code	A = Active C = COBRA	ID	01/01
INS06	1218	Medicare Plan Code	Not Used	ID	01/01
INS07	1219	COBRA Qualifying Event Code	A Qualifying Event is any of the following which results in loss of coverage for a Qualified Beneficiary: ▶ 1 = Termination of Employment ▶ 2 = Reduction of Work Hours ▶ 3 = Medicare ▶ 4 = Death ▶ 5 = Divorce ▶ 6 = Separation ▶ 7 = Ineligible Child ▶ 8 = Bankruptcy of Retiree's Former Employer	ID	01/02
INS08	584	Employment Status Code	Subscriber use only: AC = Active, other than employed FT = Full Time Active Employee PT = Part Time Active Employee TE = Terminated	ID	02/02
INS09	1220	Student Status Code	Non-Spouse Dependent use only: F = Full Time Student N = Not a Student P = Part Time Student	ID	01/01
INS10	1073	Yes/No Condition or Response Code	Y = Handicapped N = Non-Handicapped	ID	01/01

REF Segment - Reference Identification

The REF Segment is used to specify identifying numbers.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
REF01	128	Reference Identification Qualifier	0F = Subscriber Number	ID	02/03
REF02	127	Reference Identification	Subscriber's Social Security Number	AN	01/30

REF Segment - Reference Identification

The REF Segment is used to specify identifying numbers.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
REF01	128	Reference Identification Qualifier	1L = Group or Policy Number	ID	02/03
REF02	127	Reference Identification	California Choice assigned Group Number	AN	01/30

REF Segment - Reference Identification

The REF Segment is used to specify identifying numbers.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
REF01	128	Reference Identification Qualifier	17 = Client Reporting Category	ID	02/03
REF02	127	Reference Identification	Risk Adjustment Factor (sent with subscriber record only)	AN	01/30

REF Segment - Reference Identification

The REF Segment is used to specify identifying numbers.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
REF01	128	Reference Identification Qualifier	23 = Client Number	ID	02/03
REF02	127	Reference Identification	Used to pass a payer specific identifier for a member.	AN	01/30

REF Segment - Reference Identification (This segment is optional, included if requested)

The REF Segment is used to specify identifying numbers.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
REF01	128	Reference Identification Qualifier	3H = Case Number	ID	02/03
REF02	127	Reference Identification	Medicare Indicator: MP = Primary MS = Secondary	AN	01/30

REF Segment - Reference Identification

The REF Segment is used to specify identifying numbers.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
REF01	128	Reference Identification Qualifier	ZZ = Mutually Defined	ID	02/03
REF02	127	Reference Identification	"GRP-NP" if Group terms due to non-payment	AN	01/30

DTP Segment - Date or Time or Period

The DTP segment is used to specify any or all of a date, a time, or a time period.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
DTP01	374	Date/Time Qualifier	224 = Adoption Placement Date	ID	03/03
DTP02	1250	Date Time Period Format Qualifier	D8 = CCYYMMDD	ID	02/03
DTP03	1251	Date Time Period	Adoption Placement Date	AN	01/35

DTP Segment - Date or Time or Period

The DTP segment is used to specify any or all of a date, a time, or a time period.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
DTP01	374	Date/Time Qualifier	301 = COBRA Qualifying Event Date	ID	03/03
DTP02	1250	Date Time Period Format Qualifier	D8 = CCYYMMDD	ID	02/03
DTP03	1251	Date Time Period	Member Effective Date for COBRA	AN	01/35

DTP Segment - Date or Time or Period (This segment is optional, included if requested)

The DTP segment is used to specify any or all of a date, a time, or a time period.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
DTP01	374	Date/Time Qualifier	303 = RAF Effective Date	ID	03/03
DTP02	1250	Date Time Period Format Qualifier	D8 = CCYYMMDD	ID	02/03
DTP03	1251	Date Time Period	RAF Effective Date	AN	01/35

DTP Segment - Date or Time or Period

The DTP segment is used to specify any or all of a date, a time, or a time period.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
DTP01	374	Date/Time Qualifier	340 = COBRA Effective Date	ID	03/03
DTP02	1250	Date Time Period Format Qualifier	D8 = CCYYMMDD	ID	02/03
DTP03	1251	Date Time Period	COBRA Effective Date	AN	01/35

DTP Segment - Date or Time or Period

The DTP segment is used to specify any or all of a date, a time, or a time period.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
DTP01	374	Date/Time Qualifier	356 = Eligibility Begin Date	ID	03/03
DTP02	1250	Date Time Period Format Qualifier	D8 = CCYYMMDD	ID	02/03
DTP03	1251	Date Time Period	Member Enrollment Date [first effective date with California Choice]	AN	01/35

DTP Segment - Date or Time or Period

The DTP segment is used to specify any or all of a date, a time, or a time period.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
DTP01	374	Date/Time Qualifier	357 = Eligibility End Date	ID	03/03
DTP02	1250	Date Time Period Format Qualifier	D8 = CCYYMMDD	ID	02/03
DTP03	1251	Date Time Period	Member Termination Date	AN	01/35

Begin Loop Id = 2100 (Member Level Detail)

Begin Loop Id = 2100A (Member Name)

NM1 Segment -- Individual or Organization Name

The NM1 Segment is used to supply the full name of an individual or organizational entity

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
NM101	98	Entity Identifier Code	IL = Insured or Subscriber (also used for non-identifying information changes) 74 = Corrected Insured (used only for changes to identifying information)	ID	02/03
NM102	1065	Entity Type Qualifier	1 = Person	ID	01/01
NM103	1035	Name Last or Organization Name	Member Last Name	AN	01/35
NM104	1036	Name First	Member First Name	AN	01/25
NM105	1037	Name Middle	Member Middle Initial	AN	01/25
NM106	1038	Name Prefix	Not Used	AN	01/10
NM107	1039	Name Suffix	Name suffix (Sr., Jr., etc.)	ID	01/10
NM108	66	Identification Code Qualifier	34 = Social Security Number	ID	01/02

NM109	67	Identification Code	Social Security Number (this is the correct SSN. If an incorrect SSN was previously sent, it will be so indicated in the Incorrect Member Name loop [Loop 2100B]).	AN	02/80
-------	----	---------------------	---	----	-------

PER Segment - Administrative Communication Contact

The PER segment is used to identify a person or office to whom administrative communications should be directed.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
PER01	361	Contact Function Code	IP = Insured Party	ID	02/02
PER02	93	Name	Not Used	AN	01/60
PER03	365	Communication Number Qualifier	HP = Home Phone Number	ID	02/02
PER04	364	Communication Number	Subscriber's telephone number	AN	01/80

N3 Segment -- Address Information

The N3 Segment is used to specify the location of the named party

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
N301	166	Address Information	Street address of subscriber	AN	01/55
N302	166	Address Information	Additional street address information of subscriber	AN	01/55

N4 Segment -- Geographic Location

The N4 Segment is used to specify the geographic place of the named party

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
N401	19	City Name	City of subscriber	AN	02/30
N402	156	State or Province Code	Two letter postal abbreviation of subscriber's state	ID	02/02
N403	116	Postal Code	Subscriber's Zip Code	ID	03/15
N404	26	Country Code	Not Used	ID	02/03
N405	309	Location Qualifier	CY = County/Parish	ID	01/02
N406	310	Location Identifier	Subscriber's County	AN	01/30

DMG Segment -- Demographic Information

The DMG Segment is used to supply demographic information

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
DMG01	1250	Date Time Period Format Qualifier	D8 = Date expressed in format CCYYMMDD	ID	02/03
DMG02	1251	Date Time Period	Member Birth Date	AN	01/35
DMG03	1068	Gender Code	F = Female M = Male U = Unknown	ID	01/01

LUI Segment -- Language Use

The LUI Segment is used to specify language (the codes are subject to change without notice)

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type ID	Min/Max
LUI01	66	Identification Code Qualifier	"LE"		01/2
LUI02	67	Identification Code	CHI Chinese ENG English KOR Korean RUS Russian SPA Spanish TGL Tagalog VIE Vietnamese ZHO Chinese (traditional)		02/80

End Loop Id = 2100A (Member Name)

Begin Loop Id = 2100B (Incorrect Member Name)

NM1 Segment -- Individual or Organization Name

The NM1 Segment is used to supply the full name of an individual or organizational entity

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type ID	Min/Max
NM101	98	Entity Identifier Code	70 = Prior Incorrect Insured	ID	02/03
NM102	1065	Entity Type Qualifier	1 = Person	ID	01/01
NM103	1035	Name Last or Organization Name	Member Last Name	AN	01/35
NM104	1036	Name First	Member First Name	AN	01/25
NM105	1037	Name Middle	Member Middle Initial	AN	01/25
NM106	1038	Name Prefix	Not Used	AN	01/10
NM107	1039	Name Suffix	Name suffix (Sr., Jr., etc.)	ID	01/10
NM108	66	Identification Code Qualifier	34 = Social Security Number	ID	01/02
NM109	67	Identification Code	Prior Incorrect Social Security Number	AN	02/80

DMG Segment -- Demographic Information

The DMG Segment is used to supply demographic information

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type ID	Min/Max
DMG01	1250	Date Time Period Format Qualifier	D8 = Date expressed in format CCYYMMDD		02/03
DMG02	1251	Date Time Period	Prior Incorrect Insured Birth Date	AN	01/35
DMG03	1068	Gender Code	Prior Incorrect Gender Code: F = Female M = Male U = Unknown	ID	01/01

End Loop Id = 2100B (Incorrect Member Name)

Begin Loop Id = 2100C (Member Mailing Address)

NM1 Segment -- Individual or Organization Name

The NM1 Segment is used to supply the full name of an individual or organizational entity

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type ID	Min/Max
NM101	98	Entity Identifier Code	31 = Postal Mailing Address	ID	02/03

NM102	1065	Entity Type Qualifier	1 = Person	ID	01/01
-------	------	-----------------------	------------	----	-------

N3 Segment -- Address Information

The N3 Segment is used to specify the location of the named party

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
N301	166	Address Information	Subscriber Address Line 1	AN	01/55
N302	166	Address Information	Subscriber Address Line 2	AN	01/55

N4 Segment -- Geographic Location

The N4 Segment is used to specify the geographic place of the named party

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
N401	19	City Name	Subscriber City Name	AN	02/30
N402	156	State or Province Code	Subscriber State Code	ID	02/02
N403	116	Postal Code	Subscriber Zip Code	ID	03/15

End Loop Id = 2100C (Member Mailing Address)

Begin Loop Id = 2100D (Employer Address)

NM1 Segment -- Individual or Organization Name

The NM1 Segment is used to supply the full name of an individual or organizational entity

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
NM101	98	Entity Identifier Code	36 = Employer Address	ID	02/03
NM102	1065	Entity Type Qualifier	2 = Organizational entity	ID	01/01
NM103	1035	Name Last or Organization Name	Employer Name	AN	01/50

PER Segment - Administrative Communication Contact (This segment is optional, included if requested)

The PER segment is used to identify a person or office to whom administrative communications should be directed.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
PER01	361	Contact Function Code	EP = Employer Contact	ID	02/02
PER02	93	Name	Contact Name	AN	01/60
PER03	365	Communication Number Qualifier	TE = Telephone	ID	02/02
PER04	364	Communication Number	Employer's Phone Number	AN	01/80

N3 Segment -- Address Information

The N3 Segment is used to specify the location of the named party

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
N301	166	Address Information	Employer Address Line 1	AN	01/55
N302	166	Address Information	Employer Address Line 2	AN	01/55

N4 Segment -- Geographic Location

The N4 Segment is used to specify the geographic place of the named party

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
N401	19	City Name	Employer City Name	AN	02/30
N402	156	State or Province Code	Employer State Code	ID	02/02
N403	116	Postal Code	Employer Zip Code	ID	03/15

End Loop Id = 2100D (Employer Address)

End Loop Id = 2100 (Member Level Detail)

Begin Loop Id = 2300 (Health Coverage)

HD Segment -- Health Coverage

The HD Segment is used to provide information on health coverage

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
HD01	875	Maintenance Type Code	001 = Change 021 = Addition 024 = Cancellation or Termination 025 = Reinstatement 026 = Correction 030 = Audit or Compare	ID	03/03
HD02	1203	Maintenance Reason Code	Not Used	ID	02/03
HD03	1205	Insurance Line Code	DCP = Dental Capitation (DMO) DEN = Preferred Provider Org. (PPO) HMO = Health Maintenance Org. PPO = Preferred Provider Org. VIS = Vision	ID	02/03
HD04	1204	Plan Coverage Description	EDI Plan Name submitted by carrier indicating plan the employee is enrolled in. If not submitted, a code indicating benefit plan in which employee enrolled	AN	01/50
HD05	1207	Coverage Level Code	Employee Family Coverage: ▶ EMP = Employee Only ▶ IND = Individual ▶ ESP = Employee and Spouse ▶ ECH = Employee and Children ▶ FAM = Employee and Family	ID	03/03

DTP Segment - Date or Time or Period

The DTP segment is used to specify any or all of a date, a time, or a time period. This segment is used to indicate the Maintenance Effective date (effective date of a change where a member's coverage is not being added or removed).

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
DTP01	374	Date/Time Qualifier	303 = Maintenance Effective Date	ID	03/03
DTP02	1250	Date Time Period Format Qualifier	D8 = CCYYMMDD	ID	02/03
DTP03	1251	Date Time Period	Effective date of maintenance	AN	01/35

DTP Segment - Date or Time or Period

The DTP segment is used to specify any or all of a date, a time, or a time period. This segment is used to indicate the Benefit Begin Date (effective date of coverage).

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
DTP01	374	Date/Time Qualifier	348 = Benefit Begin Date	ID	03/03
DTP02	1250	Date Time Period Format Qualifier	D8 = CCYYMMDD	ID	02/03
DTP03	1251	Date Time Period	Effective date of current plan	AN	01/35

DTP Segment - Date or Time or Period

The DTP segment is used to specify any or all of a date, a time, or a time period. This segment is used to indicate the Benefit End Date (effective date of a termination. Always sent when a member's coverage is being terminated).

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
DTP01	374	Date/Time Qualifier	349 = Benefit End Date	ID	03/03
DTP02	1250	Date Time Period Format Qualifier	D8 = CCYYMMDD	ID	02/03
DTP03	1251	Date Time Period	Termination date of current plan	AN	01/35

DTP Segment - Date or Time or Period (This segment is optional, included if requested)

The DTP segment is used to specify any or all of a date, a time, or a time period. This segment is used to indicate the First Benefit Begin Date (first effective date of consecutive coverage for the carrier).

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
DTP01	374	Date/Time Qualifier	300 = First Benefit Begin Date	ID	03/03
DTP02	1250	Date Time Period Format Qualifier	D8 = CCYYMMDD	ID	02/03
DTP03	1251	Date Time Period	Carriers First Effective date without a break in coverage	AN	01/35

REF Segment - Reference Identification

The REF Segment is used to specify identifying numbers.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
REF01	128	Reference Identification Qualifier	QQ = Unit Number	ID	02/03
REF02	127	Reference Identification	Prior Coverage Month Count	AN	01/30

REF Segment - Reference Identification (This segment is included for Medical Carriers only)

The REF Segment is used to specify identifying numbers.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
REF01	128	Reference Identification Qualifier	ZZ = Rating Info Code	ID	02/03
REF02	127	Reference Identification	Rating Info(FlagAreaZipcodeCountyname) Flag: REF*ZZ*02[1, 2] Area: REF*ZZ*02[3, 4] Zip: REF*ZZ*02[5, 9] County: REF*ZZ*02[10, 39] Example: REF*ZZ*ER0092780ORANGE	AN	01/39

Begin Loop Id = 2310 (Provider Information)

LX Segment – Assigned Number - only applicable for daily file

The LX Loop contains information about the primary care providers for the subscriber and the dependent.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
LX01	554	Assigned Number	"1"	NO	01/06

NM1 Segment -- Individual or Organization Name - only applicable for daily file

The NM1 Segment is used to supply the full name of an individual or organizational entity

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
NM101	98	Entity Identifier Code	P3 = Primary Care Provider QN = Dentist	ID	02/03
NM102	1065	Entity Type Qualifier	1 = Person	ID	01/01
NM103	1035	Name Last or Organization Name	Not Used	AN	01/35
NM104	1036	Name First	Not Used	AN	01/25
NM105	1037	Name Middle	Not Used	AN	01/25
NM106	1038	Name Prefix	Not Used	AN	01/10
NM107	1039	Name Suffix	Not Used	ID	01/10
NM108	66	Identification Code Qualifier	SV = Service Provider Number	ID	01/02
NM109	67	Identification Code	Provider Identifier appropriate to code in element NM108	AN	02/80
NM110	706	Entity Relationship Code	25 = Established Patient 26 = Not Established Patient 72 = Unknown	ID	02/02

End Loop Id = 2310 (Provider Information)

Begin Loop Id = 2320 (Coordination of Benefits)

COB Segment – Coordination of Benefits

The COB Segment is used to supply information on coordination of benefits.

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
COB01	1138	Payer Responsibility Sequence Number Code	"U" = Unknown	ID	01/01
COB02	127	Reference Identification	Not Used	AN	01/30
COB03	1143	Coordination of Benefits Code	"5" = Unknown	ID	01/01

Begin Loop Id = 2330 (COB – Related Entity)

NM1 Segment – Coordination of Benefits Related Entity

The NM1 Segment is used to identify a party by type of organization, name and code

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
-----------	--------------	------	----------------------------	------	---------

NM101	98	Entity Identifier Code	"IN" = Insurer	ID	02/03
NM102	1065	Entity Type Qualifier	"2" = Non-Person Entity	ID	02/03
NM103	1035	Organization Name	Additional insurance carrier name. If none or not known -> "NOT ON FILE"	AN	01/60

End Loop Id = 2330 (COB – Related Entity)

End Loop Id = 2300 (Health Coverage)

End Loop Id = 2000 (Member Level Detail)

SE Segment - Transaction Set Trailer

The SE Segment indicates the end of the transaction set and provide the count of the transmitted segments (including the beginning (SE) and ending (SE) segments).

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
SE01	96	Number of Included Segments	Transaction Segment Count	N0	01/10
SE02	329	Transaction Set Control Number	Sequential Number (must be identical to value in element ST02)	AN	04/09

GE Segment - Functional Group Trailer

The GE Segment indicates the end of a functional group and to provide control information

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
GE01	97	Number of Transaction Sets Included	Number of ST Segments	N0	01/06
GE02	28	Group Control Number	Sequential Number (must be identical to the value in the associated functional group header, GS06)	N0	01/09

IEA Segment - Interchange Control Trailer

The ISA segment marks the end of an interchange of zero or more functional groups and interchange-related control segments

Ref. Des.	Data Element	Name	Qualifications/Definitions	Type	Min/Max
IEA01	I16	Number of Included Functional Groups	Number of GS Segments	N0	01/05
IEA02	I12	Interchange Control Number	Sequential Number (same as ISA13)	N0	09/09