Exercise 3: Case Statements


Nompumelelo Mkolo

Data Analytes

Bright learning

Date 7/09/2026


Question 1





```
);
-- Step 4 : Insert Data
INSERT INTO sorting.mpume.product VALUES
(1,'Laptop',1200),
(2,'Phone',800),
(3,'Keyboard',45),
(4,'Monitor',300),
(5,'Mouse',25);
-- Step 5: Query with price categories

SELECT
  product_id,
  product_name,
  price,
  CASE
    WHEN price > 1000 THEN 'Expensive'
    WHEN price BETWEEN 100 AND 1000 THEN 'Mid-range'
    WHEN price < 100 THEN 'Budget'
    ELSE 'F'
    END AS price_category
    FROM sorting.mpume.product;
```


Question 2




	customer_name	amount	order_value_category
1	Alice	150	Low value
2	Bob	560	Medium value
3	Charlie	999	Medium value
4	Diana	45	Low value
5	Ethan	1200	High value




Question 3.3




	emp_name	salary	department	salary_category
1	John	85000	IT	Senior IT
2	Sara	60000	HR	Experienced HR
3	Mark	75000	IT	Staff
4	Lucy	95000	Finance	Staff
5	Tom	55000	HR	Staff




Question 4




	student_id	score	grade
1	1	92	A
2	2	76	C
3	3	59	F
4	4	83	B
5	5	68	D





Question 5


Last edit was 2 minutes ago
Run selected (1000)
Just now (11s)
workspace . default
Edit
delivery_id INT,
delivery_time_minutes INT
);
INSERT INTO brightlearning.Mpume.delivery
VALUES
(1, 45),
(2, 80),
Add parameter
Results 5 of 5
Table
delivery_id
delivery_time_minutes
performance
1 1 45 On Time
2 2 80 Late
3 3 30 Fast
4 4 65 Late
5 5 100 Late
5 rows
11.466s runtime
See performance (5)
Checked for improvements
Refreshed Now



Last edit was 3 minutes ago
Run all (1000)
2 minutes ago (11s)
workspace . default
delivery_id INT,
delivery_time_minutes INT
);
INSERT INTO brightlearning.Mpume.delivery
VALUES
(1, 45),
(2, 80),
(3, 30),
(4, 65),
(5, 100);
SELECT
delivery_id,
delivery_time_minutes,
CASE
WHEN delivery_time_minutes <= 30 THEN 'Fast'
WHEN delivery_time_minutes BETWEEN 31 AND 60 THEN 'On Time'
WHEN delivery_time_minutes > 60 THEN 'Late'
ELSE 'F'
END AS performance
FROM brightlearning.Mpume.delivery;


Question 6







Question 7


Home
New Query 2026-09-08 16:25:29
Exercise 3.1
Exercise 3.2
Run all (1000)
1 minute ago (1s)
workspace.default
CREATE CATALOG IF NOT EXISTS exercise3;
CREATE SCHEMA IF NOT EXISTS exercise3.class;
CREATE TABLE IF NOT EXISTS exercise3.class.attendance_brightlearn (
student_id INT,
attendance_percentage INT,
attendance_status String
);
Add parameter
Table
student_id
student_name
score
attendance_status
1 1 45 50 Needs Improvement
2 2 30 50 Needs Improvement
3 3 48 50 Needs Improvement
4 4 25 50 Needs Improvement
5 5 50 50 Needs Improvement
5 rows
0.783s runtime
See performance (1)
Checked for improvements



Home
New Query 2026-09-08 16:25:29
Exercise 3.1
Exercise 3.2
Exercise 3.3
Exercise 3.4
Run all (1000)
2 minutes ago (1s)
workspace.default
Edit
CREATE CATALOG IF NOT EXISTS exercise3;
CREATE SCHEMA IF NOT EXISTS exercise3.class;
CREATE TABLE IF NOT EXISTS exercise3.class.attendance_brightlearn (
student_id INT,
attendance_percentage INT,
attendance_status String
);
INSERT INTO exercise3.class.attendance_brightlearn
VALUES
(1, 45, 50),
(2, 30, 50),
(3, 48, 50),
(4, 25, 50),
(5, 50, 50);
SELECT *
FROM exercise3.class.attendance_brightlearn;
SELECT
student_id,
student_name,

Question 8


Home
New Query 2026-09-08 16:56:41
Exercise 3.1
Exercise 3.2
Exercise 3.3
Exercise 3.4
Run all (1000)
1 minute ago (1s)
workspace.default
Edit
product_id INT,
stock_qty INT,
stock_status STRING
);
INSERT INTO products.product_inventory.product_inventory_brightlearn
VALUES
(1, 5, 'Low Stock'),
(2, 0, 'Out of Stock'),
(3, 25, 'In Stock'),
Add parameter
Table
product_id
stock_qty
running_total
stock_status
1 2 0 0 Out of Stock
2 5 3 3 Low Stock
3 1 5 8 Low Stock
4 4 10 18 In Stock
5 3 25 43 In Stock
5 rows
1.206s runtime
See performance (1)
Checked f
Review next
Refreshed 1m ago



Home
New Query 2026-09-08 16:56:41
Exercise 3.1
Exercise 3.2
Exercise 3.3
Exercise 3.4
Run all (1000)
Just now (7s)
workspace.default
Edit
VALUES
(1, 5, 'Low Stock'),
(2, 0, 'Out of Stock'),
(3, 25, 'In Stock'),
(4, 10, 'In Stock'),
(5, 3, 'Low Stock');
SELECT *
FROM products.product_inventory.product_inventory_brightlearn;
SELECT
product_id,
stock_qty,
SUM(stock_qty) OVER (ORDER BY stock_qty) AS running_total,
CASE
WHEN stock_qty = 0 THEN 'Out of Stock'
WHEN stock_qty BETWEEN 1 AND 5 THEN 'Low Stock'
WHEN stock_qty > 5 THEN 'In Stock'
ELSE 'F'
END AS stock_status
FROM
products.product_inventory.product_inventory_brightlearn;

Question 9



Home
New Query 2026-09-08 17:16:53
Exercise 3.1
Exercise 3.2
Exercise 3.3
Exercise 3.4
Run selected (1000)
Just now (6s)
workspace.default
Edit
CREATE CATALOG IF NOT EXISTS Student;
CREATE SCHEMA IF NOT EXISTS Student_enrolled;
CREATE TABLE IF NOT EXISTS Student_enrolled_brightlearn (
subject STRING,
enrolled_students STRING,
class_size_category STRING
);
Add parameter
Results 6 of 6
Table
subject
enrolled_students
running_total
class_size_category
1 Science 15 15 Medium
2 History 20 35 Medium
3 English 25 60 Large
4 Math 30 90 Large
5 Art 5 95 In Small
5 rows
6.099s runtime
See performance (6)
Checked for improvements


Run all (1000)
1 minute ago (6s)
workspace.default
Edit
('Science', 15, 'Medium'),
('Art', 5, 'In Small'),
('History', 20, 'Medium');
SELECT *
FROM Student_enrolled_brightlearn;
SELECT
subject,
enrolled_students,
SUM(enrolled_students) OVER (ORDER BY enrolled_students) AS running_total,
CASE
WHEN enrolled_students >= 25 THEN 'Large'
WHEN enrolled_students BETWEEN 10 AND 24 THEN 'Medium'
WHEN enrolled_students < 10 THEN 'In Small'
ELSE 'F'
END AS class_size_category
FROM
Student_enrolled_brightlearn;

Question 10



	payment_id	payment_method	amount	discount_eligibility
1	1	Card	50	Not Eligible for Discount
2	2	Cash	200	Eligible for Discount
3	3	Card	150	Not Eligible for Discount
4	4	PayPal	75	Not Eligible for Discount
5	5	Cash	300	Eligible for Discount




```
    payment_method STRING,
    amount INT,
    discount_eligibility STRING);



INSERT INTO payment_menthod_brightlearn
VALUES (1, 'Card', 50, 'Not Eligible for Discount'),
(2, 'Cash', 200, 'Eligible for Discount'),
(3, 'Card', 150, 'Not Eligible for Discount'),
(4, 'PayPal', 75, 'Not Eligible for Discount'),
(5, 'Cash', 300, 'Eligible for Discount');

SELECT
    payment_id,
    payment_method,
    amount,
    CASE
        WHEN payment_method = 'Cash' AND amount >= 200 THEN 'Eligible for Discount'
        ELSE 'Not Eligible for Discount'
    END AS discount_eligibility
FROM
    payment_menthod_brightlearn;
```