SQL Join Exercise

Name : Nompumelelo

Sirname: Mkolo

Table 1: User




Table 2 :Plan




Table 3 :Subscription




Table 4 : Show







Table 5: Viewing sessions




Question 1




Question 2




Question 3




Question 4




Question 5




Question 6




Question 7




Question 8




Question 9




Question 10




Question 11




Question 12




Question 13



Question 14



Question 15


Home
SQL Join exercise Table 1
New Query 2026-09-08 16:25:29
New Query 2026-09-08 16:56:41
Run all (1000)
2 minutes ago (1s)
workspace.default
SELECT U.user_id,
U.User_name,
S.subscription_id,
P.plan_id,
P.plan_name
FROM User.people.South_Africa AS U
FULL OUTER JOIN `user`.mpume.subscription_brightlearning AS S
ON U.user_id = S.user_id
FULL OUTER JOIN Mpume.amount.plan_brightlearning AS P
ON S.plan_id = P.plan_id;
param_1
Add parameter
Table
user_id
User_name
subscription_id
plan_id
plan_name
3 3 Anele 505 13 Family
4 5 Lerato null null null
5 4 Kabelo null null null
6 2 David 502 11 Standard
7 null null 504 11 Standard
8 null null null 14 Mobile
8 rows
1.260s runtime
See performance (1)
Checked for improvements