

PATHOLOGY DEPARTMENT

Reception ID: 14-001-0083617 PR No: 14-04-012677 Entered: (03, May 14. 7:07)
Patient Name: Mr Rehman Ullah (M : 18 Year(s)) Printed: 04, May, 14. 16:17
Referred By: er

Plasma Cyclosporin (CsA) level

Plasma Cyclosporin A (CsA) level 289.1 ng/mL

Interpretation

Peak level (2hrs after taking drug, C2) 0-2 month post-transplant: 1500-2000 2-6 month post-transplant: 1100-1500
>6 month post-transplant: 800-1000 Trough level (15 minutes before next dose, C0) <6 month post-transplant: 250-375 >6 month post-transplant: 100-250 (Reference values for kidney transplant patients)

Test is performed by (CMIA) Architect ci 8200 System

Notes: Electronically verified report, signatures not required. Identity of the patient not verified. Any query about this report may be addressed within twenty four hours of reporting, the duration for which the samples are preserved.

Dr. Fazle Raziq

MBBS, M.Phil, FCPS (Haem), FICPP
Professor, Consultant Haematologist
Head of Pathology Department & Blood Bank

Dr. Shahtaj Khan

Consultant Haematologist
MBBS, DCP, FCPS

Dr. Jehan Zeb

BSc, MD, P.Phil
Prof. & Consultant Chemical Pathologist

Dr. Syed Sarwar Ali

MBBS, FCPS (Haematology)
Asst. Professor & Consultant Haematologist

Dr. Salar Zai

Dip.Med.Microbiology
Consultant Microbiologist