
Capture reconstruction


256,000 measurements per observable/preparation setting; exact saved SPAM calibration

Input model · No-SPAM capture

EXISTING RECONSTRUCTION



WITH ANALYTIC MEASUREMENT SHOT NOISE



Bars: +/-1 quoted total uncertainty (statistical + systematic), matching the showcase figure convention.


Paired panels use identical signed axes. Open DC markers indicate fits flagged undetermined. SPAM-robust is excluded.

SPAM comparison: reference, raw and mitigated


256,000 measurements per observable/preparation setting; exact saved SPAM calibration

Input model · Reference · Raw SPAM · SPAM-mitigated

EXISTING RECONSTRUCTION



WITH ANALYTIC MEASUREMENT SHOT NOISE



Bars: +/-1 quoted total uncertainty (statistical + systematic), matching the showcase figure convention.


Paired panels use identical signed axes. Open DC markers indicate fits flagged undetermined. SPAM-robust is excluded.

SPAM-free reference


256,000 measurements per observable/preparation setting; exact saved SPAM calibration

Input model Reference

EXISTING RECONSTRUCTION



WITH ANALYTIC MEASUREMENT SHOT NOISE




Bars: +/-1 quoted total uncertainty (statistical + systematic), matching the showcase figure convention.

Paired panels use identical signed axes. Open DC markers indicate fits flagged undetermined. SPAM-robust is excluded.

Raw SPAM reconstruction

256,000 measurements per observable/preparation setting; exact saved SPAM calibration




Bars: +/-1 quoted total uncertainty (statistical + systematic), matching the showcase figure convention.

Paired panels use identical signed axes. Open DC markers indicate fits flagged undetermined. SPAM-robust is excluded.

SPAM-mitigated reconstruction

256,000 measurements per observable/preparation setting; exact saved SPAM calibration



Bars: +/-1 quoted total uncertainty (statistical + systematic), matching the showcase figure convention.

Paired panels use identical signed axes. Open DC markers indicate fits flagged undetermined. SPAM-robust is excluded.