Ziphozinhle Mqop j

30

30

100%

Module #	671101000-KM-9:
NQF Level	level 4,
Notional hours	30
Credit(s)	Cr 3
Occupation or Specialisation	671101000: Occupational Certificate: Electrician
Associated Occupation	671101: Electrician

FAULT FINDING

SUMMATIVE ASSESMENT

Z

Copyright

All rights reserved. The copyright of this document, its previous editions and any annexures thereto, is protected and expressly reserved. No part of this document may be reproduced, stored in a retrievable system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without the prior permission

Welcome to your Summative Assessment!

This document deals with the summative assessment of your competence towards the outcomes which you need to achieve. "Summative Assessment is assessment for making a judgement about achievement. This is carried out when a learner is ready to be assessed at the end of a programme of learning" (SAQA: Criteria and Guidelines for Assessment Policy Document,).

Z

Special arrangements for assessment

Place
Language
Resources
Barriers

People to be involved with assessment

Learner: Ziphozihle Maqpi	Manager:
Trainer:	Mentor / Coach:
Assessor:	Moderator:

Next steps for learning

Resources required for this assessment

Guidelines to the learner:

Learners Name: Ziphozihle Maqpi

Learner's signature: _____ Date: _____

Assessors Name: _____

Assessor's signature: _____ Date: _____

Z

ASSESSMENT APPEAL APPLICATION FORM

LEARNER'S NOTICE OF ASSESSMENT APPEAL

TO: The Internal Moderator

A meeting with the internal moderator is hereby requested to discuss the outcome of my assessment.

Internal moderator name _____

Date of submission: _____

Name of employee assessed: _____

Name of Assessor: _____

Date of feedback session: _____

Grounds for Appeal

No	Tick the applicable ground(s) for appeal	Tick
1	The assessment did not follow the laid down procedure	
2	Not all evidence available was taken into account during the assessment	
3	The assessor was not a subject matter expert nor was a subject matter expert present during the assessment process	
4	The assessment was not according to the performance criteria and the range statement stipulated in the unit standard	
5	Not all the range items were available for the assessment	

Reasons for Appeal

No	Please give detailed reasons for the choice(s) above
1	
2	
3	
4	
5	

Learner's signature: _____ Date: _____

Employee witness: _____ Date: _____

Z

Learner declaration of acceptance of assessment instruments and relevant documentation: Date:	
Learners Name: Ziphozihle Maopi	Signature
Assessors Name:	Signature:

INSTRUCTIONS:

The following sections will test your knowledge and you are required to answer all the questions.

All true and false items must be answered.

Once you have finished you may obtain feedback from your assessor on the accuracy of your answer.

Z

Short Circuit	MCB or Fuse trips instantly, burning smell	Fire, damage
Earth Fault	RCD/RCBO trips metal work becomes live	Electric shock
Main Hazards	Inductive kickback, capacitive coupling	Electrolytic corrosion gas from batteries stored energy
Voltage drop	Affected by Impendance $Z = R + jX$	Only resistance so cable size more critical

6. Final Steps after Repair

1. Re-test insulation resistance and continuity
2. Confirm correct polarity.
3. Re-energise and do functional test under load
4. Check for abnormal heat, noise or vibration
5. Document all results

Conclution: Fault finding in AC and DC systems use the same logical principles, but techniques differ due to reactance, arcing and polarity issues. Safe isolation, correct instrument, and systematic testing ensure faults are located quickly and safely

20

2

6.) Environmental Hazards

Check for damp conditions, conductive dust or flammable gases before starting. Water and electricity cause severe shock risk. Ventilate battery rooms to prevent hydrogen build-up during DC fault finding

7) Polarity and Stored Energy in DC

DC does not pass through zero, so arcs are suited and more dangerous. Capacitors, batteries and inductors can hold lethal charge after isolation. Always discharge and verify

8) Communication and Barriers

Erect barries and warning signs to keep others out of the work area. Inform affected users before isolating supply to prevent unexpected equipment shutdown

9) RCD/RCBO Awareness

When fault finding on circuits with RCDs, expect nuisance tripping if Neutral - Earth (N-E) faults exist. Do not bypass RCDs to "make testing easier" it removes protection

10.) Post-Repair Testing.

Before re-energising, do isulation resistance, polarity and continuity tests. After switching on, check for overheating or abnormal operation. Only remove locks/tags once all tests are complete

10

Z

ASSESSMENT DECISION			
Source of Evidence	C	NYC	Comment
Knowledge questions	✓		Good
Product /Work sample	✓		Good
Project	✓		Good
Indirect Evidence	✓		Good
Overall Assessment Decision			
Additional Notes			
Date			
Signature of Assessor		Signature of Candidate	

Z

Moderator's Report

Moderator's Name		Reg. No.	
Assessor's Name		Reg. No.	
Candidate's Name	Ziphozinhle Mqopi	ID No.	0802030118086
Title			

MODERATION DECISION

Outcome	C	NYC	Comments
Overall Moderation Decision			

Feedback to Assessor	
Action Required	
Date of Moderation	
Signature of Moderator	
Signature of Assessor	
Signature of Candidate	

Z