

Confusion Matrix for NOAA and CCI predictability of Coral Bleaching

Vanessa Hui Fen Neo

2021-10-28

Table 1: Confusion Matrix for predictability of bleaching using Degree Heating Week values from CCI data

Reef	Balanced Accuracy	F1	Sensitivity	Specificity	Pos Pred Value	Neg Pred Value	AUC	Lower CI	Upper CI	Kappa	MCC	Detection Rate	Detection Prevalence	Prevalence
Browse Island	0.90	0.81	0.22	1.00	0.80	0.12	0.90	0.85	0.95	0.18	0.32	0.03	0.22	0.03
Cocos (Keeling) Islands	0.84	0.92	0.67	0.75	0.94	0.60	0.84	0.68	1.00	0.62	0.62	0.08	0.14	0.11
Houtman Abrolhos	0.93	0.86	0.29	1.00	0.86	0.17	0.93	0.89	0.97	0.25	0.38	0.03	0.17	0.03
Ningaloo Reef	0.58	0.87	0.17	0.25	0.90	0.13	0.58	0.41	0.74	0.11	0.12	0.01	0.10	0.06
Scott Reef	0.55	0.78	0.20	0.25	0.84	0.17	0.55	0.47	0.62	0.08	0.08	0.03	0.17	0.11

Table 2: Confusion Matrix for predictability of bleaching using Degree Heating Week values from NOAA data

Reef	Balanced Accuracy	F1	Sensitivity	Specificity	Pos Pred Value	Neg Pred Value	AUC	Lower CI	Upper CI	Kappa	MCC	Detection Rate	Detection Prevalence	Prevalence	
Browse Island	0.82	0.66	0.15	1.00	0.65	0.08	1.00	0.82	0.76	0.88	0.10	0.23	0.03	0.38	0.03
Cocos (Keeling) Islands	0.62	0.91	0.40	0.25	1.00	1.00	0.90	0.62	0.46	0.79	0.37	0.48	0.03	0.03	0.12
Houtman Abrolhos	0.93	0.86	0.31	1.00	0.85	0.18	1.00	0.93	0.88	0.97	0.27	0.39	0.03	0.17	0.03
Ningaloo Reef	0.57	0.86	0.18	0.25	0.90	0.14	0.95	0.57	0.41	0.74	0.11	0.12	0.02	0.11	0.06
Scott Reef	0.73	0.72	0.40	0.75	0.71	0.27	0.95	0.73	0.65	0.81	0.26	0.32	0.09	0.35	0.12

Table 3: Confusion Matrix for predictability of bleaching using Degree Heating Months values from CCI data

Reef	Balanced Accuracy	F1	Sensitivity	Specificity	Pos Pred Value	Neg Pred Value	AUC	Lower CI	Upper CI	Kappa	MCC	Detection Rate	Detection Prevalence	Prevalence
Browse Island	0.83	0.67	0.14	1.00	0.66	0.08	0.83	0.77	0.88	0.10	0.22	0.03	0.36	0.03
Cocos (Keeling) Islands	0.73	0.72	0.38	0.75	0.72	0.25	0.73	0.56	0.90	0.25	0.31	0.08	0.33	0.11
Houtman Abrolhos	0.87	0.75	0.18	1.00	0.74	0.10	0.87	0.82	0.92	0.14	0.27	0.03	0.28	0.03
Ningaloo Reef	0.72	0.82	0.27	0.60	0.84	0.18	0.72	0.56	0.88	0.20	0.25	0.03	0.19	0.06
Scott Reef	0.62	0.72	0.29	0.50	0.75	0.20	0.62	0.54	0.71	0.15	0.18	0.06	0.28	0.11

Table 4: Confusion Matrix for predictability of bleaching using Degree Heating Months values from NOAA data

Reef	Balanced Accuracy	F1	Sensitivity	Specificity	Pos Pred Value	Neg Pred Value	AUC	Lower CI	Upper CI	Kappa	MCC	Detection Rate	Detection Prevalence	Prevalence
Browse Island	0.76	0.53	0.12	1.00	0.52	0.06	0.76	0.70	0.82	0.06	0.18	0.03	0.50	0.03
Cocos (Keeling) Islands	0.71	0.88	0.50	0.50	0.93	0.50	0.71	0.53	0.90	0.43	0.43	0.06	0.12	0.12
Houtman Abrolhos	0.90	0.81	0.25	1.00	0.81	0.14	0.90	0.85	0.95	0.21	0.34	0.03	0.22	0.03
Ningaloo Reef	0.69	0.86	0.31	0.50	0.89	0.23	0.69	0.53	0.86	0.25	0.27	0.03	0.14	0.06
Scott Reef	0.69	0.64	0.34	0.75	0.63	0.22	0.69	0.61	0.77	0.19	0.25	0.09	0.42	0.12

Table 5: Degree Heating Week Confusion Matrix

CCI DHW					NOAA DHW				
Reef	Balanced Accuracy	Sensitivity	Specificity	AUC	Reef	Balanced Accuracy	Sensitivity	Specificity	AUC
Browse Island	0.90	1.00	0.80	0.90	Browse Island	0.82	1.00	0.65	0.82
Cocos (Keeling) Islands	0.84	0.75	0.94	0.84	Cocos (Keeling) Islands	0.62	0.25	1.00	0.62
Houtman Abrolhos Reef	0.93	1.00	0.86	0.93	Houtman Abrolhos Reef	0.93	1.00	0.85	0.93
Ningaloo Reef	0.58	0.25	0.90	0.58	Ningaloo Reef	0.57	0.25	0.90	0.57
Scott Reef	0.55	0.25	0.84	0.55	Scott Reef	0.73	0.75	0.71	0.73

Table 6: Degree Heating Month Confusion Matrix

CCI DHM					NOAA DHM				
Reef	Balanced Accuracy	Sensitivity	Specificity	AUC	Reef	Balanced Accuracy	Sensitivity	Specificity	AUC
Browse Island	0.83	1.00	0.66	0.83	Browse Island	0.76	1.00	0.52	0.76
Cocos (Keeling) Islands	0.73	0.75	0.72	0.73	Cocos (Keeling) Islands	0.71	0.50	0.93	0.71
Houtman Abrolhos	0.87	1.00	0.74	0.87	Houtman Abrolhos	0.90	1.00	0.81	0.90
Ningaloo Reef	0.72	0.60	0.84	0.72	Ningaloo Reef	0.69	0.50	0.89	0.69
Scott Reef	0.62	0.50	0.75	0.62	Scott Reef	0.69	0.75	0.63	0.69