

LAZO - Product Requirements Document

V1: working backbone | V2: technology strength and marketing

Version: 1.2 - revised draft for execution planning

Date: 6 September 2026

Public V1 launch: 15 November 2026

Closed beta: 1-10 November 2026

Revenue milestone: paying customers and collected LAZO revenue by 30 November 2026

This revision supersedes V1.1 and the original LAZO_PRD_v1.md.pdf. It integrates autonomous AI-agent operations and the clarified venue, retail and fitting-based purchase flows. The launch date remains 15 November 2026. The source is product context, not an instruction to preserve its exclusions. Founder direction supplied on 6 September governs this revision. The other documents listed in the source PRD were not independently reviewed. Provider capabilities, commercial terms and legal conclusions require validation; this document specifies desired behavior, not verified provider support.

1. Purpose and product thesis

V1 establishes LAZO's working backbone: hosts create and publish events; guests RSVP and give; vendors onboard, accept orders and receive payments; fulfillment partners complete orders; LAZO can support, reconcile and measure the entire flow. Every newly requested capability is in V1 at the minimum operational depth specified below. Two customized autonomous AI agents support Vendor Operations and Customer/Order Operations at launch; expansion to six roles and later larger concurrency is staged in section 14.

Mexican hosts currently coordinate life events across messaging, design tools, spreadsheets, retailer registries and transfers. LAZO becomes the single event link a host sends to guests, supported by tools for planning, gifting and purchasing. The default language is native es-MX and prices are displayed in MXN.

V2 strengthens reliability, performance, automation and integration depth while expanding marketing. Essential security, reliable money movement and operational support remain V1 launch requirements.

2. Scope and release rules

P0 means required for the 15 November release. P1 means optional enhancement after P0 is complete. V2 means a later expansion. All capabilities explicitly added by the founder are P0 at the depth in this document; none may be silently dropped to meet the date.

The phrase 'native apps (PWA only)' is interpreted as an installable PWA in V1. Separate App Store and Google Play native applications are outside V1.

The 'vendor payments or escrow' requirement is implemented as provider-managed vendor payments in V1. LAZO does not build or operate its own escrow service. Escrow is not promised unless a separately approved provider arrangement actually supports it. This is the proposed implementation choice within the requested alternative, not a claim that payment processing is escrow.

2.1 Required V1 capability coverage

- Core events: homepage, live examples, anonymous draft, claim, pay, invoice, publish, RSVP, registry, host/vendor/admin dashboards and post-event flow.
- Vendor payments: accepted quote or order, provider checkout, vendor onboarding, payment and settlement status, refunds, disputes and reconciliation.

- WhatsApp Business API: an approved production account and templates, consent-based transactional sends, delivery status and failure handling.
- Retailer APIs: at least one live authorized retailer integration for catalog/availability and the partner-supported purchase or reservation flow.
- PWA: installable responsive application with safe caching and explicit offline behavior.
- Print, flowers and travel fulfilment: at least one operational partner per category, restricted to supported locations and products, with real ordering, confirmation, status and cancellation support.
- Corporate and memorial modes: usable event configurations, vocabulary, privacy defaults and mode-specific sections on the shared event engine.
- Second payment gateway: a second production gateway for LAZO event fees, including confirmation, refunds and reconciliation. Gifts and vendor payments need not run on both gateways in V1.
- Analytics warehouse: a separate analytical store with scheduled ingestion, revenue reconciliation and operational dashboards.
- Seating charts: tables, capacities, guest assignment, unassigned view and printable/exportable plan.
- Guest photo upload: account-free authorized uploads, moderation, private storage and host-controlled publication.

2.2 Breadth limits and optional polish

V1 starts with a curated partner set and explicit service coverage, rather than promising every retailer, vendor or destination. API architecture alone is not acceptance: the required launch integrations must work in production.

P1 enhancements remain Google sign-in, English translation, custom domains, advanced template gallery, category SEO pages, budget/checklist tools and referral automation. Birthday remains a later event type. Vendor Pro subscriptions, advanced corporate procurement/SSO, a travel inventory engine, advanced seating optimization and an unrestricted integration marketplace are V2 candidates.

3. Users and access

- Guest: no account required. Event-scoped invitation access supports RSVP, gifts and photo upload. Name lookup is event-scoped, rate-limited and does not reveal the full guest list.
- Host: authenticated owner of claimed events. Manages content, guests, seating, registry, vendors, orders, photos, messaging, analytics and billing.
- Vendor: authenticated business user. Manages profile, catalog, availability, quotes, orders, payment onboarding and operational analytics. API vendors use scoped credentials.
- Admin: privileged support user. Handles moderation, partner verification, failed integrations, refunds, reconciliation and support with an audit trail.

Corporate V1 supports an owner and invited event editors with explicit permissions. Memorial V1 supports an organizer and invited editors. Neither mode requires guests to create accounts. Adult ownership is required for events involving minors.

4. Core user journeys

4.1 Create, pay and publish

A visitor opens a live example, selects 'Hazlo tuyo', enters names and date, and sees a personalized draft. An anonymous signed draft token preserves the draft for 30 days. Email magic link claims it; existing users can attach it to their account. Claim is required before adding guests, publishing or paying.

The host selects a tier, sees the total and invoicing options, and pays through an enabled gateway. Pending methods show a pending state. Publication happens only after a verified successful payment state, never solely from a browser redirect or a checkout-completed event that still represents an unpaid payment. Invoice issuance has its own retryable status and support path.

The event is published at {slug}.lazo.mx with the privacy controls appropriate to its mode. The host dashboard routes among draft/unpaid, live and past events.

4.2 Guest participation

Guests open an invitation, confirm each household member per sub-event, answer enabled questions, view a registry and contribute or purchase. They can see payment status and confirmation without signing up. Authorized guests can upload photos; photos remain unpublished until host approval.

4.3 Vendor purchase and fulfilment

A host follows the purchase mode of the offering: a venue uses availability and a quote; a standard retail product uses integrated catalog checkout; a fitting-based purchase uses chat, appointment and a finalized customer-approved order. Fixed packages use price and date selection with availability confirmation, rather than a mandatory negotiated quote. The vendor receives the order through its API or portal, confirms it and updates fulfilment. The host sees order, payment and settlement states separately. Failures, cancellations, refunds and disputes enter a support queue.

5. Functional requirements: event backbone

5.1 Marketing and drafts

MKT-1 (P0): Homepage live examples for boda, XV, bautizo, graduación, corporate and memorial. Each mode has a usable launch configuration; corporate and memorial do not require six separate codebases or extensive theme families.

MKT-2 (P0): Publish one purchasable price and explicit inclusions per enabled tier. Source planning bands are Essential MXN 899-1,199, Premium MXN 2,499-4,499 and Signature MXN 8,999-17,499; these are planning inputs, not final checkout prices. Founder finalizes prices by 11 September.

MKT-3 (P0): Vendor landing page explains access, supported integrations, commissions and fulfilment responsibilities. Claims about payment protection must match the actual arrangement.

DFT-1 (P0): Live examples use seed events and culturally appropriate sections. Personalization responds within two seconds under the agreed test conditions.

DFT-2 (P0): Signed server-backed drafts survive reload and sleep; magic-link claim cannot transfer another user's draft. Anonymous drafts contain no guest list or payment credentials.

5.2 Event pages and modes

EVT-1 (P0): Shared editor supports cover, story, itinerary and sub-events, dress code, lodging, directions, questions, registry, gallery and RSVP. Host can hide irrelevant sections and select among four palettes.

EVT-2 (P0): Boda and XV preserve their distinct cultural vocabulary and section sets. Bautizo and graduación have suitable copy and defaults.

EVT-3 (P0): Corporate mode supports organization branding, agenda, venue, attendee questions and owner/editor permissions. Registry and gift sections are off by default and optional.

EVT-4 (P0): Memorial mode supports tribute, service details, remembrance messages and optional contributions. Celebratory language and promotional/referral prompts are off by default; messages and photos are moderated.

EVT-5 (P0): Invitation access/privacy controls, private galleries and exclusion from public discovery are enforced server-side. Events involving minors default to private. Private access is not optional polish.

EVT-6 (P0): WhatsApp sharing, Web Share and invitation QR codes remain available alongside the Business API. Public pages use a capped image pipeline.

5.3 RSVP, seating and photos

RSVP-1 (P0): Confirm per household member and sub-event; enforce plus-one limits. Optional questions include menu, allergies, song and message. CSV import/export, tags and address-collection status are available to hosts.

SEAT-1 (P0): Create named tables with capacities per sub-event; assign and move confirmed guests; show unassigned guests and over-capacity warnings. Prevent duplicate assignments within a sub-event. RSVP changes flag affected seats for review without silently losing assignments.

SEAT-2 (P0): Save and reload the plan, provide an accessible list alternative to drag-and-drop, and export/print tables with guest names. Public guests cannot retrieve the plan.

PHOTO-1 (P0): Guests upload using scoped invitation/upload authorization without accounts. Validate actual file type and size, apply per-event quotas and abuse limits, strip location metadata and keep originals private.

PHOTO-2 (P0): Hosts approve, reject and delete photos. Only approved images appear in the gallery; uploads cannot access another event. Retention, consent and deletion behavior are disclosed.

5.4 Registry and post-event

REG-1 (P0): Retailer-link items with editable metadata, cash funds with goal/progress, group gifts and vendor catalog items share a gift ledger. Link import remains a fallback for unsupported retailers; it is not the retailer API deliverable.

REG-2 (P0): Hosts complete provider eligibility/KYC before enabling cash contributions. Provider-approved money movement supports payment, payout, refund and dispute states. Displayed host proceeds and guest fees match tested settlement amounts.

REG-3 (P0): Distinguish reserved, pending, paid, purchased, cancelled and refunded. Retailer purchase claims require partner confirmation or clearly labeled manual guest/host confirmation. An external link click alone is not a purchase.

REG-4 (P0): Post-event mode starts 48 hours after the last sub-event, preserving access to gifts, orders and support. Include thank-you status and CSV export. Marketing/referral sends require the relevant opt-in.

5.5 Dashboards and administration

HD-1 (P0): Dashboard shows event state, countdown, RSVP count, registry progress and billing. Sections include Event, Guests/Seating, Registry, Vendors/Orders, Photos, Analytics, Billing and Share/Messaging.

VEN-1 (P0): Directory supports CDMX, GDL and MTY, filtering by city/category/price/capacity and confirmed availability where provided. Do not label unknown availability as available. Storefronts show galleries, priced packages and verified reviews when present.

VEN-2 (P0): Inquiries include date, city, guest count and budget. Vendor dashboard supports inquiries, profile, catalog, orders, payment onboarding and analytics. Free profiles do not imply commission-free transactions; transaction terms are agreed separately.

ADM-1 (P0): Admin can verify vendors, moderate content, inspect event/order/payment history, refund eligible transactions, unpublish, resolve integration failures and view reconciliation exceptions. Sensitive actions are permissioned and audited.

6. Integrations and vendor onboarding

6.1 API-enabled vendors and retailers

INT-1 (P0): Use a common partner contract for identity, purchase mode, external IDs, catalog, prices, availability, order creation, acknowledgement, status and cancellations/refunds where supported. Each adapter declares its capabilities; unsupported operations are not presented as automated.

INT-2 (P0): Vendor onboarding verifies business identity, service coverage, commercial terms and provider payout eligibility, then connects scoped credentials and tests a sample catalog and complete order. Sandbox testing alone does not count as production onboarding.

INT-3 (P0): Authenticate webhooks, encrypt credentials, enforce idempotency, retry with backoff and route terminal failures to an admin queue. Store last synchronization time and external identifiers. Recheck price and availability before charge or order confirmation.

INT-4 (P0): At least one vendor API integration and one authorized retailer API integration must operate in production. One partner may satisfy both only if it demonstrably supports both workflows. Partner selection is due 11 September and production access confirmation by 18 September.

6.2 Purchase modes and vendors without APIs

MODE-1 (P0): Venue booking follows availability -> versioned quote -> customer acceptance -> payment -> confirmed booking. Holds expire explicitly. Quotation is not a mandatory universal vendor step.

MODE-2 (P0): Standard retail gifts such as plates, appliances and ordinary household items use API-connected catalog checkout. Launch retailer integrations must support current prices, variants, availability, order confirmation and fulfilment status, with cancellation/refund handling. Read-only product feeds do not satisfy end-to-end checkout. Prioritize retailers with an existing usable commerce integration.

MODE-3 (P0): A contribution toward a product is distinct from buying or reserving it. Show funding progress; revalidate price/stock before purchase; obtain host approval for substitutions or increases. Display the agreed refund or alternative-use policy before collecting funds. Never imply inventory is reserved without retailer confirmation.

MODE-4 (P0): Fitting/customization purchases support LAZO chat -> appointment -> store visit -> measurements/specifications -> finalized order -> customer approval -> payment -> alterations/pickup. The vendor enters items, quantities, customizations, total, promised date and terms in LAZO. This is an assisted purchase, not the venue quote flow. Group outfits can belong to one purchase case with individually assigned items; per-person split checkout is a later enhancement unless already implemented.

MODE-5 (P0): Create an opaque QR/reference tied to the customer, vendor, conversation and purchase case. A case may contain multiple orders. Before purchase, the page shows appointment details; after order preparation it shows the customer-approved payable order; after payment it shows receipt and fulfilment. Scanning alone never accepts an order or authorizes payment. Vendor access requires authentication; customer information requires authorized access. Forwarding a QR does not prove identity. Revoke expired links and prevent duplicate payment for a settled order.

MODE-6 (P0): The vendor can display the order QR for the customer to scan; the same checkout is reachable from the LAZO conversation. The customer reviews the exact order version before paying. Approved provider checkout routes proceeds and platform fees according to the configured arrangement; payment success and bank payout remain distinct states.

NOAPI-1 (P0): Small service and fitting vendors can onboard through WhatsApp, email or staff-assisted phone intake. Accept their existing photos, package documents and spreadsheets. Staff or the Vendor Operations agent prepares a profile and one to three packages, then obtains explicit vendor approval. A full portal is optional for the first transaction.

NOAPI-2 (P0): Provide a lightweight vendor interface for appointments, conversations, finalized orders, availability and payment status. CSV import supports catalog maintenance but does not substitute for live retail inventory integration. Fixed service packages require availability confirmation without a separate negotiated quote stage.

NOAPI-3 (P0): Phone-assisted responses are recorded with source, responsible staff member and explicit vendor confirmation. AI-generated prices, terms, stock claims or measurements may not be accepted as vendor facts. Secure payment-provider onboarding is required for payment-ready status; collect sensitive verification data through secure provider flows rather than chat.

NOAPI-4 (P0): Start with one operational primary per top-level department in a common service area and identify backups. Departments supplied: venues/infrastructure; planning/logistics; catering/food stations; snacks/carts; beverages; cakes/desserts; live music; DJs/animation; choreography/shows. The last department's subcategory list is incomplete and must not be invented. Print, flowers and travel retain their separate coverage gates. Show actual service coverage in the broader city directory.

6.3 Print, flowers and travel

FUL-1 (P0): At least one partner per category must complete a real end-to-end pilot before beta closes. Publish supported locations, delivery dates, cutoff times, fees and cancellation terms. Travel operates through a fulfillment partner; LAZO does not build airline/hotel inventory infrastructure in V1.

FUL-2 (P0): Print supports product/options, quantity, artwork/proof approval and shipping or pickup. Flowers support arrangement, recipient, address and delivery window. Travel supports a partner-backed request/quote, traveler details, accepted itinerary and booking confirmation/reference.

FUL-3 (P0): Every category supports quote/order confirmation, payment status, fulfillment status and cancellation/refund handling. Partner APIs automate supported steps; the portal/operator route can support partners lacking an API. These fallbacks do not replace the separate live API requirements.

FUL-4 (P0): Operations owns failed delivery, unavailable inventory and booking exceptions. Host contact and escalation ownership are visible. Do not take an unsupported order merely to record revenue.

6.4 WhatsApp Business API

WA-1 (P0): Configure approved production sender and templates. Send opted-in invitations/reminders and relevant order updates, with consent records, template variables and event context.

WA-2 (P0): Record queued, sent, delivered and failed status where supplied; deduplicate sends, process opt-outs and retry only appropriate failures. Sensitive guest or event information must not leak through messages.

WA-3 (P0): A real opted-in recipient receives a production template message before beta. LAZO operates the Business API connection; vendors may continue receiving messages in their existing WhatsApp app without their own API integration. Email and share links provide fallback, but do not count as Business API acceptance. Meta/provider approval is an external launch dependency.

7. Payments, invoicing and revenue

7.1 Three separate money flows

PAY-1 (P0): LAZO event fees pay for the event product. LAZO's event-fee ledger, entitlement, invoice, refund and settlement records are linked but have independent states.

PAY-2 (P0): Guest contributions are tracked separately from LAZO revenue. Use a provider-approved host payout structure; original Stripe Connect Express intent remains subject to confirmed eligibility, capabilities and review. Do not treat product labels as proof of merchant-of-record or custody status.

PAY-3 (P0): Vendor orders record gross amount, platform fee, provider fee, refund liability and vendor proceeds separately. The provider manages approved movement and settlement. Release timing, deposits and dispute responsibility must be documented before enabling vendor checkout.

PAY-4 (P0): Stripe remains the proposed primary provider. Select and enable a second gateway for event fees by the release gate. Provider selection requires commercial and technical validation; this PRD does not assume a named alternative is approved.

PAY-5 (P0): Maintain one internal payment contract for checkout, status, verified callbacks, refunds and reconciliation. A second gateway is selectable for a fresh attempt. Never automatically retry a charge with another provider while the first outcome is unknown; reconcile or expire it first.

PAY-6 (P0): Store integer centavos and explicit currencies. Verify webhook authenticity and tolerate duplicate/out-of-order delivery. Test success, pending, failure, expiry, refunds and reconciliation. Enable card, OXXO and SPEI only where the selected provider and specific flow have verified support; verify the intended launch matrix by 18 September.

PAY-7 (P0): Configure the CFDI workflow with the invoicing provider and validated required tax fields. Payment success triggers invoice processing; failures remain visible and retryable. Refunds use the appropriate invoicing adjustment process. Tax/accounting owners approve the workflow before production.

7.2 Commercial decisions and November revenue

REV-1 (P0): Primary launch revenue is collected event fees from external paying hosts. Additional revenue is earned, contracted platform fees on settled gifts/vendor orders and agreed fulfilment commissions. GMV, test charges, unpaid bookings and unearned customer funds do not count as LAZO revenue.

REV-2 (P0): The original 2.5% contributor fee plus processing is a pricing proposal pending settlement/economics review by 11 September. Avoid 'recibes el 100%' claims until actual fees and payouts substantiate them. Current provider rates must be obtained before final pricing; the old rate appendix is not carried forward as verified fact.

REV-3 (P0): By 30 November, record at least one genuine paid external customer, collected LAZO revenue, and reconciliation of the associated fees, refunds and settlement. This is a minimum evidence gate, not a commercial forecast. Founder sets a meaningful revenue amount and paid-event target by 11 September.

REV-4 (P0): First paid pilot target is 25 October; 16-30 November is the launch conversion window. Founder/Growth owns prospect recruitment, launch offer, checkout conversion follow-up and weekly revenue review. Vendor seeding and essential launch acquisition begin before V2; scaled campaigns and channel optimization become a V2 focus.

REV-5 (P1): MSI is off for cash/group gifts; optional product/tier instalments require positive unit economics and explicit cost allocation. Vendor Pro subscription billing remains outside V1.

8. Analytics warehouse and operational requirements

DATA-1 (P0): Use a separate managed analytical store; select the technology by 11 September. Ingest product events and operational payment/order facts at least daily through restartable jobs with stable IDs and deduplication.

DATA-2 (P0): Track draft, claim, paid, published, RSVP, gift, quote, order, fulfilled, refunded and payout events. Dashboards show funnel conversion, paid events, LAZO revenue, GMV, refunds, provider costs, vendor fulfilment and acquisition source separately.

DATA-3 (P0): Reconcile warehouse totals to transactional/provider records daily; surface freshness and differences. Minimize guest PII, restrict access, apply retention/deletion requirements and use event schemas with versioning. No real-time streaming or machine learning is required in V1.

NFR-1 (P0): Target public-page LCP below 2.5 seconds on representative 4G mobile testing in Mexico and 99.9% public-page availability. Provider outages cannot block already-published event pages.

NFR-2 (P0): Tenant isolation and roles are enforced in database/storage policies and server endpoints. Include cross-event access tests for guests, photos, seats, orders and vendors. Log consent and sensitive administrative/payment changes.

NFR-3 (P0): Installable PWA supports host and guest mobile flows, including camera upload on supported devices. Cache only safe public/static resources; do not cache private lists, tokens or payment responses. Offline screens explain that RSVP, ordering and payment require reconnection.

NFR-4 (P0): Privacy notice, payment arrangements, partner terms and retention policy receive appropriate review before beta. Minors' events are private by default. No legal compliance claim is inferred from the original PDF.

NFR-5 (P0): Error monitoring, webhook/job visibility, spend alerts, image/upload quotas, database backups and a demonstrated restore procedure are operational before beta. Assign an incident owner and event-day support coverage. No unresolved critical security, data-loss or money-integrity defect at launch.

9. Architecture baseline

Retain the proposed single Next.js/TypeScript application, Tailwind/shadcn UI, Supabase/Postgres with RLS, object storage, Drizzle, Postgres search and geography support. Validate supported framework versions before implementation. Use one identity system; Supabase Auth remains the proposed default, with the choice closed by 9 September.

The shared application serves marketing, event pages, host/vendor/admin surfaces and the PWA. Use an adapter layer for gateways, retailer/vendor APIs, WhatsApp and fulfilment. Durable background jobs process callbacks, retries, reminders and scheduled synchronization. Operational Postgres is the system of record; the warehouse serves analysis.

Core records: users/roles, events/sub-events, households/guests, RSVPs, table assignments, photos/moderation, registries/gifts, vendors/catalogs, integrations, quotes/orders/order items, fulfilments, payment attempts/refunds/payouts, invoices, message consent/delivery and audit events.

Use the source's Vercel, Resend, Inngest, PostHog, Sentry and Facturapi choices as planning defaults, subject to integration validation. Resolve DNS/wildcard routing and storage/image costs through deployment tests. The old tooling estimate is not a verified budget for the expanded scope.

10. Dated release plan

- 7-11 September: Freeze minimum capability depth; select auth, provider architecture, second gateway, warehouse and launch partners. Decide portal onboarding, pricing and revenue target. Submit external applications and assign owners.
- 12-18 September: Review schema/access rules; prove draft-to-RSVP slice; confirm partner API access, payment-method matrix, invoicing route and production approval status. Escalate any missing critical access immediately.

- 19 September-2 October: Complete event modes, claim/publish path, core dashboards and PWA foundation. Build payment/order contracts and partner adapters. A guest RSVPs without assistance by 2 October.
- 3-16 October: Complete event-fee checkout and invoicing across both gateways; gifts/vendor payment flows; assisted onboarding and vendor action pages; catalog/order synchronization; WhatsApp send/status. Target provider approvals and production connectivity by 16 October.
- 17-25 October: Integrate all fulfilment categories, seating, photo moderation and warehouse dashboards. Run real paid pilots and reconciliation. Target first collected event-fee revenue by 25 October.
- 26-31 October: Complete all P0 end-to-end acceptance tests, real partner orders and production payment/payout checks. Finish privacy/terms review, restore exercise and support runbooks. No feature implementation is intentionally left to launch week.
- 1-10 November: Closed beta with 25 real events across the launch modes. Exercise guest, host, vendor and support flows; resolve issues and record reconciliation results. At least one event in each mode must exercise its mode-specific behavior.
- 11-14 November: Release candidate, regression checks, final copy/coverage audit, incident rehearsal and founder go/no-go. No unresolved critical defects or missing P0 capabilities.
- 15 November: Public V1 launch with all required capabilities and explicit partner coverage.
- 16-30 November: Stabilize, support paid customers, convert launch prospects and review collected revenue. Publish the 30 November commercial result from reconciled data.
- V2 after V1 acceptance: strengthen technology, expand integrations and automation, and scale marketing using conversion and reliability evidence.

This schedule is a target, not evidence of feasibility. If an approval or P0 gate fails, report the exact blocker and recovery plan. Founder must explicitly choose a scope or date change; a demo, disabled integration or manual substitute cannot silently satisfy an API requirement.

11. Acceptance gates

GATE-AI: Both initial AI agents pass section 14 acceptance tests and operate in production with permissions, audit logs, cost limits, escalation and disable controls. Agent rollout cannot relax payment, vendor confirmation or data-access gates.

GATE-MODE: Demonstrate retail API purchase, venue quote acceptance, and fitting-to-order QR checkout. A paid order cannot be charged twice; a QR scan does not authorize payment; an unconfirmed contribution does not reserve inventory.

GATE-1: A new host completes draft, claim, real payment, invoice and publication without staff intervention; pending or failed payments never publish incorrectly. Both gateways pass a real event-fee payment/refund/reconciliation check.

GATE-2: Guests RSVP, give and upload without accounts; permissions prevent cross-event access. Seating exports match saved assignments. All six launch modes pass their configuration and vocabulary checks.

GATE-3: A real gift settles through the approved host payout flow, and a real vendor order reaches documented provider settlement. Duplicate callbacks do not duplicate charges, orders, gifts or invoices.

GATE-4: API vendor and retailer workflows operate in production; a non-API vendor independently accepts and updates an order. Print, flowers and travel each complete a real partner-backed pilot, with confirmation and a tested cancellation/support path.

GATE-5: An opted-in recipient receives a production WhatsApp template; status and opt-out handling work. The warehouse refreshes and reconciles revenue/order totals within the daily window.

GATE-6: Beta completes 25 real events, with no unresolved critical payment, security or data incidents and no unexplained ledger differences. Ordinary customer declines are handled correctly rather than mislabeled as a zero-failure guarantee.

GATE-7: Support, backup restore, monitoring and production rollback are demonstrated. Founder signs off on scope completion on 14 November; collected-revenue evidence is reviewed on 30 November.

12. Decisions, owners and risk controls

Role labels below are accountable functions; named people must be assigned at kickoff.

- Founder + Engineering, 9 September: auth, draft-claim trigger and hosting baseline. Recommended defaults: Supabase Auth and claim required before guests/payment/publish.
- Founder + Engineering + Payments owner, 11 September: vendor-payment structure, second gateway and providers' responsibilities; confirm eligibility and payment-method matrix by 18 September.
- Partnerships owner, 11 September: launch API vendor, retailer and print/flowers/travel partners; establish access and service commitments by 18 September.
- Founder + Operations, 11 September: accept or revise assisted onboarding and vendor action pages and partner response windows.
- Founder + Growth + Finance, 11 September: final tier prices, transaction fees, November revenue amount, paid-event target and acquisition plan.
- Engineering/Data owner, 11 September: warehouse and ingestion design; expected expanded infrastructure cost.
- Messaging owner, 18 September: WhatsApp application/approval status, consent flow and template readiness; production connectivity target 16 October.
- Finance/Tax/Legal owners, before 1 November beta: approve applicable payment, invoicing, privacy and partner arrangements.

Primary risks are provider/Meta approvals, missing retailer access, increased integration breadth, fulfilment exceptions and payment reconciliation. Early production proofs, curated partners, one shared order model and visible exception queues reduce these risks. The date cannot be guaranteed by implementation throughput alone.

13. Budget and change control

The source budget was MXN 500,000 for 90 days excluding marketing: contractor 300,000; legal 75,000; contingency 50,000; design 35,000; vendor seeding/beta operations 30,000; tooling 10,000. This is an inherited baseline, not a confirmed budget for the revised scope.

Founder and Finance reforecast integration, messaging, storage, warehouse, fulfilment support, provider fees and launch marketing by 11 September. No new spend is approved by this PRD. Changes to required V1 capability, acceptance gates or launch date require an explicit recorded founder decision.

14. Autonomous AI agents and business operations

14.1 Scope and rollout

AI-1 (P0): Deploy two customized autonomous AI agents for V1: Vendor Operations and Customer/Order Operations. These are tool-using agents with scoped memory, event triggers, task queues and execution authority within defined policies, not FAQ-only chatbots or human staffing assignments. They can execute multi-step work, request missing information, wait and resume, and hand off tasks.

AI-2 (P0): Provide 24/7 availability on hosted infrastructure. Agents start on messages, uploads, order events, deadlines or scheduled checks, then suspend when waiting. Continuous availability does not require continuous model execution. Operational availability and human escalation coverage must be stated separately; physical vendor service remains subject to real availability.

AI-3 (P1 / staged expansion): Split into six specialized roles when tested workload justifies it: Vendor Operations; Customer/Order Concierge; Catalog/Registry; Payments/Fulfilment Monitor; Growth/Content; Engineering/Quality. The two initial roles are launch requirements; all six are not an added launch blocker. No specialist may inherit broader permissions merely because it shares a model.

AI-4 (V2 capacity direction): Support growth toward 50 concurrent workers through configurable queue/concurrency limits and additional tested role instances. Fifty is an eventual capacity option, not a requirement for 50 distinct personas or simultaneous launch processes. Capacity increases require measured demand, budget approval and integration rate-limit checks. Human and AI weekly capacity estimates are excluded from this PRD.

14.2 Role assignments and permitted work

AGENT-1 - Vendor Operations (P0). Trigger: candidate intake, document upload, incomplete profile, onboarding deadline or vendor response. Reads only assigned vendor records and permitted source material. Extracts packages from documents, normalizes department/service-area data, asks for missing information through approved messaging workflows, prepares listings, requests vendor approval and checks activation prerequisites. Can activate a profile only after recorded vendor approval and deterministic verification gates. Cannot invent commercial terms, sign vendor agreements, bypass payment eligibility or claim inventory availability without evidence. Owner: Partnerships/Operations. Measures: activation time, correction rate, staff minutes and activation quality.

AGENT-2 - Customer/Order Operations (P0). Trigger: host/guest/vendor message, appointment request, pending order or support event. Uses authenticated or scoped guest context. Helps create events, explains registry options, guides retail selection, coordinates fitting appointments, creates a purchase-case reference through LAZO tools and presents finalized orders. Reads verified payment/fulfilment states and sends permitted reminders. Vendor approval determines availability, customization and final price; customer approval determines purchase. Cannot manufacture confirmations, authorize customer charges or resolve exceptional disputes independently. Owner: Customer Operations. Measures: correct resolution, conversion, escalation quality and response latency.

AGENT-3 - Catalog/Registry (P1). Normalizes API product data and flags missing variants, stale listings, duplicate items and stock/price conflicts. Proposes alternatives with accurate contribution-versus-purchase language. Scheduled software performs synchronization; the agent handles interpretation and exceptions. Substitutions require customer/host approval. Owner: Commerce. Measures: catalog accuracy and order failures.

AGENT-4 - Payments/Fulfilment Monitor (P1). Investigates mismatched records, late orders, failed callbacks and payout queries; assembles evidence and escalates exceptions. Has read access to necessary transaction data and can create support cases. Payment calculations, ledger updates and reconciliation comparisons are deterministic services. Discretionary refunds, payout changes and dispute settlements require authorized human decisions. Owner: Finance/Operations. Measures: unresolved exceptions, detection time and reconciliation accuracy.

AGENT-5 - Growth/Content (P1). Drafts native es-MX pages, vendor spotlights, lifecycle content and conversion experiments using approved facts and consented audiences. Can publish/send only under a specifically configured approval policy; new claims, campaigns and spend require review at launch. No invented testimonials, availability or product benefits. Owner: Founder/Growth. Measures: attributable paying customers, acquisition cost and content correction rate.

AGENT-6 - Engineering/Quality (P1). Reproduces issues, runs tests, prepares code changes and creates linked Linear work items from approved telemetry. Uses isolated development/test tools. Production deployment, infrastructure changes and access changes remain subject to the release policy. Owner: Engineering. Measures: escaped defects, useful fixes and recovery time.

14.3 Runtime and shared records

RUN-1 (P0): Messages/events -> durable queue -> scoped agent -> permission-checked LAZO tools -> authoritative database/integrations -> audit trail or human escalation. Use the existing Supabase/Postgres and proposed Inngest job infrastructure. Miro documents process and Linear tracks implementation; neither is the production order database.

RUN-2 (P0): Store task ID, event/customer/vendor/order references, role version, permitted context, evidence references, actions, results, cost and final status. Persist compact factual task memory scoped to the tenant and purpose. Private conversation or payment data cannot become shared global agent memory. Redact logs and apply retention/deletion controls.

RUN-3 (P0): Expose bounded tools such as read order status, prepare profile, request appointment, draft order and create escalation. Validate authorization, inputs, state transitions and side effects in server code. Agents cannot access unrestricted production SQL, raw credentials or another tenant's data. Uploaded documents, messages and web content are untrusted data and cannot override tool permissions or instructions.

RUN-4 (P0): Enforce one active mutation per conversation/order, idempotency keys for external side effects, bounded retries, timeouts and a terminal-failure queue. Recover uncertain external outcomes before repeating actions. Configure per-role and global concurrency plus integration rate limits; initial limits are conservative and adjusted using measured queues.

RUN-5 (P0): Every role has maximum model steps, execution time and per-task/daily spend limits. Use simpler models for validated routine work and escalation for difficult cases. Prevent agents from recursively creating unbounded subtasks. Record cost per resolved case or activated vendor, including model, messaging and review cost; do not budget by persona count alone.

14.4 Authority, review and overnight escalation

AUTH-AI-1 (P0): Automatically execute only approved low-risk workflows: information gathering, profile drafts, verified status replies, permitted reminders and support routing. External messaging requires configured audience, purpose, consent and template rules; an agent's generic role description is not blanket outreach authority.

AUTH-AI-2 (P0): Require explicit responsible-party approval for vendor prices/terms, customer purchase acceptance, discretionary refunds, product substitutions, new marketing spend and production releases. Approved standard payment flows still execute automatically through deterministic services after valid customer authorization.

AUTH-AI-3 (P0): Provide a human inbox with evidence, proposed action, urgency and due time. Configure an accountable on-call owner and advertised coverage. Critical event-day, payment-integrity and security issues alert the responsible person; ordinary cases can await staffed hours with truthful customer expectations. Agent-to-agent handoffs carry task references and scoped facts, not entire unrelated histories.

AUTH-AI-4 (P0): Provide a global and per-role disable switch, pause outgoing actions while preserving queues, and allow human takeover of any conversation. After a failure, degrade to basic status/support intake rather than fabricated answers. Financial and fulfilment commitments never depend solely on an LLM's confidence estimate.

14.5 Launch acceptance and operating metrics

TEST-AI-1 (P0): Before beta, test both roles on representative es-MX cases covering vendor documents, missing prices, retail stock changes, gift contributions, venue quotes, clothing appointments, finalized orders/QR, pending payments, duplicate events and human takeover. Include cross-tenant access attempts, misleading document instructions and provider outages.

TEST-AI-2 (P0): No critical privacy breach, unauthorized charge/refund, fabricated booking or duplicate financial action in the acceptance suite. All financial and identity-sensitive outcomes derive from verified tools. Each outbound action records its policy basis and task audit reference. Routine-answer evaluation rubrics and release thresholds are owned by Operations before enabling automatic replies.

TEST-AI-3 (P0): Start in draft/shadow mode, review real cases, then enable narrowly approved actions. Demonstrate wait/resume, safe retry, daily cost cap, escalation delivery and disable controls. Inspect samples after deployment, not only before release. Increased concurrency or a new role requires regression evaluation.

TEST-AI-4 (P0): Dashboard tracks task arrivals/completions, queue delay, response latency, correct resolutions, human escalation, error/rework, customer conversion and total cost per outcome. Growth toward six roles or 50 workers depends on these results, not a calendar promise.

14.6 Agent delivery milestones

- By 11 September: Engineering and Operations name role owners, approve the initial two role contracts and identify required tools/access.
- By 18 September: Implement scoped task/event records, runtime budgets, audit logging and a human escalation inbox.
- By 2 October: Both initial agents run in draft mode against onboarding and customer-order cases.
- By 16 October: Enable validated routine actions; demonstrate vendor approval, appointment coordination, status lookup and correct handoff.
- By 31 October: Complete all AI acceptance tests and recovery exercises alongside the existing P0 gates.
- 1-10 November beta: Measure correctness, conversion and costs; fix issues before the 14 November go/no-go.
- 15 November: Two production agents available continuously within approved boundaries. Add specialist roles as tested demand warrants; strengthen automation and expand capacity during V2.

Appendix A. Product vocabulary

Use mesa de regalos; confirmación de asistencia / confirmar asistencia; invitados; familia / grupo familiar; acompañante; proveedores; cotización / solicitar cotización; presupuesto for budget; anticipo for a genuine advance payment; salón de eventos / jardín / hacienda; banquete; código de vestimenta; fondo; regalo en grupo; agradecimientos; recuerdos; meses sin intereses; Entrar / Crear cuenta.

Preserve appropriate boda/XV terms: padrinos, misa, ceremonia civil, recepción, tornaboda, chambelanes, damas, vals, brindis, cambio de zapatillas, última muñeca and lluvia de sobres. Corporate and memorial modes use context-specific copy rather than inherited wedding language. Prefer ustedes and explicit MXN amounts.

Appendix B. State integrity

Event: anonymous draft -> claimed draft/unpaid -> live after verified paid state -> past 48 hours after the final sub-event. Admin suspension/unpublication is audited separately; refunds follow the explicit entitlement policy and do not erase guest or order history.

Payment attempt: created -> pending -> succeeded / failed / expired; succeeded may become partially refunded / refunded / disputed. Payout status is separate. Reconcile late or out-of-order events against the provider's authoritative state.

Order: venue uses request -> quote -> acceptance; retail uses catalog/cart -> validated checkout; fitting uses conversation -> appointment -> finalized order -> customer approval. These converge on payment pending -> paid -> confirmed -> in fulfilment -> fulfilled. Cancellation, failure and refund paths remain visible. API, vendor interface and authorized assisted actions use the same transaction records.