

Practical-1: Basic Programs Using User-Defined Function

1) Add two numbers using function. (A)

Program :-

```
#include <stdio.h>

void addTwoNumbers(int ,int); //function declaration

void main(){
    int n1,n2;
    printf("Enter the First Number : ");
    scanf("%d",&n1);
    printf("Enter the Second Number : ");
    scanf("%d",&n2);
    //function call
    addTwoNumbers(n1,n2);
}

//function Defination
void addTwoNumbers(int a,int b){
    printf("%d + %d = %d",a,b,a+b);
}
```

Output :-

```
Enter the First Number : 12
Enter the Second Number : 8
12 + 8 = 20
-----
```

2) Find maximum and minimum between two numbers using function.?(A)

Program :-

```
#include <stdio.h>

void findMinAndMax(int, int);

void main(){
    int n1,n2;
    printf("Enter the First Number : ");
    scanf("%d",&n1);
    printf("Enter the Second Number : ");
    scanf("%d",&n2);
    findMinAndMax(n1,n2);
}

void findMinAndMax(int a,int b){
    if(a > b){
        printf("%d is Max.\n",a);
        printf("%d is Min.",b);
    }
    else{
        printf("%d is Max.\n",b);
        printf("%d is Min.",a);
    }
}
```

Output :-

```
Enter the First Number : 12
Enter the Second Number : 34
34 is Max.
12 is Min.
```

3) Count simple interest using function.?(A) ($I=(p*t*r)/100$)

Program :-

```
#include <stdio.h>

void countSimpleInterest(int, int, int);

void main(){
    int p,r,t;
    printf("Enter the Principal amount : ");
    scanf("%d",&p);
    printf("Enter the Rate Of Interest : ");
    scanf("%d",&r);
    printf("Enter the Time (In year) : ");
    scanf("%d",&t);
    countSimpleInterest(p,r,t);
}

void countSimpleInterest(int p,int r,int t){
    float interest = (p*r*t)/100.0;
    printf("Interest = %f",interest);
}
```

Output :-

```
Enter the Principal amount : 10000
Enter the Rate Of Interest : 5
Enter the Time (In year) : 3
Interest = 1500.000000
```

Subject : 2304CS201– C Programming - II

Faculty: Prof. Ashok G. Badresiya

4) **Generate Fibonacci series of N given number using function name fbbo().?(B)**

Program :-


```
#include <stdio.h>

void fbbo(int);

void main(){
    int n;
    printf("Enter the Number : ");
    scanf("%d",&n);
    fbbo(n);
}

void fbbo(int n){
    int p1 = 0,p2 = 1,sum = 0;
    printf("\n 0 1 ");
    int i = 0;
    for(i=0;i<n-2;i++){
        sum = p1 + p2;
        printf("%d ",sum);
        p1 = p2;
        p2 = sum;
    }
}
```

Output :-



```
Enter the Number : 10

0 1 1 2 3 5 8 13 21 34
```