

Advanta Africa APIs

[SMS API](#) ▾

[Send SMS](#)

[Bulk SMS](#)

[Send Hashed SMS](#)

[Send OTP](#)

[Delivery Reports](#)

[Delivery Status Descriptions](#)

[SMS Balance](#)

[Common Errors](#)

[Response Codes](#)

[RESELLER SMS CREDIT API](#)

[USSD GUIDE](#)

[SHORTCODE GUIDE](#)

[SMPP API](#)

[AIRTIME API](#)

[EMAIL API](#)

DELIVERY REPORTS

The **Delivery Reports (DLR)** API allows you to check the status of sent messages by retrieving their delivery reports using the **message ID**.

Tip

Instead of periodically fetching delivery reports, you can configure an endpoint on your account to receive delivery reports in real-time. This ensures that message statuses are automatically updated without the need for manual requests. See below

Tip

Checkout code examples in send SMS

GET Method

Endpoint:

```
https://{url}}/api/services/getdlr
```

Parameters:

Parameter	Description
<code>apikey</code>	Your valid API key
<code>partnerID</code>	Your Partner ID
<code>messageID</code>	Message ID returned when SMS was sent

Advanta Africa APIs

[SMS API](#) ▾

[Send SMS](#)

[Bulk SMS](#)

[Send Hashed SMS](#)

[Send OTP](#)

[Delivery Reports](#)

[Delivery Status Descriptions](#)

[SMS Balance](#)

[Common Errors](#)

[Response Codes](#)

[RESELLER SMS CREDIT API](#)

[USSD GUIDE](#)

[SHORTCODE GUIDE](#)

[SMPP API](#)

[AIRTIME API](#)

[EMAIL API](#)

```
apikey={{apikey}}&partnerID={{partnerID}}&messageID={{messageID}}
```

POST Method

```
https://{{url}}/api/services/getdlr
```

Request Body:

```
1  {
2      "apikey": "{{apikey}}",
3      "partnerID": "
4      {{partnerID}}",
5      "messageID": "
        {{messageID}}" // The ID
        of the message to get the
        delivery report for
    }
```

Sample Success Response:

```
1  {
2      "response-code":200,
3      "message-id":"xxxxxxxxx",
4      "response-description":"Success",
5      "delivery-status":32,
6      "delivery-
7      description":"DeliveredToTerminal",
8      "delivery-tat":"00:02:30",
9      "delivery-networkid":1,
10     "delivery-time":"2024-11-01
        11:15:32"
    }
```

Sample Error Response:

Advanta Africa APIs

[SMS API](#) ▾

[Send SMS](#)

[Bulk SMS](#)

[Send Hashed SMS](#)

[Send OTP](#)

[Delivery Reports](#)

[Delivery Status Descriptions](#)

[SMS Balance](#)

[Common Errors](#)

[Response Codes](#)

[RESELLER SMS CREDIT API](#)

[USSD GUIDE](#)

[SHORTCODE GUIDE](#)

[SMPP API](#)

[AIRTIME API](#)

[EMAIL API](#)

```
3  "response-
4  description":"No dlr"
   }
```

Steps to Configure Callback URL:

1. Log into your **SMS** account.
2. Click on **Partners** in the left menu.
3. Select the **account** for which you want to configure the callback.
4. Toggle the **API** option.
5. Scroll down to **Callback URL**.
6. Enter your **callback URL** where the reports should be sent.
7. Click **Save** to apply the changes.

Info

Once configured, delivery reports will be automatically posted to your specified Callback URL, eliminating the need for manual requests.

Sample Callback Payload

When an SMS delivery report is available, we will send a request to your configured callback URL with the following payload:

```
1  {
2      "description":
3      "DeliveredToTerminal",
4      "messageid": "1889191",
5      "timeTaken": "22s", //The
6      turn around time for
```

json

Advanta Africa APIs

[SMS API](#) ▾

[Send SMS](#)

[Bulk SMS](#)

[Send Hashed SMS](#)

[Send OTP](#)

[Delivery Reports](#)

[Delivery Status Descriptions](#)

[SMS Balance](#)

[Common Errors](#)

[Response Codes](#)

[RESELLER SMS CREDIT API](#)

[USSD GUIDE](#)

[SHORTCODE GUIDE](#)

[SMPP API](#)

[AIRTIME API](#)

[EMAIL API](#)

10/10/10

}

Last Updated: 3/14/2025, 12:29:27 PM
Contributors: harrykerry